

WTBA Melbourne (37')_16




Oil Pattern Distance	37	Reverse Brush Drop	35	Oil Per Board	50 ul
Forward Oil Total	22.8 mL	Reverse Oil Total	5.8 mL	Volume Oil Total	28.6 mL
Tank Configuration	ALT	Tank A Conditioner	Keael	Tank B Conditioner	Keael

	START	STOP	LOADS	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
1	2L	2R	4	14	3	148	0.0	5.9	5.9	7400
2	4L	4R	3	18	3	99	5.9	13.5	7.6	4950
3	5L	5R	3	18	3	93	13.5	21.1	7.6	4650
4	6L	6R	4	18	3	116	21.1	31.3	10.2	5800
5	2L	2R	0	26	3	0	31.3	37.0	5.7	0

1 2L 2R 0 30 3 0 37.0 15.0 -22.0 0 2 7L 7R 2 18 4 54 15.0 9.9 -5.1 2700 3 5L 5R 2 14 4 62 9.9 6.0 -3.9 3100 4 2L 2R 0 14 4 0 6.0 0.0 -6.0 0		START	STOP	LOADS	SPEED	BUFFER	CROSSED	START	END	FEET	T.OIL
5L 5R 2 14 4 62 9.9 6.0 -3.9 3100	1	2L	2R	0	30	3	0	37.0	15.0	-22.0	0
	2	7L	7R	2	18	4	54	15.0	9.9	-5.1	2700
4 2L 2R 0 14 4 0 6.0 0.0 -6.0 0	3	5L	5R	2	14	4	62	9.9	6.0	-3.9	3100
	4	2L	2R	0	14	4	0	6.0	0.0	-6.0	0

Cleaner Ratio Main Mix 4:1
Cleaner Ratio Back End Mix 4:1
Cleaner Ratio Back End Distance 59
Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 50



Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R	
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Mlddle: Inside Track	Middle:Middle Track	Middle:Outside Track	
rack Zone Ratio	1.58	1	1	1	1	1.58	
1500 1350 1200 1050 900 750 600 450							