

## 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/18/17 Squad Time / Event: 10pm BJS/Prac

USBC Tech: Dan Oil start time 8:50 Last lane end time 9:30

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank		<i>DF</i>								
Turn On Machine / Check Voltage 26.2 Volts		<i>DF</i>								
Check Tanks For Full Fluids		<i>DF</i>								
Change Planner To Proper Pattern AM/PM		<i>DF</i>								
Warm Up Pumps At 50 Mics		<i>DF</i>								
Check Combined Cleaner (32 mils)		<i>DF</i>								
Replace Tip And Thumb Screw		<i>DF</i>								
Take Machine To Lanes / Type In Lanes		<i>DF</i>								
		<i>DF</i>								
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log		<i>BU</i>								
Start / Watch Numbers / Valve / Buffer RPM		<i>DF</i>								
Walk All Lanes When Finished		<i>DF</i>								
Dump / Fill Machines		<i>DF</i>								
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b># 1 Pract</b>	<b>#2 BJ</b>	<b># 2 Pract</b>	<b>#3 BJ</b>	<b># 3 Pract</b>	<b>#4 BJ</b>	<b># 4 Pract</b>	<b>#5 BJ</b>	<b># 5 Pract</b>
Lanes Burned	<i>1-2</i>	<i>15-16</i>								
Lanes Oiled	<i>1-14</i>	<i>15-18</i>								
Average Run Time	<i>862</i>	<i>763</i>								
Tank "A" Valve	<i>780</i>	<i>740</i>								
Tank "B" Valve	<i>442</i>	<i>379</i>								
Lead Tech Initials	<i>DF</i>	<i>DF</i>								
Distances Taped	<i>25</i>	<i>25</i>								
Give Tapes To MOD										

*DF*

# 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-17-17


Squad Time / Event: 9AM BJ / PRACT

USBC Tech: Tyrone

Oil start time: 7:50AM

Last lane end time: 8:52AM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank		B								
Turn On Machine / Check Voltage 26.2 Volts		B								
Check Tanks For Full Fluids		B								
Change Planner To Proper Pattern AM/PM		B								
Warm Up Pumps At 50 Mics		B								
Check Combined Cleaner (32 mils)		B								
Replace Tip And Thumb Screw		B								
Take Machine To Lanes / Type In Lanes		B								
		B								
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log		TS								
Start / Watch Numbers / Valve / Buffer RPM		B								
Walk All Lanes When Finished		B								
Dump / Fill Machines		B								
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b># 1 Pract</b>	<b>#2 BJ</b>	<b># 2 Pract</b>	<b>#3 BJ</b>	<b># 3 Pract</b>	<b>#4 BJ</b>	<b># 4 Pract</b>	<b>#5 BJ</b>	<b># 5 Pract</b>
Lanes Burned	1-2	23-24								
Lanes Oiled	1-16	23-32								
Average Run Time	851	760								
Tank "A" Valve	778	742								
Tank "B" Valve	442	377								
Lead Tech Initials	B	TS								
Distances Taped	25	25								
Give Tapes To MOD										

  
 Tyrone

# 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-17-17 Squad Time / Event: B3 / TEAM 11AM

USBC Tech: Timonius M Oil start time 10:00 AM Last lane end time 10:45 AM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank	TM	TM								
Turn On Machine / Check Voltage 26.2 Volts	TM	TM								
Check Tanks For Full Fluids	TM	TM								
Change Planner To Proper Pattern AM/PM	TM	TM								
Warm Up Pumps At 50 Mics		B								
Check Combined Cleaner (32 mils)		B								
Replace Tip And Thumb Screw		B								
Take Machine To Lanes / Type In Lanes	TM	TM								
Burn 2 Lanes With Machine	TM	TM								
Have MOD Verify / Initial Log	TS	TS								
Start / Watch Numbers / Valve / Buffer RPM	TM	TM								
Walk All Lanes When Finished	TM	TM								
Dump / Fill Machines	TM	TM								

RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned	1-2	23-24								
Lanes Oiled	1-6	23-32								
Average Run Time	852	762								
Tank "A" Valve	779	731								
Tank "B" Valve	443	382								
Lead Tech Initials	B	B								
Distances Taped										
Give Tapes To MOD										

*[Handwritten signature]*

## 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/17/17 Squad Time / Event: 1 PM B5 / PRACTICE

USBC Tech: Bob Oil start time 11:50 pm Last lane end time 12:55 pm

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank		<u>Bob</u>								
Turn On Machine / Check Voltage 26.2 Volts		<u>130B</u>								
Check Tanks For Full Fluids		<u>13013</u>								
Change Planner To Proper Pattern AM/PM		<u>13013</u>								
Warm Up Pumps At 50 Mics		<u>13013</u>								
Check Combined Cleaner (32 mils)		<u>13013</u>								
Replace Tip And Thumb Screw		<u>13013</u>								
Take Machine To Lanes / Type In Lanes		<u>13013</u>								
		<u>B013</u>								
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log		<u>TS</u>								
Start / Watch Numbers / Valve / Buffer RPM		<u>13013</u>								
Walk All Lanes When Finished		<u>13013</u>								
Dump / Fill Machines		<u>13013</u>								

RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned	<u>17-18</u>	<u>5-6</u>								
Lanes Oiled	<u>17-32</u>	<u>1-16</u>								
Average Run Time	<u>849</u>	<u>759</u>								
Tank "A" Valve	<u>780</u>	<u>729</u>								
Tank "B" Valve	<u>444</u>	<u>381</u>								
Lead Tech Initials	<u>B013</u>	<u>130B</u>								
Distances Taped										
Give Tapes To MOD										

*Handwritten initials*

## 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/17/17 Squad Time / Event: 3pm O/S PRACTICE

USBC Tech: Bob Oil start time 2:10 pm Last lane end time 3:13 pm

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank	BOB									
Turn On Machine / Check Voltage 26.2 Volts	BOB									
Check Tanks For Full Fluids	BOB									
Change Planner To Proper Pattern AM/PM	BOB									
Warm Up Pumps At 50 Mics	BOB									
Check Combined Cleaner (32 mils)	BOB									
Replace Tip And Thumb Screw	BOB									
Take Machine To Lanes / Type In Lanes	BOB									
	BOB									
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log	BU									
Start / Watch Numbers / Valve / Buffer RPM	BOB									
Walk All Lanes When Finished	13013									
Dump / Fill Machines	13013									

RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned	1-2	17-18								
Lanes Oiled	1-16	17-32								
Average Run Time	849	754								
Tank "A" Valve	777	742								
Tank "B" Valve	444	376								
Lead Tech Initials	BOB	BOB								
Distances Taped										
Give Tapes To MOD										

*Ym*

## 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

03 / 17 / 2017

Squad Time / Event:

10Pm BJ

USBC Tech:

Daijon

Oil start time

9:05

Last lane end time

9:57

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
<u>1</u>										
Drop Machines / Check Cloth and Tank	<u>DS</u>	<u>DS</u>								
Turn On Machine / Check Voltage 26.2 Volts	<u>DS</u>	<u>DS</u>								
Check Tanks For Full Fluids	<u>DS</u>	<u>DS</u>								
Change Planner To Proper Pattern AM/PM	<u>DS</u>	<u>DS</u>								
Warm Up Pumps At 50 Mics	<u>DS</u>	<u>DS</u>								
Check Combined Cleaner (32 mils)	<u>DS</u>	<u>DS</u>								
Replace Tip And Thumb Screw	<u>DS</u>	<u>DS</u>								
Take Machine To Lanes / Type In Lanes	<u>DS</u>	<u>DS</u>								
	<u>DS</u>	<u>DS</u>								
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log	<u>TS</u>	<u>TS</u>								
Start / Watch Numbers / Valve / Buffer RPM	<u>DS</u>	<u>DS</u>								
Walk All Lanes When Finished	<u>DS</u>	<u>DS</u>								
Dump / Fill Machines	<u>DS</u>	<u>DS</u>								
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b># 1 Pract</b>	<b>#2 BJ</b>	<b># 2 Pract</b>	<b>#3 BJ</b>	<b># 3 Pract</b>	<b>#4 BJ</b>	<b># 4 Pract</b>	<b>#5 BJ</b>	<b># 5 Pract</b>
Lanes Burned	<u>15-16</u>	<u>27-28</u>								
Lanes Oiled	<u>16-1</u>	<u>28-11</u>								
Average Run Time	<u>925</u>	<u>769</u>								
Tank "A" Valve	<u>779</u>	<u>740</u>								
Tank "B" Valve	<u>443</u>	<u>382</u>								
Lead Tech Initials	<u>13013</u>	<u>13013</u>								
Distances Taped										
Give Tapes To MOD										

Drop Machines / Check Cloth and Tank

#1 BJ

# 1 Pract

#2 BJ

# 2 Pract

#3 BJ

# 3 Pract

#4 BJ

# 4 Pract

#5 BJ

# 5 Pract

Turn On Machine / Check Voltage 26.2 Volts

Check Tanks For Full Fluids

Change Planner To Proper Pattern AM/PM

Warm Up Pumps At 50 Mics

Check Combined Cleaner (32 mils)

Replace Tip And Thumb Screw

Take Machine To Lanes / Type In Lanes

Burn 2 Lanes With Machine

Have MOD Verify / Initial Log

Start / Watch Numbers / Valve / Buffer RPM

Walk All Lanes When Finished

Dump / Fill Machines

**RECORD READINGS**

Lanes Burned

Lanes Oiled

Average Run Time

Tank "A" Valve

Tank "B" Valve

Lead Tech Initials

Distances Taped

Give Tapes To MOD

*Handwritten initials*



## 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/16/17 Squad Time / Event: 10pm BJ / practice

USBC Tech: Charles Byrd Oil start time 9:24pm Last lane end time 10:02pm

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lane Machine # <u>1</u>										
Drop Machines / Check Cloth and Tank	<u>CWB</u>	<u>CWB</u>								
Turn On Machine / Check Voltage 26.2 Volts	<u>CWB</u>	<u>CWB</u>								
Check Tanks For Full Fluids	<u>CWB</u>	<u>CWB</u>								
Change Planner To Proper Pattern AM/PM	<u>CWB</u>	<u>CWB</u>								
Warm Up Pumps At 50 Mics	<u>CWB</u>	<u>CWB</u>								
Check Combined Cleaner (32 mils)	<u>CWB</u>	<u>CWB</u>								
Replace Tip And Thumb Screw		<u>T3</u>								
Take Machine To Lanes / Type In Lanes	<u>CWB</u>	<u>CWB</u>								
	<u>CWB</u>	<u>CWB</u>								
Burn 2 Lanes With Machine	<u>1,2</u>	<u>15,16</u>								
Have MOD Verify / Initial Log	<u>PHW</u>	<u>PHW</u>								
Start / Watch Numbers / Valve / Buffer RPM	<u>CWB</u>	<u>CWB</u>								
Walk All Lanes When Finished	<u>CWB</u>	<u>CWB</u>								
Dump / Fill Machines	<u>CWB</u>	<u>CWB</u>								
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b># 1 Pract</b>	<b>#2 BJ</b>	<b># 2 Pract</b>	<b>#3 BJ</b>	<b># 3 Pract</b>	<b>#4 BJ</b>	<b># 4 Pract</b>	<b>#5 BJ</b>	<b># 5 Pract</b>
Lanes Burned	<u>CWB</u>	<u>CWB</u>								
	<u>1,2</u>	<u>15,16</u>								
Lanes Oiled	<u>1-12</u>	<u>15-22</u>								
Average Run Time	<u>856</u>	<u>761</u>								
Tank "A" Valve	<u>781</u>	<u>737</u>								
Tank "B" Valve	<u>443</u>	<u>380</u>								
Lead Tech Initials	<u>CWB</u>	<u>CWB</u>								
Distances Taped										
Give Tapes To MOD										

BJ Lanes : 1-13  
 Practice : 15-22





DeMarris

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/15/17

Squad Time / Event: 11:00AM

USBC Tech: Bob

Oil start time 9:58AM

Last lane end time 10:33AM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank	BOB									
Turn On Machine / Check Voltage 26.2 Volts	BOB									
Check Tanks For Full Fluids	BOB									
Change Planner To Proper Pattern AM/PM	BOB									
Warm Up Pumps At 50 Mics	BOB									
Check Combined Cleaner (32 mils)	BOB									
Replace Tip And Thumb Screw	BOB									
Take Machine To Lanes / Type In Lanes	BOB									
Burn 2 Lanes With Machine	BOB									
Have MOD Verify / Initial Log	BU									
Start / Watch Numbers / Valve / Buffer RPM	BOB									
Walk All Lanes When Finished	BOB									
Dump / Fill Machines	BOB									
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b># 1 Pract</b>	<b>#2 BJ</b>	<b># 2 Pract</b>	<b>#3 BJ</b>	<b># 3 Pract</b>	<b>#4 BJ</b>	<b># 4 Pract</b>	<b>#5 BJ</b>	<b># 5 Pract</b>
Lanes Burned	64-63	54-53								
Lanes Oiled	64-55	54-49								
Average Run Time	833	755								
Tank "A" Valve	778	743								
Tank "B" Valve	443	381								
Lead Tech Initials	BOB	BOB								
Distances Taped										
Give Tapes To MOD										

BOB

DeMarris

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/15/17

Squad Time / Event: 1:00 PM

USBC Tech: Bob

Oil start time 2:10 PM

Last lane end time 12:50 PM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank	BOB									
Turn On Machine / Check Voltage 26.2 Volts	BOB									
Check Tanks For Full Fluids	BOB									
Change Planner To Proper Pattern AM/PM	BOB									
Warm Up Pumps At 50 Mics	BOB									
Check Combined Cleaner (32 mils)	BOB									
Replace Tip And Thumb Screw	BOB									
Take Machine To Lanes / Type In Lanes	BOB									
Burn 2 Lanes With Machine	BOB									
Have MOD Verify / Initial Log	BOB									
Start / Watch Numbers / Valve / Buffer RPM	BOB									
Walk All Lanes When Finished	BOB									
Dump / Fill Machines	BOB									
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b># 1 Pract</b>	<b>#2 BJ</b>	<b># 2 Pract</b>	<b>#3 BJ</b>	<b># 3 Pract</b>	<b>#4 BJ</b>	<b># 4 Pract</b>	<b>#5 BJ</b>	<b># 5 Pract</b>
Lanes Burned	64-63	49-50								
Lanes Oiled	64-55	49-54								
Average Run Time	839	755								
Tank "A" Valve	778	741								
Tank "B" Valve	444	379								
Lead Tech Initials	1702	1303								
Distances Taped										
Give Tapes To MOD										

## 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/15/16 Squad Time / Event: 3:00pm  
 USBC Tech: Bob Oil start time 2:17pm Last lane end time 2:57pm

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank	BOB									
Turn On Machine / Check Voltage 26.2 Volts	BOB									
Check Tanks For Full Fluids	BOB									
Change Planner To Proper Pattern AM/PM	BOB									
Warm Up Pumps At 50 Mics	BOB									
Check Combined Cleaner (32 mils)	BOB									
Replace Tip And Thumb Screw	BOB									
Take Machine To Lanes / Type In Lanes	BOB									
	BOB									
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log	BU									
Start / Watch Numbers / Valve / Buffer RPM	BOB									
Walk All Lanes When Finished	BOB									
Dump / Fill Machines	BOB									
RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned	6463	5453								
Lanes Oiled	6455	5449								
Average Run Time	840	759								
Tank "A" Valve	780	737								
Tank "B" Valve	440	379								
Lead Tech Initials	BOB	BOB								
Distances Taped										
Give Tapes To MOD										

## 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/15/17 Squad Time / Event: 10pm BJ/Practice

USBC Tech: Charles Byrd Oil start time 9:08pm Last lane end time 9:50pm

Lane Machine # 1 #1 BJ #1 Pract #2 BJ #2 Pract #3 BJ #3 Pract #4 BJ #4 Pract #5 BJ #5 Pract

Drop Machines / Check Cloth and Tank	CW B	CW B									
Turn On Machine / Check Voltage 26.2 Volts	CW B	CW B									
Check Tanks For Full Fluids	CW B	CW B									
Change Planner To Proper Pattern AM/PM	CW B	CW B									
Warm Up Pumps At 50 Mics	CW B	CW B									
Check Combined Cleaner (32 mils)	CW B	CW B									
Replace Tip And Thumb Screw											
Take Machine To Lanes / Type In Lanes	CW B	CW B									
Burn 2 Lanes With Machine	CW B	CW B									
	64,63	54,53									
Have MOD Verify / Initial Log	<del>CW B</del>	<del>CW B</del>									
Start / Watch Numbers / Valve / Buffer RPM	CW B	CW B									
Walk All Lanes When Finished	CW B	CW B									
Dump / Fill Machines	CW B	CW B									

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned	64,63	54,53								
Lanes Oiled	64-55	54-47								
Average Run Time	844	754								
Tank "A" Valve	783	738								
Tank "B" Valve	443	378								
Lead Tech Initials	CW B	CW B								
Distances Taped										
Give Tapes To MOD										

BJ Lanes : 55-64  
 Practice : 47-54

## 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-14-17 Squad Time / Event: 9AM D/S PRAC

USBC Tech: TYRON B. Oil start time 7:47 AM Last lane end time 8:28 AM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank		B								
Turn On Machine / Check Voltage 26.2 Volts		B								
Check Tanks For Full Fluids		B								
Change Planner To Proper Pattern AM/PM		B								
Warm Up Pumps At 50 Mics		B								
Check Combined Cleaner (32 mls)		B								
Replace Tip And Thumb Screw		B								
Take Machine To Lanes / Type In Lanes		B								
		B								
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log		TS	TS							
Start / Watch Numbers / Valve / Buffer RPM		B								
Walk All Lanes When Finished		B								
Dump / Fill Machines		B								

RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned	1-2	15-16								
Lanes Oiled	1-14	15-18								
Average Run Time	854	764								
Tank "A" Valve	779	738								
Tank "B" Valve	443	381								
Lead Tech Initials	B	B								
Distances Taped	25	25								
Give Tapes To MOD										

*[Handwritten signature]*

## 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-17-17 Squad Time / Event: 11 AM

USBC Tech: J. P. RALE Oil start time 10:00 AM Last lane end time 10:50 AM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank		B								
Turn On Machine / Check Voltage 26.2 Volts		B								
Check Tanks For Full Fluids		B								
Change Planner To Proper Pattern AM/PM		B								
Warm Up Pumps At 50 Mics		B								
Check Combined Cleaner (32 mills)		B								
Replace Tip And Thumb Screw		B								
Take Machine To Lanes / Type In Lanes		B								
		B								
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log		B								
Start / Watch Numbers / Valve / Buffer RPM		B								
Walk All Lanes When Finished		B								
Dump / Fill Machines		B								

RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned	1-2	17-8								
Lanes Oiled	1-16	17-24								
Average Run Time	843	755								
Tank "A" Valve	779	792								
Tank "B" Valve	443	382								
Lead Tech Initials	B	B								
Distances Taped										
Give Tapes To MOD										

UP

DeMarris

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/14/17 Squad Time / Event: 100pm

USBC Tech: Bob Oil start time 12:02pm Last lane end time 12:45pm

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank	BOB									
Turn On Machine / Check Voltage 26.2 Volts	BOB									
Check Tanks For Full Fluids	BOB									
Change Planner To Proper Pattern AM/PM	BOB									
Warm Up Pumps At 50 Mics	BOB									
Check Combined Cleaner (32 mils)	BOB									
Replace Tip And Thumb Screw	BOB									
Take Machine To Lanes / Type In Lanes	BOB									
	BOB									
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log	TS TS									
Start / Watch Numbers / Valve / Buffer RPM	BOB									
Walk All Lanes When Finished	BOB									
Dump / Fill Machines	BOB									
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b># 1 Pract</b>	<b>#2 BJ</b>	<b># 2 Pract</b>	<b>#3 BJ</b>	<b># 3 Pract</b>	<b>#4 BJ</b>	<b># 4 Pract</b>	<b>#5 BJ</b>	<b># 5 Pract</b>
Lanes Burned	31-32	15-16								
Lanes Oiled	17-32	9-16								
Average Run Time	838	752								
Tank "A" Valve	778	744								
Tank "B" Valve	441	380								
Lead Tech Initials	BOB	BOB								
Distances Taped										
Give Tapes To MOD										

MA



DeMarris

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/14/17

Squad Time / Event: 3pm BS / Practice

USBC Tech: Bob

Oil start time 1:55 pm

Last lane end time 2:50 pm

Lane Machine # #1 BJ # 1 Pract #2 BJ # 2 Pract #3 BJ # 3 Pract #4 BJ # 4 Pract #5 BJ # 5 Pract

Drop Machines / Check Cloth and Tank	BOB									
Turn On Machine / Check Voltage 26.2 Volts	BOB									
Check Tanks For Full Fluids	BOB									
Change Planner To Proper Pattern AM/PM	BOB									
Warm Up Pumps At 50 Mics	BOB									
Check Combined Cleaner (32 mills)	BOB									
Replace Tip And Thumb Screw	BOB									
Take Machine To Lanes / Type In Lanes	BOB									
	BOB									
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log	TS TS									
Start / Watch Numbers / Valve / Buffer RPM	BOB									
Walk All Lanes When Finished	BOB									
Dump / Fill Machines	BOB									

RECORD READINGS #1 BJ # 1 Pract #2 BJ # 2 Pract #3 BJ # 3 Pract #4 BJ # 4 Pract #5 BJ # 5 Pract

Lanes Burned	1-2	17-18								
Lanes Oiled	1-16	17-24								
Average Run Time	836	759								
Tank "A" Valve	780	741								
Tank "B" Valve	443	379								
Lead Tech Initials	BOB	BOB								
Distances Taped										
Give Tapes To MOD										

u/x

## 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-14-17 Squad Time / Event: BJ/Practice 10 pm

USBC Tech: Charles Byrd Oil start time 9:28 pm Last lane end time 10:02 pm

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lane Machine # <u>1</u>										
Drop Machines / Check Cloth and Tank	<u>CWB</u>	<u>CWB</u>								
Turn On Machine / Check Voltage 26.2 Volts	<u>CWB</u>	<u>CWB</u>								
Check Tanks For Full Fluids	<u>CWB</u>	<u>CWB</u>								
Change Planner To Proper Pattern AM/PM	<u>CWB</u>	<u>CWB</u>								
Warm Up Pumps At 50 Mics	<u>CWB</u>	<u>CWB</u>								
Check Combined Cleaner (32 mils)	<u>CWB</u>	<u>CWB</u>								
Replace Tip And Thumb Screw	<u>CWB</u>	<u>CWB</u>								
Take Machine To Lanes / Type In Lanes	<u>CWB</u>	<u>CWB</u>								
Burn 2 Lanes With Machine	<u>CWB</u>	<u>CWB</u>								
Have MOD Verify / Initial Log	<u>TS</u>	<u>TS</u>								
Start / Watch Numbers / Valve / Buffer RPM	<u>CWB</u>	<u>CWB</u>								
Walk All Lanes When Finished	<u>CWB</u>	<u>CWB</u>								
Dump / Fill Machines	<u>CWB</u>	<u>CWB</u>								
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b># 1 Pract</b>	<b>#2 BJ</b>	<b># 2 Pract</b>	<b>#3 BJ</b>	<b># 3 Pract</b>	<b>#4 BJ</b>	<b># 4 Pract</b>	<b>#5 BJ</b>	<b># 5 Pract</b>
Lanes Burned	<u>5,6</u>	<u>1,2</u>								
Lanes Oiled	<u>5-12</u>	<u>1-4</u>								
Average Run Time	<u>849</u>	<u>774</u>								
Tank "A" Valve	<u>781</u>	<u>741</u>								
Tank "B" Valve	<u>442</u>	<u>379</u>								
Lead Tech Initials	<u>CWB</u>	<u>CWB</u>								
Distances Taped										
Give Tapes To MOD										

*Handwritten signature*

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-13-17

Squad Time / Event: 9:00am B5-D5

USBC Tech: Timocius M

Oil start time 7:35am

Last lane end time 8:15AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							<u>M</u>	<u>M</u>		
Turn On Machine / Check Voltage 26.2 Volts							<u>M</u>	<u>M</u>		
Check Tanks For Full Fluids							<u>M</u>	<u>M</u>		
Change Planner To Proper Pattern AM/PM							<u>M</u>	<u>M</u>		
Warm Up Pumps At 50 Mics							<u>B</u>	<u>B</u>		
Check Combined Cleaner (32 mils)							<u>B</u>	<u>B</u>		
Replace Tip And Thumb Screw							<u>B</u>	<u>B</u>		
Take Machine To Lanes / Type In Lanes							<u>B</u>	<u>B</u>		
Burn 2 Lanes With Machine							<u>M</u>	<u>M</u>		
Have MOD Verify / Initial Log							<u>TS</u>	<u>TS</u>		
Start / Watch Numbers / Valve / Buffer RPM							<u>B</u>	<u>B</u>		
Walk All Lanes When Finished							<u>B</u>	<u>B</u>		
Dump / Fill Machines							<u>M</u>	<u>M</u>		
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b>#1 Pract</b>	<b>#2 BJ</b>	<b>#2 Pract</b>	<b>#3 Pract</b>	<b>#3 Pract</b>	<b>#4 BJ</b>	<b>#4 Pract</b>	<b>#5 BJ</b>	<b>#5 Pract</b>
Lanes Burned							<u>64/63</u>	<u>57/52</u>		
Lanes Oiled							<u>64/53</u>	<u>49/52</u>		
Average Run Time							<u>0921</u>	<u>0821</u>		
Tank "A" Valve							<u>0782</u>	<u>0739</u>		
Tank "B" Valve							<u>0442</u>	<u>0382</u>		
Lead Tech Initials							<u>B</u>	<u>B</u>		
Distances Taped							<u>25</u>	<u>25</u>		
Give Tapes To MOD										

*[Handwritten signature]*

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-13-17

Squad Time / Event: B5 / TEAM

USBC Tech: Toumaius

Oil start time 9:50 AM

Last lane end time 10:21 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							M	M		
Turn On Machine / Check Voltage 26.2 Volts							M	M		
Check Tanks For Full Fluids							M	M		
Change Planner To Proper Pattern AM/PM							M	M		
Warm Up Pumps At 50 Mics							M	M		
Check Combined Cleaner (32 mils)										
Replace Tip And Thumb Screw										
Take Machine To Lanes / Type In Lanes										
Burn 2 Lanes With Machine							M	M		
Have MOD Verify / Initial Log							<del>M</del>	TS		
Start / Watch Numbers / Valve / Buffer RPM							M	M		
Walk All Lanes When Finished							M	M		
Dump / Fill Machines							M	M		
<b>RECORD READINGS</b>	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 Pract	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							64/63	47-50		
Lanes Oiled							59/64	47-50		
Average Run Time							0923	0830		
Tank "A" Valve							0777	0758		
Tank "B" Valve							0444	0382		
Lead Tech Initials							B	B		
Distances Taped										
Give Tapes To MOD										

*[Handwritten signature]*

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-13-17

Squad Time / Event: BJ / TEAM

USBC Tech: PARMAKIS M

Oil start time 12:12 PM

Last lane end time 10:00 AM 10:3 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							M	M		
Turn On Machine / Check Voltage 26.2 Volts							M	M		
Check Tanks For Full Fluids							M	M		
Change Planner To Proper Pattern AM/PM							M	M		
Warm Up Pumps At 50 Mics							B	B		
Check Combined Cleaner (32 mils)							B	B		
Replace Tip And Thumb Screw							B	B		
Take Machine To Lanes / Type In Lanes							M	M		
Burn 2 Lanes With Machine							M	M		
Have MOD Verify / Initial Log							TS	TS		
Start / Watch Numbers / Valve / Buffer RPM							M	M		
Walk All Lanes When Finished							M	M		
Dump / Fill Machines							M	M		
<b>RECORD READINGS</b>	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 Pract	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							64/65	51/52		
Lanes Oiled							53/64	49/52		
Average Run Time							823	830		
Tank "A" Valve							0778	0741		
Tank "B" Valve							0444	0378		
Lead Tech Initials							B	B		
Distances Taped										
Give Tapes To MOD										

*[Handwritten signature]*

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-13-17  
 USBC Tech: TARRANTS M

Oil start time 2:05 PM

Squad Time / Event: BS / TEAM  
 Last lane end time 3:00 PM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							TM	TM		
Turn On Machine / Check Voltage 26.2 Volts							TM	TM		
Check Tanks For Full Fluids							TM	TM		
Change Planner To Proper Pattern AM/PM							TM	TM		
Warm Up Pumps At 50 Mics							B			
Check Combined Cleaner (32 mils)							B			
Replace Tip And Thumb Screw							B			
Take Machine To Lanes / Type In Lanes							TM	TM		
Burn 2 Lanes With Machine							B			
Have MOD Verify / Initial Log							Burned	Reset		
Start / Watch Numbers / Valve / Buffer RPM							TM	TM		
Walk All Lanes When Finished							TM	TM		
Dump / Fill Machines							TM	TM		
<b>RECORD READINGS</b>	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 Pract	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							33/34	51/52		
Lanes Oiled							33/48	49/52		
Average Run Time							09:30	08:30		
Tank "A" Valve							07:01	07:41		
Tank "B" Valve							04:47	03:28		
Lead Tech Initials							B	B		
Distances Taped										
Give Tapes To MOD										

*[Handwritten signature]*

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Squad Time / Event: <sup>10pm</sup> BJ / Practice

Date: 3/13/2017  
 USBC Tech: Charles Byrd

Oil start time 9pm

Last lane end time 9:58pm

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							CWB	CWB		
Turn On Machine / Check Voltage 26.2 Volts							CWB	CWB		
Check Tanks For Full Fluids							CWB	CWB		
Change Planner To Proper Pattern AM/PM							CWB	CWB		
Warm Up Pumps At 50 Mics							CWB	CWB		
Check Combined Cleaner (32 mils)							CWB	CWB		
Replace Tip And Thumb Screw							CWB	CWB		
Take Machine To Lanes / Type In Lanes							CWB	CWB		
Burn 2 Lanes With Machine							CWB	CWB		
Have MOD Verify / Initial Log							TS	TS		
Start / Watch Numbers / Valve / Buffer RPM							CWB	CWB		
Walk All Lanes When Finished							CWB	CWB		
Dump / Fill Machines							CWB	CWB		
<b>RECORD READINGS</b>	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							64-63	48-47		
Lanes Oiled							64-49	48-45		
Average Run Time							954	842		
Tank "A" Valve							779	740		
Tank "B" Valve							443	378		
Lead Tech Initials							CWB	CWB		
Distances Taped										
Give Tapes To MOD										

Handwritten initials/signature

BJ = Lanes 64-49

Practice = 48-45

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/12/17 Squad Time / Event: 9:00am BS/PR

USBC Tech: Calvin / Aumaris Oil start time 7:40am Last lane end time 8:16am

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank								B		
Turn On Machine / Check Voltage 26.2 Volts								B		
Check Tanks For Full Fluids								B		
Change Planner To Proper Pattern AM/PM								B		
Warm Up Pumps At 50 Mics								B		
Check Combined Cleaner (32 mils)								B		
Replace Tip And Thumb Screw								B		
Take Machine To Lanes / Type In Lanes								B		
Burn 2 Lanes With Machine								B		
Have MOD Verify / Initial Log								ell		
Start / Watch Numbers / Valve / Buffer RPM								CPH		
Walk All Lanes When Finished								CPH		
Dump / Fill Machines								CPH		
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b>#1 Pract</b>	<b>#2 BJ</b>	<b>#2 Pract</b>	<b>#3 Pract</b>	<b>#3 Pract</b>	<b>#4 BJ</b>	<b>#4 Pract</b>	<b>#5 BJ</b>	<b>#5 Pract</b>
Lanes Burned							9,10	11,12		
Lanes Oiled							1-10	11-14		
Average Run Time							922	917		
Tank "A" Valve							788	781		
Tank "B" Valve							443	443		
Lead Tech Initials							B	B		
Distances Taped							25	25		
Give Tapes To MOD										

CPH



2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/12/17  
 USBC Tech: Calvin / James W

Oil start time 9:53 AM

Squad Time / Event: 11:00 AM B5/PR  
 Last lane end time 11:12 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							B			
Turn On Machine / Check Voltage 26.2 Volts							B			
Check Tanks For Full Fluids							B			
Change Planner To Proper Pattern AM/PM							B			
Warm Up Pumps At 50 Mics							B			
Check Combined Cleaner (32 mils)							B			
Replace Tip And Thumb Screw							B			
Take Machine To Lanes / Type In Lanes							B			
Burn 2 Lanes With Machine							B			
Have MOD Verify / Initial Log							BU			
Start / Watch Numbers / Valve / Buffer RPM							CT 2			
Walk All Lanes When Finished							CT 2			
Dump / Fill Machines							CT 2			
<b>RECORD READINGS</b>	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 Pract	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							15,16	23,24		
Lanes Oiled							1-16	17-24		
Average Run Time							925	831		
Tank "A" Valve							776	740		
Tank "B" Valve							444	379		
Lead Tech Initials							B	B		
Distances Taped										
Give Tapes To MOD										

*[Handwritten signature]*

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/12/17  
 USBC Tech: Calvin

Squad Time / Event: B5 1:00pm  
 Last lane end time 12:47pm

Oil start time 12:14pm

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							B			
Turn On Machine / Check Voltage 26.2 Volts							B			
Check Tanks For Full Fluids							B			
Change Planner To Proper Pattern AM/PM							B			
Warm Up Pumps At 50 Mics							B			
Check Combined Cleaner (32 mils)							B			
Replace Tip And Thumb Screw							B			
Take Machine To Lanes / Type In Lanes							B			
Burn 2 Lanes With Machine							B			
Have MOD Verify / Initial Log							TS			
Start / Watch Numbers / Valve / Buffer RPM							CF			
Walk All Lanes When Finished							CF			
Dump / Fill Machines							CF			

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							19,20			
Lanes Oiled							9-20			
Average Run Time							928			
Tank "A" Valve							730			
Tank "B" Valve							440			
Lead Tech Initials							B			
Distances Taped										
Give Tapes To MOD										

*[Handwritten signature]*

## 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-12-17 Squad Time / Event: BS / PRACTICE 3:40pm

USBC Tech: BOB KALVINI Oil start time 1:59pm Last lane end time 2:55pm

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank							BoB			
Turn On Machine / Check Voltage 26.2 Volts							BoB			
Check Tanks For Full Fluids							BoB			
Change Planner To Proper Pattern AM/PM							BoB			
Warm Up Pumps At 50 Mics							BoB			
Check Combined Cleaner (32 mills)							BoB			
Replace Tip And Thumb Screw							BoB			
Take Machine To Lanes / Type In Lanes							BoB			
							BoB			
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log							TS			
Start / Watch Numbers / Valve / Buffer RPM							BoB			
Walk All Lanes When Finished							BoB			
Dump / Fill Machines							BoB			

<b>RECORD READINGS</b>	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned							3-4	15-16		
Lanes Oiled							1-14	15-24		
Average Run Time							922	832		
Tank "A" Valve							778	740		
Tank "B" Valve							445	320		
Lead Tech Initials							BoB	BoB		
Distances Taped										
Give Tapes To MOD										

*Handwritten signature*

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: March 12, 2017

Squad Time / Event: 10 pm BJS/practice

USBC Tech: Charles Byrd

Oil start time 9:12

Last lane end time 9:44

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							CWB	CWB		
Turn On Machine / Check Voltage 26.2 Volts							CWB	CWB		
Check Tanks For Full Fluids							CWB	CWB		
Change Planner To Proper Pattern AM/PM							CWB	CWB		
Warm Up Pumps At 50 Mics							CWB	CWB		
Check Combined Cleaner (32 mls)							CWB	CWB		
Replace Tip And Thumb Screw										
Take Machine To Lanes / Type In Lanes							CWB	CWB		
Burn 2 Lanes With Machine							CWB	CWB		
Have MOD Verify / Initial Log							TS	TS		
Start / Watch Numbers / Valve / Buffer RPM							CWB	CWB		
Walk All Lanes When Finished							CWB			
Dump / Fill Machines							CWB			
<b>RECORD READINGS</b>	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							32-31			
Lanes Oiled							32-28			
Average Run Time							949			
Tank "A" Valve							779			
Tank "B" Valve							443			
Lead Tech Initials							CWB			
Distances Taped										
Give Tapes To MOD										

MAH

BJ : Lanes 21-32

No Practice

Machine #4

No Practice