

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

3/26/17

Squad Time / Event:

9:00A BS

USBC Tech:

Calvin

Oil start time

8:16A

Last lane end time

8:48A

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
----------------	-------	-----------	-------	-----------	-------	-----------	-------	-----------	-------	-----------

Drop Machines / Check Cloth and Tank

CT

Turn On Machine / Check Voltage 26.2 Volts

CT

Check Tanks For Full Fluids

CT

Change Planner To Proper Pattern AM/PM

CT

Warm Up Pumps At 50 Mics

CT

Check Combined Cleaner (32 mils)

CT

Replace Tip And Thumb Screw

CT

Take Machine To Lanes / Type In Lanes

CT

Burn 2 Lanes With Machine

CT

Have MOD Verify / Initial Log

BJ

Start / Watch Numbers / Valve / Buffer RPM

CT

Walk All Lanes When Finished

CT

Dump / Fill Machines

CT

RECORD READINGS

	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
--	-------	-----------	-------	-----------	-------	-----------	-------	-----------	-------	-----------

Lanes Burned

61,62

Lanes Oiled

64-49

Average Run Time

932

Tank "A" Valve

780

Tank "B" Valve

441

Lead Tech Initials

B

Distances Taped

75

Give Tapes To MOD

[Signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/26/17

Squad Time / Event: 1:00 BJS/Practice

USBC Tech: Calvin

Oil start time 12:00pm

Last lane end time 1:10pm

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank				CF						
Turn On Machine / Check Voltage 26.2 Volts				CF						
Check Tanks For Full Fluids				CF						
Change Planner To Proper Pattern AM/PM				CF						
Warm Up Pumps At 50 Mics				CF						
Check Combined Cleaner (32 mils)				CF						
Replace Tip And Thumb Screw				CF						
Take Machine To Lanes / Type In Lanes				CF						
				CF						
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log				TS						
Start / Watch Numbers / Valve / Buffer RPM				CF						
Walk All Lanes When Finished				CF						
Dump / Fill Machines				CF						
RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned			64,63	44,43						
Lanes Oiled			45-64	33-44						
Average Run Time			925	837						
Tank "A" Valve			778	744						
Tank "B" Valve			444	380						
Lead Tech Initials			15013	15013						
Distances Taped				25'						
Give Tapes To MOD				<i>[Signature]</i>						

[Signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/27/17 Squad Time / Event: 9am B5/Pratice

USBC Tech: DeMarris Oil start time 8:10am Last lane end time 8:39am

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank			DS							
Turn On Machine / Check Voltage 26.2 Volts			DS							
Check Tanks For Full Fluids			DS							
Change Planner To Proper Pattern AM/PM			DS							
Warm Up Pumps At 50 Mics			DS							
Check Combined Cleaner (32 mils)			DS							
Replace Tip And Thumb Screw			DS							
Take Machine To Lanes / Type In Lanes			DS							
Burn 2 Lanes With Machine			DS							
Have MOD Verify / Initial Log			DS							
Start / Watch Numbers / Valve / Buffer RPM			DS							
Walk All Lanes When Finished			DS							
Dump / Fill Machines			DS							
RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned			6463							
Lanes Oiled			6458							
Average Run Time			917							
Tank "A" Valve			783							
Tank "B" Valve			445							
Lead Tech Initials			B							
Distances Taped			25							
Give Tapes To MOD			UA							

UA
AA

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/27/17 Squad Time / Event: 11:00A

USBC Tech: DeMarris Oil start time 10:30A Last lane end time 10:57A

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank			DS							
Turn On Machine / Check Voltage 26.2 Volts			DS							
Check Tanks For Full Fluids			DS							
Change Planner To Proper Pattern AM/PM			DS							
Warm Up Pumps At 50 Mics			DS							
Check Combined Cleaner (32 mils)			DS							
Replace Tip And Thumb Screw			DS							
Take Machine To Lanes / Type In Lanes			DS							
Burn 2 Lanes With Machine			DS							
Have MOD Verify / Initial Log			TS							
Start / Watch Numbers / Valve / Buffer RPM			DS							
Walk All Lanes When Finished			DS							
Dump / Fill Machines			DS							

RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned			64/63	52/51						
Lanes Oiled			64/59	52/49						
Average Run Time			907	819						
Tank "A" Valve			778	740						
Tank "B" Valve			444	381						
Lead Tech Initials			B	B						
Distances Taped				25'						
Give Tapes To MOD										

[Handwritten Signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 03 / 28 Squad Time / Event: 9Am BJ

USBC Tech: Daijon Smith Oil start time 8:22AM Last lane end time 9:50AM

Lane Machine # 0 2 #1 BJ # 1 Pract #2 BJ # 2 Pract #3 BJ # 3 Pract #4 BJ # 4 Pract #5 BJ # 5 Pract

Drop Machines / Check Cloth and Tank				DS	DS						
Turn On Machine / Check Voltage 26.2 Volts				DS	DS						
Check Tanks For Full Fluids				DS	DS						
Change Planner To Proper Pattern AM/PM				DS	DS						
Warm Up Pumps At 50 Mics				DS	DS						
Check Combined Cleaner (32 mils)				DS	DS						
Replace Tip And Thumb Screw				DS	DS						
Take Machine To Lanes / Type In Lanes				DS	DS						
Burn 2 Lanes With Machine				DS	DS						
Have MOD Verify / Initial Log				TS	TS						
Start / Watch Numbers / Valve / Buffer RPM				DS	DS						
Walk All Lanes When Finished				DS	DS						
Dump / Fill Machines				DS	DS						

RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned			3-4	15-16						
Lanes Oiled			3-4	15-16						
Average Run Time			911	826						
Tank "A" Valve			781	742						
Tank "B" Valve			442	380						
Lead Tech Initials			B	B						
Distances Taped			25	25						
Give Tapes To MOD										

[Handwritten Signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/28/17 Squad Time / Event: 10pm BJ/Practice

USBC Tech: Charles Byrd Oil start time 9:03pm Last lane end time 9:55pm

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lane Machine # <u>2</u>										
Drop Machines / Check Cloth and Tank			CWB	CWB						
Turn On Machine / Check Voltage 26.2 Volts			CWB	CWB						
Check Tanks For Full Fluids			CWB	CWB						
Change Planner To Proper Pattern AM/PM			CWB	CWB						
Warm Up Pumps At 50 Mics			CWB	CWB						
Check Combined Cleaner (32 mls)			CWB	CWB						
Replace Tip And Thumb Screw			CWB	CWB						
Take Machine To Lanes / Type In Lanes			CWB	CWB						
Burn 2 Lanes With Machine			CWB	CWB						
			1/2	13/14						
Have MOD Verify / Initial Log			BC	BC						
Start / Watch Numbers / Valve / Buffer RPM			CWB	CWB						
Walk All Lanes When Finished			CWB	CWB						
Dump / Fill Machines			CWB	CWB						
RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned			1/2	13/14						
Lanes Oiled			1-12	13-18						
Average Run Time			924	834						
Tank "A" Valve			777	741						
Tank "B" Valve			441	383						
Lead Tech Initials			CWB	CWB						
Distances Taped										
Give Tapes To MOD										

BJ Lanes @ 1-12
Practice @ 13-18

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/29/17 Squad Time / Event: 9:00AM PRACTICE / BJ

USBC Tech: Bob Oil start time 8:15 AM Last lane end time 8:45 AM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
----------------	-------	-----------	-------	-----------	-------	-----------	-------	-----------	-------	-----------

Drop Machines / Check Cloth and Tank				13013						
Turn On Machine / Check Voltage 26.2 Volts				13013						
Check Tanks For Full Fluids				13013						
Change Planner To Proper Pattern AM/PM				13013						
Warm Up Pumps At 50 Mics				13013						
Check Combined Cleaner (32 mils)				13013						
Replace Tip And Thumb Screw				13013						
Take Machine To Lanes / Type In Lanes				13013						
Burn 2 Lanes With Machine				B013						
Have MOD Verify / Initial Log				1 BU						
Start / Watch Numbers / Valve / Buffer RPM				B013						
Walk All Lanes When Finished				B013						
Dump / Fill Machines				13013						

RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
-----------------	-------	-----------	-------	-----------	-------	-----------	-------	-----------	-------	-----------

Lanes Burned			63-64	53-54						
Lanes Oiled			55-64	51-54						
Average Run Time			920	831						
Tank "A" Valve			777	740						
Tank "B" Valve			444	381						
Lead Tech Initials			13013	13013						
Distances Taped			25'	25'						
Give Tapes To MOD										

[Handwritten Signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 10/29/17 Squad Time / Event: 10pm BJS / Practice

USBC Tech: Charles Byrd Oil start time 8:57pm Last lane end time 9:45pm

Lane Machine # 2 #1 BJ # 1 Pract #2 BJ # 2 Pract #3 BJ # 3 Pract #4 BJ # 4 Pract #5 BJ # 5 Pract

Drop Machines / Check Cloth and Tank			CWB	CWB							
Turn On Machine / Check Voltage 26.2 Volts			CWB	CWB							
Check Tanks For Full Fluids			CWB	CWB							
Change Planner To Proper Pattern AM/PM			CWB	CWB							
Warm Up Pumps At 50 Mics			CWB	CWB							
Check Combined Cleaner (32 mls)			CWB	CWB							
Replace Tip And Thumb Screw			CWB	CWB							
Take Machine To Lanes / Type In Lanes			CWB	CWB							
Burn 2 Lanes With Machine			CWB	CWB							
			64/63	52/51							
Have MOD Verify / Initial Log			BC	BC							
Start / Watch Numbers / Valve / Buffer RPM			CWB	CWB							
Walk All Lanes When Finished			CWB	CWB							
Dump / Fill Machines			CWB	CWB							

RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned			64/63	52/51						
Lanes Oiled			64-53	52-47						
Average Run Time			904	831						
Tank "A" Valve			784	741						
Tank "B" Valve			446	382						
Lead Tech Initials			CWB	CWB						
Distances Taped										
Give Tapes To MOD										

BJ Lanes: 64-53
 Practice Lanes: 52-47

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/30/17 Squad Time / Event: 3 PM BS/Prac

USBC Tech: Dan/Calvin Oil start time 2pm Last lane end time 3:05 PM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank			LT							
Turn On Machine / Check Voltage 26.2 Volts			LT							
Check Tanks For Full Fluids			LT							
Change Planner To Proper Pattern AM/PM			LT							
Warm Up Pumps At 50 Mics			LT							
Check Combined Cleaner (32 mils)			LT							
Replace Tip And Thumb Screw			LT							
Take Machine To Lanes / Type In Lanes			LT							
			LT							
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log			BU							
Start / Watch Numbers / Valve / Buffer RPM			LT							
Walk All Lanes When Finished			LT							
Dump / Fill Machines			LT							

RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned			16/15	31/32						
Lanes Oiled			16/1	32/17						
Average Run Time			932	831						
Tank "A" Valve			781	738						
Tank "B" Valve			441	383						
Lead Tech Initials			BOS	BOS						
Distances Taped			25'	25'						
Give Tapes To MOD										

[Handwritten Signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-31-17 Squad Time / Event: 9AM-BJ/PAC

USBC Tech: Tyrone B. Oil start time 7:45AM Last lane end time 8:45AM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank			B							
Turn On Machine / Check Voltage 26.2 Volts			B							
Check Tanks For Full Fluids			B							
Change Planner To Proper Pattern AM/PM			B							
Warm Up Pumps At 50 Mics			B							
Check Combined Cleaner (32 mls)			B							
Replace Tip And Thumb Screw			B							
Take Machine To Lanes / Type In Lanes			B							
			B							
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log			B							
Start / Watch Numbers / Valve / Buffer RPM			B							
Walk All Lanes When Finished			B							
Dump / Fill Machines			B							

RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned			1-2	17-8						
Lanes Oiled			1-16	32-21						
Average Run Time			911	828						
Tank "A" Valve			111	140						
Tank "B" Valve			443	359						
Lead Tech Initials			B	B						
Distances Taped			25	25						
Give Tapes To MOD			UB							

UB

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:

3/31/17

Squad Time / Event:

3pm BJ / PRACTICE

USBC Tech:

13013

Oil start time

2:10pm

Last lane end time

3:15pm

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
----------------	-------	-----------	-------	-----------	-------	-----------	-------	-----------	-------	-----------

Drop Machines / Check Cloth and Tank

13013

Turn On Machine / Check Voltage 26.2 Volts

13013

Check Tanks For Full Fluids

13013

Change Planner To Proper Pattern AM/PM

13013

Warm Up Pumps At 50 Mics

13013

Check Combined Cleaner (32 mils)

13013

Replace Tip And Thumb Screw

13013

Take Machine To Lanes / Type In Lanes

13013

Burn 2 Lanes With Machine

13013

Have MOD Verify / Initial Log

BJ

Start / Watch Numbers / Valve / Buffer RPM

13013

Walk All Lanes When Finished

13013

Dump / Fill Machines

13013

RECORD READINGS

	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
--	-------	-----------	-------	-----------	-------	-----------	-------	-----------	-------	-----------

Lanes Burned

15-16 17-18

Lanes Oiled

1-16 17-32

Average Run Time

829 931

Tank "A" Valve

740 782

Tank "B" Valve

379 442

Lead Tech Initials

13013 13013

Distances Taped

Give Tapes To MOD

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/31/17 Squad Time / Event: 10pm BJ/practice

USBC Tech: Charles Byrd Oil start time 9:15 pm Last lane end time 10:04 pm

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
<u>2</u>										
Drop Machines / Check Cloth and Tank			<u>CWB</u>	<u>CWB</u>						
Turn On Machine / Check Voltage 26.2 Volts			<u>CWB</u>	<u>CWB</u>						
Check Tanks For Full Fluids			<u>CWB</u>	<u>CWB</u>						
Change Planner To Proper Pattern AM/PM			<u>CWB</u>	<u>CWB</u>						
Warm Up Pumps At 50 Mics			<u>CWB</u>	<u>CWB</u>						
Check Combined Cleaner (32 mills)			<u>CWB</u>	<u>CWB</u>						
Replace Tip And Thumb Screw			<u>CWB</u>	<u>CWB</u>						
Take Machine To Lanes / Type In Lanes			<u>CWB</u>	<u>CWB</u>						
Burn 2 Lanes With Machine			<u>CWB</u>	<u>CWB</u>						
			<u>11-22</u>	<u>1-2</u>						
Have MOD Verify / Initial Log			<u>BU</u>	<u>BU</u>						
Start / Watch Numbers / Valve / Buffer RPM			<u>CWB</u>	<u>CWB</u>						
Walk All Lanes When Finished			<u>CWB</u>	<u>CWB</u>						
Dump / Fill Machines			<u>CWB</u>	<u>CWB</u>						

RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned			<u>11/12</u>	<u>1/2</u>						
Lanes Oiled			<u>11-22</u>	<u>1-10</u>						
Average Run Time			<u>928</u>	<u>827</u>						
Tank "A" Valve			<u>783</u>	<u>739</u>						
Tank "B" Valve			<u>445</u>	<u>378</u>						
Lead Tech Initials			<u>CWB</u>	<u>CWB</u>						
Distances Taped										
Give Tapes To MOD										

Practice Lanes : 1-10
 BJ Lanes : 11-22

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4/1/17 Squad Time / Event: 10PM BJS/Prac

USBC Tech: Calvin T Oil start time 8:33 Last lane end time 9:15 PM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Drop Machines / Check Cloth and Tank			GT							
Turn On Machine / Check Voltage 26.2 Volts			GT							
Check Tanks For Full Fluids			GT							
Change Planner To Proper Pattern AM/PM			GT							
Warm Up Pumps At 50 Mics			GT							
Check Combined Cleaner (32 mils)			GT							
Replace Tip And Thumb Screw			GT							
Take Machine To Lanes / Type In Lanes			GT							
Burn 2 Lanes With Machine			GT							
Have MOD Verify / Initial Log			BU							
Start / Watch Numbers / Valve / Buffer RPM			GT							
Walk All Lanes When Finished			GT							
Dump / Fill Machines			GT							

RECORD READINGS	#1 BJ	# 1 Pract	#2 BJ	# 2 Pract	#3 BJ	# 3 Pract	#4 BJ	# 4 Pract	#5 BJ	# 5 Pract
Lanes Burned			9/10	1/2						
Lanes Oiled			9/18	1/8						
Average Run Time			930	824						
Tank "A" Valve			779	740						
Tank "B" Valve			440	381						
Lead Tech Initials			B	B						
Distances Taped			25	25						
Give Tapes To MOD										

[Handwritten Signature]