

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4/16/17 Squad Time / Event: 9 AM BJ
 USBC Tech: Calvin T. Oil start time 8 AM Last lane end time 8:30 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank	GT	GT								
Turn On Machine / Check Voltage 26.2 Volts	GT	GT								
Check Tanks For Full Fluids	GT	GT								
Change Planner To Proper Pattern AM/PM	GT	GT								
Warm Up Pumps At 50 Mics	GT	GT								
Check Combined Cleaner (32 mils)	GT	GT								
Replace Tip And Thumb Screw	GT	GT								
Take Machine To Lanes / Type In Lanes	GT	GT								
Burn 2 Lanes With Machine	GT	GT								
Have MOD Verify / Initial Log	GT	GT								
Start / Watch Numbers / Valve / Buffer RPM	GT	GT								
Walk All Lanes When Finished	GT	GT								
Dump / Fill Machines	GT	GT								

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned	63/64	53/54								
Lanes Oiled	55/64	53/54								
Average Run Time	839	750								
Tank "A" Valve	782	739								
Tank "B" Valve	443	381								
Lead Tech Initials	B	B								
Distances Taped										
Give Tapes To MOD										

W W

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	4/16/17				Squad Time / Event:	11 AM BJS							
USBC Tech:	Calvin T.				Oil start time	8:30 AM		Last lane end time				9:55 AM	
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract			
Drop Machines / Check Cloth and Tank	GT												
Turn On Machine / Check Voltage 26.2 Volts	GT												
Check Tanks For Full Fluids	GT												
Change Planner To Proper Pattern AM/PM	GT												
Warm Up Pumps At 50 Mics	GT												
Check Combined Cleaner (32 mils)	GT												
Replace Tip And Thumb Screw	GT												
Take Machine To Lanes / Type In Lanes	GT												
Burn 2 Lanes With Machine	GT												
Have MOD Verify / Initial Log	BJ												
Start / Watch Numbers / Valve / Buffer RPM	GT												
Walk All Lanes When Finished	GT												
Dump / Fill Machines	GT												
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract			
Lanes Burned	51/52												
Lanes Oiled	43/52												
Average Run Time	763												
Tank "A" Valve	740												
Tank "B" Valve	382												
Lead Tech Initials	B												
Distances Taped													
Give Tapes To MOD													

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	April 14, 2017	Squad Time / Event:	6pm B5								
USBC Tech:	Darwin Aubrey	Oil start time	9:23								
		Last lane end time	9:40pm								
Lane Machine #	1 59-64	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank		D.A.									
Turn On Machine / Check Voltage 26.2 Volts		D.A.									
Check Tanks For Full Fluids		D.A.									
Change Planner To Proper Pattern AM/PM		D.A.									
Warm Up Pumps At 50 Mics		B									
Check Combined Cleaner (32 mils)		B									
Replace Tip And Thumb Screw		B									
Take Machine To Lanes / Type In Lanes		59-64									
Burn 2 Lanes With Machine		59-64									
Have MOD Verify / Initial Log		B B									
Start / Watch Numbers / Valve / Buffer RPM		D.A.									
Walk All Lanes When Finished		D.A.									
Dump / Fill Machines		D.A.									
RECORD READINGS		#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned		59-60									
Lanes Oiled		59-64									
Average Run Time		844									
Tank "A" Valve		780									
Tank "B" Valve		442									
Lead Tech Initials		B									
Distances Taped											
Give Tapes To MOD											

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	4/17/17		Squad Time / Event:					9:00 BJ/PT			
USBC Tech:	DeMarris		Oil start time	8:40		Last lane end time					9:05
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract	
Drop Machines / Check Cloth and Tank	DS										
Turn On Machine / Check Voltage 26.2 Volts	DS										
Check Tanks For Full Fluids	DS										
Change Planner To Proper Pattern AM/PM	DS										
Warm Up Pumps At 50 Mics	DS										
Check Combined Cleaner (32 mils)	DS										
Replace Tip And Thumb Screw	DS										
Take Machine To Lanes / Type In Lanes	DS										
Burn 2 Lanes With Machine	DS										
Have MOD Verify / Initial Log	DS										
Start / Watch Numbers / Valve / Buffer RPM	DS										
Walk All Lanes When Finished	DS										
Dump / Fill Machines	DS										
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract	
Lanes Burned	64/63	56/55									
Lanes Oiled	64/59	54/51									
Average Run Time	829	752									
Tank "A" Valve	777	741									
Tank "B" Valve	443	381									
Lead Tech Initials	B	B									
Distances Taped	25	25									
Give Tapes To MOD											

W W

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	4/17/17		Squad Time / Event: 10pm BJ / Practice								
USBC Tech:	Charles Byrd		Oil start time 9:09pm				Last lane end time 9:48pm				
Lane Machine #	1	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank		CWB	CWB								
Turn On Machine / Check Voltage 26.2 Volts		CWB	CWB								
Check Tanks For Full Fluids		CWB	CWB								
Change Planner To Proper Pattern AM/PM		CWB	CWB								
Warm Up Pumps At 50 Mics		CWB	CWB								
Check Combined Cleaner (32 mils)		CWB	CWB								
Replace Tip And Thumb Screw		CWB	CWB								
Take Machine To Lanes / Type In Lanes		CWB	CWB								
Burn 2 Lanes With Machine		CWB	CWB								
Have MOD Verify / Initial Log											
Start / Watch Numbers / Valve / Buffer RPM		CWB	CWB								
Walk All Lanes When Finished		CWB	CWB								
Dump / Fill Machines		CWB	CWB								
RECORD READINGS		#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned		37/38	33/34								
Lanes Oiled		37-43	33-36								
Average Run Time		842	759								
Tank "A" Valve		779	739								
Tank "B" Valve		443	379								
Lead Tech Initials		CWB	CWB								
Distances Taped											
Give Tapes To MOD											

BJ Lanes : 37 - 43

Practice Lanes : 33 - 36

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	4/18/17		Squad Time / Event: 10pm BJ / Practice								
USBC Tech:	Charles Byrd		Oil start time	9:03 pm		Last lane end time	9:40 pm				
Lane Machine #	1	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank		CWB	CWB								
Turn On Machine / Check Voltage 26.2 Volts		CWB	CWB								
Check Tanks For Full Fluids		CWB	CWB								
Change Planner To Proper Pattern AM/PM		CWB	CWB								
Warm Up Pumps At 50 Mics		CWB	CWB								
Check Combined Cleaner (32 mils)		CWB	CWB								
Replace Tip And Thumb Screw		CWB	CWB								
Take Machine To Lanes / Type In Lanes		CWB	CWB								
Burn 2 Lanes With Machine		CWB	CWB								
Have MOD Verify / Initial Log		<i>[Signature]</i>									
Start / Watch Numbers / Valve / Buffer RPM		CWB	CWB								
Walk All Lanes When Finished		CWB	CWB								
Dump / Fill Machines		CWB	CWB								
RECORD READINGS		#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned		5/6	1/2								
Lanes Oiled		5-12	1-4								
Average Run Time		843	765								
Tank "A" Valve		783	738								
Tank "B" Valve		444	379								
Lead Tech Initials		CWB	CWB								
Distances Taped											
Give Tapes To MOD											

BJ Lanes : 5-12

Practice Lanes : 1-4

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-19-17 Squad Time / Event: BJ/TERRIS 9AM

USBC Tech: Tomasius M. Oil start time 8:15 AM Last lane end time 8:54 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank	TM	TM								
Turn On Machine / Check Voltage 26.2 Volts	TM	TM								
Check Tanks For Full Fluids	TM	TM								
Change Planner To Proper Pattern AM/PM	TM	TM								
Warm Up Pumps At 50 Mics	TM	TM								
Check Combined Cleaner (32 mils)	TM	TM								
Replace Tip And Thumb Screw	TM	TM								
Take Machine To Lanes / Type In Lanes	TM	TM								
Burn 2 Lanes With Machine	TM	TM								
Have MOD Verify / Initial Log	BU	BU								
Start / Watch Numbers / Valve / Buffer RPM	TM	TM								
Walk All Lanes When Finished	TM	TM								
Dump / Fill Machines	TM	TM								

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned	58:57	63:64								
Lanes Oiled	59:58	59:64								
Average Run Time	835	765								
Tank "A" Valve	780	739								
Tank "B" Valve	442	380								
Lead Tech Initials	Doc	Doc								
Distances Taped	25'	25'								
Give Tapes To MOD										

W W

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	4/19/17		Squad Time / Event: <u>Open BJ / Practice</u>							
USBC Tech:	Charles Byrd		Oil start time <u>9:15pm</u>		Last lane end time <u>4:55pm</u>					
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank	CWB	CWB								
Turn On Machine / Check Voltage 26.2 Volts	CWB	CWB								
Check Tanks For Full Fluids	CWB	CWB								
Change Planner To Proper Pattern AM/PM	CWB	CWB								
Warm Up Pumps At 50 Mics	CWB	CWB								
Check Combined Cleaner (32 mils)	CWB	CWB								
Replace Tip And Thumb Screw	CWB	CWB								
Take Machine To Lanes / Type In Lanes	CWB	CWB								
Burn 2 Lanes With Machine	CWB	CWB								
Have MOD Verify / Initial Log	BO	CX								
Start / Watch Numbers / Valve / Buffer RPM	CWB	CWB								
Walk All Lanes When Finished	CWB	CWB								
Dump / Fill Machines	CWB	CWB								
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned	64/53	54/53								
Lanes Oiled	64-55	54-45								
Average Run Time	836	753								
Tank "A" Valve	776	739								
Tank "B" Valve	443	380								
Lead Tech Initials	CWB	CWB								
Distances Taped										
Give Tapes To MOD										

BJ Lanes = 64-55

Practice Lanes = 54-45

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	4/20/17						Squad Time / Event: 3 PM BJ/Prac.			
USBC Tech:	Calvin T		Oil start time 2 PM				Last lane end time 2:55 PM			
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank	GT	GT								
Turn On Machine / Check Voltage 26.2 Volts	GT	GT								
Check Tanks For Full Fluids	GT	GT								
Change Planner To Proper Pattern AM/PM	GT	GT								
Warm Up Pumps At 50 Mics	GT	GT								
Check Combined Cleaner (32 mils)	GT	GT								
Replace Tip And Thumb Screw	GT	GT								
Take Machine To Lanes / Type In Lanes	GT	GT								
Burn 2 Lanes With Machine	GT	GT								
Have MOD Verify / Initial Log	BJ	BJ								
Start / Watch Numbers / Valve / Buffer RPM	GT	GT								
Walk All Lanes When Finished	GT	GT								
Dump / Fill Machines	GT	GT								
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned	1/2	31/32								
Lanes Oiled	1/18	19/32								
Average Run Time	851	825								
Tank "A" Valve	780	744								
Tank "B" Valve	444	382								
Lead Tech Initials	000	000								
Distances Taped	25'	25'								
Give Tapes To MOD	W	W								

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-21-17 Squad Time / Event: BS/TEAMS 9:00

USBC Tech: Taimarius M Oil start time 7:40 AM Last lane end time 9:15 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank	TM	TM								
Turn On Machine / Check Voltage 26.2 Volts	TM	TM								
Check Tanks For Full Fluids	TM	TM								
Change Planner To Proper Pattern AM/PM	TM	TM								
Warm Up Pumps At 50 Mics	TM	TM								
Check Combined Cleaner (32 mils)	TM	TM								
Replace Tip And Thumb Screw	TM	TM								
Take Machine To Lanes / Type In Lanes	TM	TM								
Burn 2 Lanes With Machine	TM	TM								
Have MOD Verify / Initial Log	TS	TM								
Start / Watch Numbers / Valve / Buffer RPM	TM	TM								
Walk All Lanes When Finished	TM	TM								
Dump / Fill Machines	TM	TM								
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned	1-2	17.20								
Lanes Oiled	1-16	19.30								
Average Run Time	842	751								
Tank "A" Valve	779	741								
Tank "B" Valve	442	382								
Lead Tech Initials	R	R								
Distances Taped	25'	25'								
Give Tapes To MOD										

M M

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4/21/17 Squad Time / Event: 10pm BJ/Practice

USBC Tech: Charles Byrd Oil start time 9:10 pm Last lane end time 9:45pm

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank	CWB	CWB								
Turn On Machine / Check Voltage 26.2 Volts	CWB	CWB								
Check Tanks For Full Fluids	CWB	CWB								
Change Planner To Proper Pattern AM/PM	CWB	CWB								
Warm Up Pumps At 50 Mics	CWB	CWB								
Check Combined Cleaner (32 mils)	CWB	CWB								
Replace Tip And Thumb Screw	CWB	CWB								
Take Machine To Lanes / Type In Lanes	CWB	CWB								
Burn 2 Lanes With Machine	CWB	CWB								
Have MOD Verify / Initial Log	BJ	Pr								
Start / Watch Numbers / Valve / Buffer RPM	CWB	CWB								
Walk All Lanes When Finished	CWB	CWB								
Dump / Fill Machines	CWB	CWB								
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned	3/4	1/2								
Lanes Oiled	3-12	1-2								
Average Run Time	844	757								
Tank "A" Valve	781	742								
Tank "B" Valve	440	379								
Lead Tech Initials	CWB	CWB								
Distances Taped										
Give Tapes To MOD										

BJ Lanes: 3-12
Practice Lanes: 1-2

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	4-22-17				Squad Time / Event: 10pm B5/Prac						
USBC Tech:	Tyronne				Oil start time 9:01pm		Last lane end time 9:42pm				
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract	
Drop Machines / Check Cloth and Tank		B									
Turn On Machine / Check Voltage 26.2 Volts		B									
Check Tanks For Full Fluids		B									
Change Planner To Proper Pattern AM/PM		B									
Warm Up Pumps At 50 Mics		B									
Check Combined Cleaner (32 mils)		B									
Replace Tip And Thumb Screw		B									
Take Machine To Lanes / Type In Lanes		B									
Burn 2 Lanes With Machine		B									
Have MOD Verify / Initial Log		B									
Start / Watch Numbers / Valve / Buffer RPM		B									
Walk All Lanes When Finished		B									
Dump / Fill Machines		B									
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract	
Lanes Burned	34	1-2									
Lanes Oiled	3-2	1-2									
Average Run Time	919	823									
Tank "A" Valve	777	743									
Tank "B" Valve	444	383									
Lead Tech Initials	B	B									
Distances Taped	25	25									
Give Tapes To MOD	W	W									