

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-23-17

Squad Time / Event: 35/TEXAS  
9:00 AM

USBC Tech: Timmarius M

Oil start time 8:10 AM

Last lane end time 8:57 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank	TM	TM								
Turn On Machine / Check Voltage 26.2 Volts	TM	TM								
Check Tanks For Full Fluids	TM	TM								
Change Planner To Proper Pattern AM/PM	TM	TM								
Warm Up Pumps At 50 Mics	TM	TM								
Check Combined Cleaner (32 mils)	TM	TM								
Replace Tip And Thumb Screw	TM	TM								
Take Machine To Lanes / Type In Lanes	TM	TM								
Burn 2 Lanes With Machine	TM	TM								
Have MOD Verify / Initial Log	BU	BU								
Start / Watch Numbers / Valve / Buffer RPM	TM	TM								
Walk All Lanes When Finished	TM	TM								
Dump / Fill Machines	TM	TM								
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b>#1 Pract</b>	<b>#2 BJ</b>	<b>#2 Pract</b>	<b>#3 BJ</b>	<b>#3 Pract</b>	<b>#4 BJ</b>	<b>#4 Pract</b>	<b>#5 BJ</b>	<b>#5 Pract</b>
Lanes Burned	64.63	54.45								
Lanes Oiled	64.57	59.53								
Average Run Time	953	840								
Tank "A" Valve	776	739								
Tank "B" Valve	444	380								
Lead Tech Initials	B	B								
Distances Taped	25'	25'								
Give Tapes To MOD										

*Handwritten signature/initials*









**2017 USBC Bowlers Journal / Practice Squad Verification Checklist**

EVERY OIL

Date: 4-24-17

Squad Time / Event: B5

USBC Tech: Tamarus M

Oil start time 8:06 AM

Last lane end time 8:34 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank	TM	TM								
Turn On Machine / Check Voltage 26.2 Volts	TM	TM								
Check Tanks For Full Fluids	TM	TM								
Change Planner To Proper Pattern AM/PM	TM	TM								
Warm Up Pumps At 50 Mics	TM	TM								
Check Combined Cleaner (32 mils)	TM	TM								
Replace Tip And Thumb Screw	TM	TM								
Take Machine To Lanes / Type In Lanes	TM	TM								
Burn 2 Lanes With Machine	TM	TM								
Have MOD Verify / Initial Log	TS	TS								
Start / Watch Numbers / Valve / Buffer RPM	TM	TM								
Walk All Lanes When Finished	TM	TM								
Dump / Fill Machines	TM	TM								
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b>#1 Pract</b>	<b>#2 BJ</b>	<b>#2 Pract</b>	<b>#3 BJ</b>	<b>#3 Pract</b>	<b>#4 BJ</b>	<b>#4 Pract</b>	<b>#5 BJ</b>	<b>#5 Pract</b>
Lanes Burned	64.63									
Lanes Oiled	57.64									
Average Run Time	942									
Tank "A" Valve	779									
Tank "B" Valve	442									
Lead Tech Initials	B									
Distances Taped	25									
Give Tapes To MOD										

*[Handwritten signature]*







2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4/24/17 Squad Time / Event: 10pm BJ/Practice  
 USBC Tech: Charles Byrd Oil start time 9:19pm Last lane end time 9:55pm

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank	CWB	CWB								
Turn On Machine / Check Voltage 26.2 Volts	CWB	CWB								
Check Tanks For Full Fluids	CWB	CWB								
Change Planner To Proper Pattern AM/PM	CWB	CWB								
Warm Up Pumps At 50 Mics	CWB	CWB								
Check Combined Cleaner (32 mils)	CWB	CWB								
Replace Tip And Thumb Screw	CWB	CWB								
Take Machine To Lanes / Type In Lanes	CWB	CWB								
Burn 2 Lanes With Machine	CWB	CWB								
Have MOD Verify / Initial Log	<del>CWB</del>	<del>CWB</del>								
Start / Watch Numbers / Valve / Buffer RPM	CWB	CWB								
Walk All Lanes When Finished	CWB	CWB								
Dump / Fill Machines	CWB	CWB								
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b>#1 Pract</b>	<b>#2 BJ</b>	<b>#2 Pract</b>	<b>#3 BJ</b>	<b>#3 Pract</b>	<b>#4 BJ</b>	<b>#4 Pract</b>	<b>#5 BJ</b>	<b>#5 Pract</b>
Lanes Burned	37/38	33/34								
Lanes Oiled	37-44	33-36								
Average Run Time	937	834								
Tank "A" Valve	780	739								
Tank "B" Valve	444	382								
Lead Tech Initials	CWB	CWB								
Distances Taped										
Give Tapes To MOD										

BJ Lanes : 37-44  
 Practice lanes : 33-36

## 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-25-17 Squad Time / Event: 9AM BJ/PAC  
 USBC Tech: TJRAQ Oil start time 8:05AM Last lane end time 8:40AM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank		B								
Turn On Machine / Check Voltage 26.2 Volts		B								
Check Tanks For Full Fluids		B								
Change Planner To Proper Pattern AM/PM		B								
Warm Up Pumps At 50 Mics		B								
Check Combined Cleaner (32 mils)		B								
Replace Tip And Thumb Screw		B								
Take Machine To Lanes / Type In Lanes		B								
Burn 2 Lanes With Machine		B								
Have MOD Verify / Initial Log		B								
Start / Watch Numbers / Valve / Buffer RPM		B								
Walk All Lanes When Finished		B								
Dump / Fill Machines		B								

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned	1-2	21-22								
Lanes Oiled	1-10	21-26								
Average Run Time	949	836								
Tank "A" Valve	778	739								
Tank "B" Valve	444	379								
Lead Tech Initials	B	B								
Distances Taped	25	25								
Give Tapes To MOD										

TJRAQ







2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	4/25/17		Squad Time / Event: 10pm BJ / Practice									
USBC Tech:	Charles Byrd		Oil start time 9:13 pm					Last lane end time 9:55 Am				
Lane Machine #	1		#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			CWB	CWB								
Turn On Machine / Check Voltage 26.2 Volts			CWB	CWB								
Check Tanks For Full Fluids			CWB	CWB								
Change Planner To Proper Pattern AM/PM			CWB	CWB								
Warm Up Pumps At 50 Mics			CWB	CWB								
Check Combined Cleaner (32 mils)			CWB	CWB								
Replace Tip And Thumb Screw			CWB	CWB								
Take Machine To Lanes / Type In Lanes			CWB	CWB								
Burn 2 Lanes With Machine			CWB	CWB								
Have MOD Verify / Initial Log			<del>CWB</del>	<del>CWB</del>								
Start / Watch Numbers / Valve / Buffer RPM			CWB	CWB								
Walk All Lanes When Finished			CWB	CWB								
Dump / Fill Machines			CWB	CWB								
<b>RECORD READINGS</b>			#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			1/2	13/14								
Lanes Oiled			1-12	13-20								
Average Run Time			912	841								
Tank "A" Valve			783	740								
Tank "B" Valve			442	381								
Lead Tech Initials			CWB	CWB								
Distances Taped												
Give Tapes To MOD												

BJ Lanes : 1-12

Practice Lanes : 13-20

## 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-26-17 Squad Time / Event: B3/Teams 9:00am

USBC Tech: Tajmarcus M Oil start time 8:01 AM Last lane end time 8:40 am

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank	TM	TM								
Turn On Machine / Check Voltage 26.2 Volts	TM	TM								
Check Tanks For Full Fluids	TM	TM								
Change Planner To Proper Pattern AM/PM	TM	TM								
Warm Up Pumps At 50 Mics	TM	TM								
Check Combined Cleaner (32 mils)	TM	TM								
Replace Tip And Thumb Screw	TM	TM								
Take Machine To Lanes / Type In Lanes	TM	TM								
Burn 2 Lanes With Machine	TM	TM								
Have MOD Verify / Initial Log	BU	BU								
Start / Watch Numbers / Valve / Buffer RPM	TM	TM								
Walk All Lanes When Finished	TM	TM								
Dump / Fill Machines	TM	TM								
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b>#1 Pract</b>	<b>#2 BJ</b>	<b>#2 Pract</b>	<b>#3 BJ</b>	<b>#3 Pract</b>	<b>#4 BJ</b>	<b>#4 Pract</b>	<b>#5 BJ</b>	<b>#5 Pract</b>
Lanes Burned	60.59	64.63								
Lanes Oiled	53.60	61.64								
Average Run Time	928	837								
Tank "A" Valve	781	739								
Tank "B" Valve	442	338								
Lead Tech Initials	Bob	Bob								
Distances Taped	25'	25'								
Give Tapes To MOD										

*Ydr*

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

11:00 AM

EVERY OIL

Date: 4-26-17

Squad Time / Event: TEAMS / BJS

USBC Tech: Tommasini, M

Oil start time 10:01 AM

Last lane end time 10:33 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank	TM	TM								
Turn On Machine / Check Voltage 26.2 Volts	TM	TM								
Check Tanks For Full Fluids	TM	TM								
Change Planner To Proper Pattern AM/PM	TM	TM								
Warm Up Pumps At 50 Mics	TM	TM								
Check Combined Cleaner (32 mils)	TM	TM								
Replace Tip And Thumb Screw	TM	TM								
Take Machine To Lanes / Type In Lanes	TM	TM								
Burn 2 Lanes With Machine	TM	TM								
Have MOD Verify / Initial Log	BJ	BJ								
Start / Watch Numbers / Valve / Buffer RPM	TM	TM								
Walk All Lanes When Finished	TM	TM								
Dump / Fill Machines	TM	TM								
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b>#1 Pract</b>	<b>#2 BJ</b>	<b>#2 Pract</b>	<b>#3 BJ</b>	<b>#3 Pract</b>	<b>#4 BJ</b>	<b>#4 Pract</b>	<b>#5 BJ</b>	<b>#5 Pract</b>
Lanes Burned	49.50	61.62								
Lanes Oiled	49.58	59.64								
Average Run Time	927	821								
Tank "A" Valve	779	744								
Tank "B" Valve	441	381								
Lead Tech Initials	BJB	BJB								
Distances Taped										
Give Tapes To MOD										

*BJB*





2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4/26/17 Squad Time / Event: 10pm BJ / Practice  
 USBC Tech: Charles Byrd Oil start time 9:00 Last lane end time 9:47 pm

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank	CWB	CWB								
Turn On Machine / Check Voltage 26.2 Volts	CWB	CWB								
Check Tanks For Full Fluids	CWB	CWB								
Change Planner To Proper Pattern AM/PM	CWB	CWB								
Warm Up Pumps At 50 Mics	CWB	CWB								
Check Combined Cleaner (32 mils)	CWB	CWB								
Replace Tip And Thumb Screw	CWB	CWB								
Take Machine To Lanes / Type In Lanes	CWB	CWB								
Burn 2 Lanes With Machine	CWB	CWB								
Have MOD Verify / Initial Log	NO	OK								
Start / Watch Numbers / Valve / Buffer RPM	CWB	CWB								
Walk All Lanes When Finished	CWB	CWB								
Dump / Fill Machines	CWB	CWB								
<b>RECORD READINGS</b>	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned	56/55	64/63								
Lanes Oiled	56-49	64-47								
Average Run Time	922	833								
Tank "A" Valve	780	741								
Tank "B" Valve	444	378								
Lead Tech Initials	CWB	CWB								
Distances Taped										
Give Tapes To MOD										

BJ Lane : 56-49

Practice Lane : 64-47

## 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4-27-17 Squad Time / Event: 3:00 PM BJS/PRACTICE

USBC Tech: BOB Oil start time 1:40 PM Last lane end time 2:40 PM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank										BOB
Turn On Machine / Check Voltage 26.2 Volts										BOB
Check Tanks For Full Fluids										BOB
Change Planner To Proper Pattern AM/PM										BOB
Warm Up Pumps At 50 Mics										BOB
Check Combined Cleaner (32 mils)										BOB
Replace Tip And Thumb Screw										BOB
Take Machine To Lanes / Type In Lanes										BOB
Burn 2 Lanes With Machine										BOB
Have MOD Verify / Initial Log										BOB
Start / Watch Numbers / Valve / Buffer RPM										BOB
Walk All Lanes When Finished										BOB
Dump / Fill Machines										BOB

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned									1 - 2	21 - 22
Lanes Oiled									1 - 20	21 - 32
Average Run Time									914	813
Tank "A" Valve									780	743
Tank "B" Valve									444	380
Lead Tech Initials									BOB	BOB
Distances Taped									25'	25'
Give Tapes To MOD										

*[Handwritten Signature]*

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	4/27/17		Squad Time / Event:				10pm BJ / Practice					
USBC Tech:	Charles Byrd		Oil start time				9:10pm					
							Last lane end time				9:50pm	
Lane Machine #	5	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract	
Drop Machines / Check Cloth and Tank										CWB	CWB	
Turn On Machine / Check Voltage 26.2 Volts										CWB	CWB	
Check Tanks For Full Fluids										CWB	CWB	
Change Planner To Proper Pattern AM/PM										CWB	CWB	
Warm Up Pumps At 50 Mics										CWB	CWB	
Check Combined Cleaner (32 mils)										CWB	CWB	
Replace Tip And Thumb Screw										CWB	CWB	
Take Machine To Lanes / Type In Lanes										CWB	CWB	
Burn 2 Lanes With Machine										CWB	CWB	
Have MOD Verify / Initial Log										<del>CWB</del>	<del>CWB</del>	
Start / Watch Numbers / Valve / Buffer RPM										CWB	CWB	
Walk All Lanes When Finished										CWB	CWB	
Dump / Fill Machines										CWB	CWB	
<b>RECORD READINGS</b>		#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract	
Lanes Burned										1/2	20/19	
Lanes Oiled										1-16	17-20	
Average Run Time										915	825	
Tank "A" Valve										780	743	
Tank "B" Valve										443	378	
Lead Tech Initials										CWB	CWB	
Distances Taped												
Give Tapes To MOD												

BJ Lanes : 1-16

Practice Lanes : 17-20

*[Handwritten initials]*

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4/28/17 Squad Time / Event: BS/PT

USBC Tech: DeMarris Oil start time 8:11 AM Last lane end time 8:50 AM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank										
Turn On Machine / Check Voltage 26.2 Volts										
Check Tanks For Full Fluids										
Change Planner To Proper Pattern AM/PM										
Warm Up Pumps At 50 Mics										
Check Combined Cleaner (32 mils)										
Replace Tip And Thumb Screw										
Take Machine To Lanes / Type In Lanes										
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log										
Start / Watch Numbers / Valve / Buffer RPM										
Walk All Lanes When Finished										
Dump / Fill Machines										
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b>#1 Pract</b>	<b>#2 BJ</b>	<b>#2 Pract</b>	<b>#3 BJ</b>	<b>#3 Pract</b>	<b>#4 BJ</b>	<b>#4 Pract</b>	<b>#5 BJ</b>	<b>#5 Pract</b>
Lanes Burned									1-2	
Lanes Oiled									1-14	
Average Run Time									910	
Tank "A" Valve									779	
Tank "B" Valve									442	
Lead Tech Initials									B	
Distances Taped									25	
Give Tapes To MOD										

1-2  
 1-14  
 910  
 779  
 442  
 B  
 25  
 4/28/17

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4/28/17 Squad Time / Event: BS/PT 11:00am  
 USBC Tech: DeMarrs Oil start time 10:20AM Last lane end time 10:52AM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank										
Turn On Machine / Check Voltage 26.2 Volts										
Check Tanks For Full Fluids										
Change Planner To Proper Pattern AM/PM										
Warm Up Pumps At 50 Mics										
Check Combined Cleaner (32 mils)										
Replace Tip And Thumb Screw										
Take Machine To Lanes / Type In Lanes										
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log										
Start / Watch Numbers / Valve / Buffer RPM										
Walk All Lanes When Finished										
Dump / Fill Machines										

20-19  
 20-1  
 915  
 779  
 443  
 B  
 B  
 25'  
 4/28

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned									20-19	21-22
Lanes Oiled									20-1	21-30
Average Run Time									915	814
Tank "A" Valve									779	741
Tank "B" Valve									443	381
Lead Tech Initials									B	B
Distances Taped										25'
Give Tapes To MOD										

4/28

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4/28/17 Squad Time / Event: BJ / PJ 1:00

USBC Tech: DeMarris Oil start time 12:04 PM Last lane end time 1:00 PM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank										DS
Turn On Machine / Check Voltage 26.2 Volts										DS
Check Tanks For Full Fluids										DS
Change Planner To Proper Pattern AM/PM										DS
Warm Up Pumps At 50 Mics										DS
Check Combined Cleaner (32 mils)										DS
Replace Tip And Thumb Screw										DS
Take Machine To Lanes / Type In Lanes										DS
Burn 2 Lanes With Machine										DS
Have MOD Verify / Initial Log										DS
Start / Watch Numbers / Valve / Buffer RPM										DS
Walk All Lanes When Finished										DS
Dump / Fill Machines										DS
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b>#1 Pract</b>	<b>#2 BJ</b>	<b>#2 Pract</b>	<b>#3 BJ</b>	<b>#3 Pract</b>	<b>#4 BJ</b>	<b>#4 Pract</b>	<b>#5 BJ</b>	<b>#5 Pract</b>
Lanes Burned									32-31	1-2
Lanes Oiled									32-13	1-12
Average Run Time									924	820
Tank "A" Valve									778	742
Tank "B" Valve									443	382
Lead Tech Initials									BOB	BOB
Distances Taped										
Give Tapes To MOD										

*[Handwritten signature]*



2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 4/28/17 Squad Time / Event: 10pm BJ/Practice  
 USBC Tech: Charles Byrd Oil start time 9:08pm Last lane end time 9:58pm

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank									CWB	CWB
Turn On Machine / Check Voltage 26.2 Volts									CWB	CWB
Check Tanks For Full Fluids									CWB	CWB
Change Planner To Proper Pattern AM/PM									CWB	CWB
Warm Up Pumps At 50 Mics									CWB	CWB
Check Combined Cleaner (32 mils)									CWB	CWB
Replace Tip And Thumb Screw									CWB	CWB
Take Machine To Lanes / Type In Lanes									CWB	CWB
Burn 2 Lanes With Machine									CWB	CWB
Have MOD Verify / Initial Log									BU	BU
Start / Watch Numbers / Valve / Buffer RPM									CWB	CWB
Walk All Lanes When Finished									CWB	CWB
Dump / Fill Machines									CWB	CWB
<b>RECORD READINGS</b>	<b>#1 BJ</b>	<b>#1 Pract</b>	<b>#2 BJ</b>	<b>#2 Pract</b>	<b>#3 BJ</b>	<b>#3 Pract</b>	<b>#4 BJ</b>	<b>#4 Pract</b>	<b>#5 BJ</b>	<b>#5 Pract</b>
Lanes Burned									1/2	11/12
Lanes Oiled									1-10	11-18
Average Run Time									929	816
Tank "A" Valve									782	742
Tank "B" Valve									441	381
Lead Tech Initials									CWB	CWB
Distances Taped										
Give Tapes To MOD										

BJ Lanes: 1-10

Practice Lanes: 11-18

## 2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	4-29-17	Squad Time / Event:	10pm BS/PAC							
USBC Tech:	TJ BONE	Oil start time	9:26pm							
		Last lane end time	9:56pm							
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank										B
Turn On Machine / Check Voltage 26.2 Volts										B
Check Tanks For Full Fluids										B
Change Planner To Proper Pattern AM/PM										B
Warm Up Pumps At 50 Mics										B
Check Combined Cleaner (32 mils)										B
Replace Tip And Thumb Screw										B
Take Machine To Lanes / Type In Lanes										B
Burn 2 Lanes With Machine										B
Have MOD Verify / Initial Log										SI BI
Start / Watch Numbers / Valve / Buffer RPM										B
Walk All Lanes When Finished										B
Dump / Fill Machines										B
<b>RECORD READINGS</b>	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned									56	12
Lanes Oiled									6-16	1-4
Average Run Time									930	810
Tank "A" Valve									761	740
Tank "B" Valve									442	382
Lead Tech Initials									B	B
Distances Taped									25	
Give Tapes To MOD										

*TJB*