

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

9:00AM

EVERY OIL

Date: 4-30-17

Squad Time / Event: BS/TEAMS

USBC Tech: Talmans M

Oil start time 8:00AM

Last lane end time 8:44 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank									TM	TM
Turn On Machine / Check Voltage 26.2 Volts									TM	TM
Check Tanks For Full Fluids									TM	TM
Change Planner To Proper Pattern AM/PM									TM	TM
Warm Up Pumps At 50 Mics									TM	TM
Check Combined Cleaner (32 mils)									TM	TM
Replace Tip And Thumb Screw									TM	TM
Take Machine To Lanes / Type In Lanes									TM	TM
Burn 2 Lanes With Machine									TM	TM
Have MOD Verify / Initial Log									BJ	BJ
Start / Watch Numbers / Valve / Buffer RPM									TM	TM
Walk All Lanes When Finished									TM	TM
Dump / Fill Machines									TM	TM
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned									60.59	64.63
Lanes Oiled									60.47	69.61
Average Run Time									917	824
Tank "A" Valve									779	742
Tank "B" Valve									444	380
Lead Tech Initials									T	B
Distances Taped									25'	25'
Give Tapes To MOD										

MOD

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/1/17

USBC Tech: DeMarr's

Oil start time 8:26AM

Squad Time / Event: BJ / P 9:00AM

Last lane end time 8:44AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank										
Turn On Machine / Check Voltage 26.2 Volts										DS
Check Tanks For Full Fluids										DS
Change Planner To Proper Pattern AM/PM										DS
Warm Up Pumps At 50 Mics										DS
Check Combined Cleaner (32 mils)										DS
Replace Tip And Thumb Screw										DS
Take Machine To Lanes / Type In Lanes										DS
Burn 2 Lanes With Machine										DS
Have MOD Verify / Initial Log										DS
Start / Watch Numbers / Valve / Buffer RPM										DS
Walk All Lanes When Finished										DS
Dump / Fill Machines										DS

RECORD READINGS		#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned											
Lanes Oiled										64-63	45-46
Average Run Time										64-54	45-46
Tank "A" Valve										918	830
Tank "B" Valve										780	741
Lead Tech Initials										428	381
Distances Taped										B	B
Give Tapes To MOD										25	25

Handwritten signature

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/11/17 Squad Time / Event: DF / B.J. 11:00Am

USBC Tech: DeMarris Oil start time 10:10Am Last lane end time 10:38Am

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank										
Turn On Machine / Check Voltage 26.2 Volts										
Check Tanks For Full Fluids										
Change Planner To Proper Pattern AM/PM										
Warm Up Pumps At 50 Mics										
Check Combined Cleaner (32 mils)										
Replace Tip And Thumb Screw										
Take Machine To Lanes / Type In Lanes										
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log										
Start / Watch Numbers / Valve / Buffer RPM										
Walk All Lanes When Finished										
Dump / Fill Machines										
RECORD READINGS										
Lanes Burned										
Lanes Oiled										
Average Run Time										
Tank "A" Valve										
Tank "B" Valve										
Lead Tech Initials										
Distances Taped										
Give Tapes To MOD										

55-56
 43-44
 55-64
 48-46
 926
 823
 781
 744
 441
 381
 B
 B

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-1-17 Squad Time / Event: 10pm BJ/Practice

USBC Tech: Charles Byrd Oil start time 9:05pm Last lane end time 11:10pm

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank									CWB	CWB
Turn On Machine / Check Voltage 26.2 Volts									CWB	CWB
Check Tanks For Full Fluids									CWB	CWB
Change Planner To Proper Pattern AM/PM									CWB	CWB
Warm Up Pumps At 50 Mics									CWB	CWB
Check Combined Cleaner (32 mils)									CWB	CWB
Replace Tip And Thumb Screw									CWB	CWB
Take Machine To Lanes / Type In Lanes									CWB	CWB
Burn 2 Lanes With Machine									CWB	CWB
Have MOD Verify / Initial Log									CWB	CWB
Start / Watch Numbers / Valve / Buffer RPM									CWB	CWB
Walk All Lanes When Finished									CWB	CWB
Dump / Fill Machines									CWB	CWB

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned									39/40	33/34
Lanes Oiled									39-46	33-38
Average Run Time									937	823
Tank "A" Valve									780	737
Tank "B" Valve									443	380
Lead Tech Initials									CWB	CWB
Distances Taped										
Give Tapes To MOD										

BJ Lanes : 39-46
 Practice Lanes : 33-38

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/2/17 Squad Time / Event: PT/BJ 9:00 AM

USBC Tech: DeMarras Oil start time 8:14 AM Last lane end time 8:44 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank										
Turn On Machine / Check Voltage 26.2 Volts										
Check Tanks For Full Fluids										
Change Planner To Proper Pattern AM/PM										
Warm Up Pumps At 50 Mics										
Check Combined Cleaner (32 mils)										
Replace Tip And Thumb Screw										
Take Machine To Lanes / Type In Lanes										
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log										
Start / Watch Numbers / Valve / Buffer RPM										
Walk All Lanes When Finished										
Dump / Fill Machines										

1-2
 1-6
 934
 777
 443
 B
 B
 25'
 25'

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned									1-2	21-22
Lanes Oiled									1-6	21-28
Average Run Time									934	821
Tank "A" Valve									777	741
Tank "B" Valve									443	381
Lead Tech Initials									B	B
Distances Taped									25'	25'
Give Tapes To MOD										

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/3/17

Squad Time / Event: BJ / PT / 9:00A

USBC Tech: DeMarris

Oil start time 8:12 AM

Last lane end time 8:48 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank										
Turn On Machine / Check Voltage 26.2 Volts										
Check Tanks For Full Fluids										
Change Planner To Proper Pattern AM/PM										
Warm Up Pumps At 50 Mics										
Check Combined Cleaner (32 mils)										
Replace Tip And Thumb Screw										
Take Machine To Lanes / Type In Lanes										
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log										
Start / Watch Numbers / Valve / Buffer RPM										
Walk All Lanes When Finished										
Dump / Fill Machines										
RECORD READINGS										
Lanes Burned									60-59	64-63
Lanes Oiled									60-49	64-61
Average Run Time									924	826
Tank "A" Valve									780	742
Tank "B" Valve									443	380
Lead Tech Initials									R	R
Distances Taped									25'	25'
Give Tapes To MOD										

BURNED
 OILED
 MOD
 VALVE
 INITIALS
 DISTANCES



2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-3-17

Squad Time / Event: 3PM BS / Practice

USBC Tech: M. JAMERSON

Oil start time 2:00 PM

Last lane end time 3:30 PM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
----------------	-------	-----------	-------	----------	-------	----------	-------	----------	-------	----------

Drop Machines / Check Cloth and Tank										
Turn On Machine / Check Voltage 26.2 Volts										
Check Tanks For Full Fluids										
Change Planner To Proper Pattern AM/PM										
Warm Up Pumps At 50 Mics										
Check Combined Cleaner (32 mils)										
Replace Tip And Thumb Screw										
Take Machine To Lanes / Type In Lanes										
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log										
Start / Watch Numbers / Valve / Buffer RPM										
Walk All Lanes When Finished										
Dump / Fill Machines										

(Handwritten initials for each row)

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned									53-54	63-64
Lanes Oiled									54-59	64-59
Average Run Time									856	807
Tank "A" Valve									784	788
Tank "B" Valve									443	380
Lead Tech Initials									J	J
Distances Taped										
Give Tapes To MOD										

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-4-17

Squad Time / Event: 3PM BJS/Prac

USBC Tech: M. Jamerson

Oil start time 1:35 PM

Last lane end time 2:40 PM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank										ml
Turn On Machine / Check Voltage 26.2 Volts										ml
Check Tanks For Full Fluids										ml
Change Planner To Proper Pattern AM/PM										ml
Warm Up Pumps At 50 Mics										ml
Check Combined Cleaner (32 mils)										ml
Replace Tip And Thumb Screw										ml
Take Machine To Lanes / Type In Lanes										ml
Burn 2 Lanes With Machine										ml
Have MOD Verify / Initial Log										BJ
Start / Watch Numbers / Valve / Buffer RPM										ml
Walk All Lanes When Finished										ml
Dump / Fill Machines										ml
RECORD READINGS										
Lanes Burned										32-31 8-7
Lanes Oiled										32-9 8-1
Average Run Time										937 819
Tank "A" Valve										791 777
Tank "B" Valve										441 379
Lead Tech Initials										B B
Distances Taped										B B
Give Tapes To MOD										

[Handwritten Signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/4/17 Squad Time / Event: 10pm BJ / Practice

USBC Tech: Charles Boyd Oil start time 9:05pm Last lane end time 9:50pm

Lane Machine # 5

	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
--	-------	-----------	-------	----------	-------	----------	-------	----------	-------	----------

Drop Machines / Check Cloth and Tank										CWB
Turn On Machine / Check Voltage 26.2 Volts										CWB
Check Tanks For Full Fluids										CWB
Change Planner To Proper Pattern AM/PM										CWB
Warm Up Pumps At 50 Mics										CWB
Check Combined Cleaner (32 mils)										CWB
Replace Tip And Thumb Screw										CWB
Take Machine To Lanes / Type In Lanes										CWB
Burn 2 Lanes With Machine										CWB
Have MOD Verify / Initial Log										CWB
Start / Watch Numbers / Valve / Buffer RPM										CWB
Walk All Lanes When Finished										CWB
Dump / Fill Machines										CWB

NO PRACTICE

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned									1/2	
Lanes Oiled									1-20	
Average Run Time									943	
Tank "A" Valve									778	
Tank "B" Valve									445	
Lead Tech Initials									CWB	
Distances Taped										
Give Tapes To MOD										

BJ Lanes : 1-20
 Practice : No Practice

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5-5-17						Squad Time / Event: 9AM BJ/PPTC				
USBC Tech:	TJPAU		Oil start time 8:00AM				Last lane end time 8:35AM				
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract	
Drop Machines / Check Cloth and Tank										B	
Turn On Machine / Check Voltage 26.2 Volts										B	
Check Tanks For Full Fluids										B	
Change Planner To Proper Pattern AM/PM										B	
Warm Up Pumps At 50 Mics										B	
Check Combined Cleaner (32 mils)										B	
Replace Tip And Thumb Screw										B	
Take Machine To Lanes / Type In Lanes										B	
Burn 2 Lanes With Machine										B	
Have MOD Verify / Initial Log										B	
Start / Watch Numbers / Valve / Buffer RPM										B	
Walk All Lanes When Finished										B	
Dump / Fill Machines										B	
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract	
Lanes Burned									1-2	31-32	
Lanes Oiled									1-10	32-23	
Average Run Time									933	814	
Tank "A" Valve									781	741	
Tank "B" Valve									443	380	
Lead Tech Initials									B	B	
Distances Taped									25'	25'	
Give Tapes To MOD											

TJPAU

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/5/17 Squad Time / Event: 10pm BJS/Practice

USBC Tech: Charles Byrd Oil start time 9:02pm Last lane end time 9:41pm

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank									CWB	CWB
Turn On Machine / Check Voltage 26.2 Volts									CWB	CWB
Check Tanks For Full Fluids									CWB	CWB
Change Planner To Proper Pattern AM/PM									CWB	CWB
Warm Up Pumps At 50 Mics									CWB	CWB
Check Combined Cleaner (32 mils)									CWB	CWB
Replace Tip And Thumb Screw									CWB	CWB
Take Machine To Lanes / Type In Lanes									CWB	CWB
Burn 2 Lanes With Machine									CWB	CWB
Have MOD Verify / Initial Log									BV	BV
Start / Watch Numbers / Valve / Buffer RPM									CWB	CWB
Walk All Lanes When Finished									CWB	CWB
Dump / Fill Machines									CWB	CWB
RECORD READINGS										
Lanes Burned									30/29	32/31
Lanes Oiled									30-17	32-31
Average Run Time									943	813
Tank "A" Valve									779	743
Tank "B" Valve									444	380
Lead Tech Initials									CWB	CWB
Distances Taped										
Give Tapes To MOD										

BJ Lanes: 30-17
 Practice: 32-31