

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5-21-17						Squad Time / Event: 9AM B/PRACT			
USBC Tech:	TYRONE		Oil start time 8:15AM				Last lane end time 8:55AM			
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank										
Turn On Machine / Check Voltage 26.2 Volts										
Check Tanks For Full Fluids										
Change Planner To Proper Pattern AM/PM										
Warm Up Pumps At 50 Mics										
Check Combined Cleaner (32 mils)										
Replace Tip And Thumb Screw										
Take Machine To Lanes / Type In Lanes										
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log										
Start / Watch Numbers / Valve / Buffer RPM										
Walk All Lanes When Finished										
Dump / Fill Machines										
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							59-60	63-64		
Lanes Oiled							60-53	64-61		
Average Run Time							934	858		
Tank "A" Valve							783	741		
Tank "B" Valve							441	381		
Lead Tech Initials							B	B		
Distances Taped							25	25		
Give Tapes To MOD										

[Signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5/21/17							Squad Time / Event:	11 AM B5/Pract.				
USBC Tech:	Calvin T.		Oil start time 10:15 AM					Last lane end time 10:50 AM					
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract			
Drop Machines / Check Cloth and Tank							CT	CT					
Turn On Machine / Check Voltage 26.2 Volts							CT	CT					
Check Tanks For Full Fluids							CT	CT					
Change Planner To Proper Pattern AM/PM							CT	CT					
Warm Up Pumps At 50 Mics							CT	CT					
Check Combined Cleaner (32 mils)							CT	CT					
Replace Tip And Thumb Screw							CT	CT					
Take Machine To Lanes / Type In Lanes							CT	CT					
Burn 2 Lanes With Machine							CT	CT					
Have MOD Verify / Initial Log							Bu	Bu					
Start / Watch Numbers / Valve / Buffer RPM							CT	CT					
Walk All Lanes When Finished							CT	CT					
Dump / Fill Machines							CT	CT					
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract			
Lanes Burned							33/41	63/64					
Lanes Oiled							33/52	59/64					
Average Run Time							892	844					
Tank "A" Valve							781	741					
Tank "B" Valve							445	384					
Lead Tech Initials							B	B					
Distances Taped													
Give Tapes To MOD													



2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-21-17 Squad Time / Event: 7pm BJ PRACTICE
 USBC Tech: BOB Oil start time 12:05PM Last lane end time 1:10PM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank								1		
Turn On Machine / Check Voltage 26.2 Volts								2		
Check Tanks For Full Fluids								2		
Change Planner To Proper Pattern AM/PM								2		
Warm Up Pumps At 50 Mics								2		
Check Combined Cleaner (32 mils)								2		
Replace Tip And Thumb Screw								2		
Take Machine To Lanes / Type In Lanes								2		
Burn 2 Lanes With Machine								2		
Have MOD Verify / Initial Log								2		
Start / Watch Numbers / Valve / Buffer RPM								2		
Walk All Lanes When Finished								2		
Dump / Fill Machines								2		
RECORD READINGS										
Lanes Burned								51-52	33	34
Lanes Oiled								51-64	33-42	
Average Run Time								912	823	
Tank "A" Valve								777	739	
Tank "B" Valve								444	379	
Lead Tech Initials								2	2	
Distances Taped										
Give Tapes To MOD										

UDJ

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-21-17

Squad Time / Event: 3pm BJ PRACTICE

USBC Tech: BOB

Oil start time 2:15 PM

Last lane end time 3:10 PM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank										
Turn On Machine / Check Voltage 26.2 Volts										
Check Tanks For Full Fluids										
Change Planner To Proper Pattern AM/PM										
Warm Up Pumps At 50 Mics										
Check Combined Cleaner (32 mils)										
Replace Tip And Thumb Screw										
Take Machine To Lanes / Type In Lanes										
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log										
Start / Watch Numbers / Valve / Buffer RPM										
Walk All Lanes When Finished										
Dump / Fill Machines										
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							49-50	35-36		
Lanes Oiled							49-64	35-48		
Average Run Time							913	824		
Tank "A" Valve							778	744		
Tank "B" Valve							441	380		
Lead Tech Initials							2	2		
Distances Taped										
Give Tapes To MOD										

[Handwritten Signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: <u>5-21-17</u>	Squad Time / Event: <u>B3</u>
USBC Tech: <u>Tamarius M.</u>	Oil start time <u>7:00pm</u> Last lane end time <u>9:32pm</u>
Lane Machine #	#1 BJ #1 Pract #2 BJ #2 Pract #3 BJ #3 Pract #4 BJ #4 Pract #5 BJ #5 Pract
Drop Machines / Check Cloth and Tank	TM
Turn On Machine / Check Voltage 26.2 Volts	TM
Check Tanks For Full Fluids	TM
Change Planner To Proper Pattern AM/PM	TM
Warm Up Pumps At 50 Mics	TM
Check Combined Cleaner (32 mils)	TM
Replace Tip And Thumb Screw	TM
Take Machine To Lanes / Type In Lanes	TM
Burn 2 Lanes With Machine	TM
Have MOD Verify / Initial Log	TS
Start / Watch Numbers / Valve / Buffer RPM	TM
Walk All Lanes When Finished	TM
Dump / Fill Machines	TM
RECORD READINGS	#1 BJ #1 Pract #2 BJ #2 Pract #3 BJ #3 Pract #4 BJ #4 Pract #5 BJ #5 Pract
Lanes Burned	33-34
Lanes Oiled	33-40
Average Run Time	895
Tank "A" Valve	784
Tank "B" Valve	447
Lead Tech Initials	TS
Distances Taped	
Give Tapes To MOD	TS

TS

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5/22/17				Squad Time / Event:	9:00 AM B5/PAC							
USBC Tech:	DiMarzio				Oil start time	8:00 AM		Last lane end time				8:40 AM	
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract			
Drop Machines / Check Cloth and Tank								DS					
Turn On Machine / Check Voltage 26.2 Volts								DS					
Check Tanks For Full Fluids								DS					
Change Planner To Proper Pattern AM/PM								DS					
Warm Up Pumps At 50 Mics								DS					
Check Combined Cleaner (32 mils)								DS					
Replace Tip And Thumb Screw								DS					
Take Machine To Lanes / Type In Lanes								DS					
Burn 2 Lanes With Machine								DS					
Have MOD Verify / Initial Log								DS					
Start / Watch Numbers / Valve / Buffer RPM								DS					
Walk All Lanes When Finished								DS					
Dump / Fill Machines								DS					
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract			
Lanes Burned							104-63	48-47					
Lanes Oiled							64-55	48-48					
Average Run Time							904	812					
Tank "A" Valve							782	735					
Tank "B" Valve							440	381					
Lead Tech Initials							B	B					
Distances Taped							25	25					
Give Tapes To MOD													

B
B

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5/22/17		Squad Time / Event:		11:00 BJ/Prac					
USBC Tech:	DeMarris		Oil start time		9:50 AM					
					Last lane end time 10:40 AM					
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank										
Turn On Machine / Check Voltage 26.2 Volts										
Check Tanks For Full Fluids										
Change Planner To Proper Pattern AM/PM										
Warm Up Pumps At 50 Mics										
Check Combined Cleaner (32 mils)										
Replace Tip And Thumb Screw										
Take Machine To Lanes / Type In Lanes										
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log										
Start / Watch Numbers / Valve / Buffer RPM										
Walk All Lanes When Finished										
Dump / Fill Machines										
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							51-52	33-34		
Lanes Oiled							51-64	33-42		
Average Run Time							894	812		
Tank "A" Valve							781	744		
Tank "B" Valve							444	382		
Lead Tech Initials							B	B		
Distances Taped										
Give Tapes To MOD										

4/12

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/22/17 Squad Time / Event: 1 PM BS/Pract
 USBC Tech: Calvin T. Oil start time 12:25 PM Last lane end time 1:25 PM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							CT	CT		
Turn On Machine / Check Voltage 26.2 Volts							CT	CT		
Check Tanks For Full Fluids							CT	CT		
Change Planner To Proper Pattern AM/PM							CT	CT		
Warm Up Pumps At 50 Mics							CT	CT		
Check Combined Cleaner (32 mils)							CT	CT		
Replace Tip And Thumb Screw							CT	CT		
Take Machine To Lanes / Type In Lanes							CT	CT		
Burn 2 Lanes With Machine							CT	CT		
Have MOD Verify / Initial Log							JH	JH		
Start / Watch Numbers / Valve / Buffer RPM							CT	CT		
Walk All Lanes When Finished							CT	CT		
Dump / Fill Machines							CT	CT		

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							33/34	57/58		
Lanes Oiled							33/50	57/64		
Average Run Time							895	844		
Tank "A" Valve							783	741		
Tank "B" Valve							945	384		
Lead Tech Initials							B	B		
Distances Taped										
Give Tapes To MOD										

JH

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	6/25/17				Squad Time / Event: BJ/PT							
USBC Tech:	DeMarris/Calvin				Oil start time 2:45				Last lane end time 3:25			
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract		
Drop Machines / Check Cloth and Tank							DS					
Turn On Machine / Check Voltage 26.2 Volts							DS					
Check Tanks For Full Fluids							DS					
Change Planner To Proper Pattern AM/PM							DS					
Warm Up Pumps At 50 Mics							DS					
Check Combined Cleaner (32 mils)							DS					
Replace Tip And Thumb Screw							DS					
Take Machine To Lanes / Type In Lanes							DS					
Burn 2 Lanes With Machine							DS					
Have MOD Verify / Initial Log							See See					
Start / Watch Numbers / Valve / Buffer RPM							DS					
Walk All Lanes When Finished							DS					
Dump / Fill Machines							DS					
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract		
Lanes Burned							103-04	45-46				
Lanes Oiled							44-49	46-41				
Average Run Time							406	812				
Tank "A" Valve							780	744				
Tank "B" Valve							444	387				
Lead Tech Initials							B	B				
Distances Taped												
Give Tapes To MOD												

101

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/22/17 Squad Time / Event: 10pm BJ/Practice
 USBC Tech: Charles Byrd Oil start time 9:05pm Last lane end time 10pm

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							CWB	CWB		
Turn On Machine / Check Voltage 26.2 Volts							CWB	CWB		
Check Tanks For Full Fluids							CWB	CWB		
Change Planner To Proper Pattern AM/PM							CWB	CWB		
Warm Up Pumps At 50 Mics							CWB	CWB		
Check Combined Cleaner (32 mils)							CWB	CWB		
Replace Tip And Thumb Screw							CWB	CWB		
Take Machine To Lanes / Type In Lanes							CWB	CWB		
Burn 2 Lanes With Machine							CWB	CWB		
Have MOD Verify / Initial Log							he	he		
Start / Watch Numbers / Valve / Buffer RPM							CWB	CWB		
Walk All Lanes When Finished							CWB	CWB		
Dump / Fill Machines							CWB	CWB		
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							37/38	33/34		
Lanes Oiled							37-50	33-34		
Average Run Time							931	811		
Tank "A" Valve							779	742		
Tank "B" Valve							444	380		
Lead Tech Initials							CWB	CWB		
Distances Taped										
Give Tapes To MOD										

411

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5-23-17										Squad Time / Event:	9 AM BJ/PAC				
USBC Tech:	Tyrene		Oil start time				8:15 AM				Last lane end time				8:40 AM	
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract						
Drop Machines / Check Cloth and Tank								B								
Turn On Machine / Check Voltage 26.2 Volts								B								
Check Tanks For Full Fluids								B								
Change Planner To Proper Pattern AM/PM								B								
Warm Up Pumps At 50 Mics								B								
Check Combined Cleaner (32 mils)								B								
Replace Tip And Thumb Screw								B								
Take Machine To Lanes / Type In Lanes								B								
Burn 2 Lanes With Machine								B								
Have MOD Verify / Initial Log								B					B			
Start / Watch Numbers / Valve / Buffer RPM								B					B			
Walk All Lanes When Finished								B					B			
Dump / Fill Machines								B					B			
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract						
Lanes Burned							1-2	31-32								
Lanes Oiled							1-2	31-32								
Average Run Time							932	834								
Tank "A" Valve							777	742								
Tank "B" Valve							441	378								
Lead Tech Initials							B	B								
Distances Taped							25	25								
Give Tapes To MOD																

Tyrene

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5/23/17				Squad Time / Event:	11:00 AM BJ/Prac					
USBC Tech:	J DeMarris				Oil start time	9:50 AM		Last lane end time	10:22 AM		
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract	
Drop Machines / Check Cloth and Tank							DS				
Turn On Machine / Check Voltage 26.2 Volts							DS				
Check Tanks For Full Fluids							DS				
Change Planner To Proper Pattern AM/PM							DS				
Warm Up Pumps At 50 Mics							DS				
Check Combined Cleaner (32 mils)							DS				
Replace Tip And Thumb Screw							DS				
Take Machine To Lanes / Type In Lanes							DS				
Burn 2 Lanes With Machine							DS				
Have MOD Verify / Initial Log							see see				
Start / Watch Numbers / Valve / Buffer RPM							DS				
Walk All Lanes When Finished							DS				
Dump / Fill Machines							DS				
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract	
Lanes Burned							12-11	2324			
Lanes Oiled							12-1	2328			
Average Run Time							987	838			
Tank "A" Valve							779	739			
Tank "B" Valve							443	381			
Lead Tech Initials							B	B			
Distances Taped											
Give Tapes To MOD											

[Handwritten signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5/23/17				Squad Time / Event:	1 PM BS/PR						
USBC Tech:	Calvin				Oil start time	12:05 PM		Last lane end time	12:55 PM			
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract		
Drop Machines / Check Cloth and Tank							CT	CT				
Turn On Machine / Check Voltage 26.2 Volts							CT	CT				
Check Tanks For Full Fluids							CT	CT				
Change Planner To Proper Pattern AM/PM							CT	CT				
Warm Up Pumps At 50 Mics							CT	CT				
Check Combined Cleaner (32 mils)							CT	CT				
Replace Tip And Thumb Screw							CT	CT				
Take Machine To Lanes / Type In Lanes							CT	CT				
Burn 2 Lanes With Machine							CT	CT				
Have MOD Verify / Initial Log							TS	TS				
Start / Watch Numbers / Valve / Buffer RPM							CT	CT				
Walk All Lanes When Finished							CT	CT				
Dump / Fill Machines							CT	CT				
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract		
Lanes Burned							31/32	9/10				
Lanes Oiled							17/32	1/10				
Average Run Time							924	820				
Tank "A" Valve							780	744				
Tank "B" Valve							443	382				
Lead Tech Initials							2	2				
Distances Taped												
Give Tapes To MOD												

Handwritten signature

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5/23/17				Squad Time / Event:	3 pm B5/Pr						
USBC Tech:	Calvin T				Oil start time	2:08 pm				Last lane end time	3:07 pm	
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract		
Drop Machines / Check Cloth and Tank							CT	CT				
Turn On Machine / Check Voltage 26.2 Volts							CT	CT				
Check Tanks For Full Fluids							CT	CT				
Change Planner To Proper Pattern AM/PM							CT	CT				
Warm Up Pumps At 50 Mics							CT	CT				
Check Combined Cleaner (32 mils)							CT	CT				
Replace Tip And Thumb Screw							CT	CT				
Take Machine To Lanes / Type In Lanes							CT	CT				
Burn 2 Lanes With Machine							CT	CT				
Have MOD Verify / Initial Log							TS	TS				
Start / Watch Numbers / Valve / Buffer RPM							CT	CT				
Walk All Lanes When Finished							CT	CT				
Dump / Fill Machines							CT	CT				
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract		
Lanes Burned							1/2	23/24				
Lanes Oiled							1/22	23/32				
Average Run Time							922	819				
Tank "A" Valve							778	742				
Tank "B" Valve							445	382				
Lead Tech Initials							Z	Z				
Distances Taped												
Give Tapes To MOD												

[Handwritten Signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5/23/17				Squad Time / Event:	10pm BJ / Practice						
USBC Tech:	Charles Byrd				Oil start time	9:05pm		Last lane end time	9:50pm			
Lane Machine #	4		#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank									CWB	CWB		
Turn On Machine / Check Voltage 26.2 Volts									CWB	CWB		
Check Tanks For Full Fluids									CWB	CWB		
Change Planner To Proper Pattern AM/PM									CWB	CWB		
Warm Up Pumps At 50 Mics									CWB	CWB		
Check Combined Cleaner (32 mils)									CWB	CWB		
Replace Tip And Thumb Screw									CWB	CWB		
Take Machine To Lanes / Type In Lanes									CWB	CWB		
Burn 2 Lanes With Machine									CWB	CWB		
Have MOD Verify / Initial Log									BC	R		
Start / Watch Numbers / Valve / Buffer RPM									CWB	CWB		
Walk All Lanes When Finished									CWB	CWB		
Dump / Fill Machines									CWB	CWB		
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract		
Lanes Burned							26/25	32/31				
Lanes Oiled							26-19	32-27				
Average Run Time							944	821				
Tank "A" Valve							777	742				
Tank "B" Valve							441	382				
Lead Tech Initials							CWB	CWB				
Distances Taped												
Give Tapes To MOD												

CWB

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5/24/17				Squad Time / Event:	9:00 BJ/Prac						
USBC Tech:	DeMarris				Oil start time	8:05 am			Last lane end time	8:35 am		
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract		
Drop Machines / Check Cloth and Tank							DS					
Turn On Machine / Check Voltage 26.2 Volts							DS					
Check Tanks For Full Fluids							DS					
Change Planner To Proper Pattern AM/PM							DS					
Warm Up Pumps At 50 Mics							DS					
Check Combined Cleaner (32 mils)							DS					
Replace Tip And Thumb Screw							DS					
Take Machine To Lanes / Type In Lanes							DS					
Burn 2 Lanes With Machine							DS					
Have MOD Verify / Initial Log							BU BU					
Start / Watch Numbers / Valve / Buffer RPM							DS					
Walk All Lanes When Finished							DS					
Dump / Fill Machines							DS					
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract		
Lanes Burned							60/59	64/63				
Lanes Oiled							60/49	64/61				
Average Run Time							941	862				
Tank "A" Valve							778	741				
Tank "B" Valve							444	378				
Lead Tech Initials							2	2				
Distances Taped							25'	25'				
Give Tapes To MOD												

[Handwritten Signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/24/17 Squad Time / Event: 11:00 AM BJ / Prac
 USBC Tech: DeMarris Oil start time 10:15 AM Last lane end time 11:00 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							DS			
Turn On Machine / Check Voltage 26.2 Volts							DS			
Check Tanks For Full Fluids							DS			
Change Planner To Proper Pattern AM/PM							DS			
Warm Up Pumps At 50 Mics							DS			
Check Combined Cleaner (32 mils)							DS			
Replace Tip And Thumb Screw							DS			
Take Machine To Lanes / Type In Lanes							DS			
Burn 2 Lanes With Machine							DS			
Have MOD Verify / Initial Log							DS			
Start / Watch Numbers / Valve / Buffer RPM							DS			
Walk All Lanes When Finished							DS			
Dump / Fill Machines							DS			
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							62-61	64-63		
Lanes Oiled							63-49	64-63		
Average Run Time							922	839		
Tank "A" Valve							778	737		
Tank "B" Valve							444	382		
Lead Tech Initials							R	R		
Distances Taped										
Give Tapes To MOD										

[Handwritten Signature]

1:00 pm

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-24-17 **Squad Time / Event:** B3 / TEAMS 1:00 PM

USBC Tech: Jaimarius M. **Oil start time** 12:30 pm **Last lane end time** 1:02 pm

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							TM	TM		
Turn On Machine / Check Voltage 26.2 Volts							TM	TM		
Check Tanks For Full Fluids							TM	TM		
Change Planner To Proper Pattern AM/PM							TM	TM		
Warm Up Pumps At 50 Mics							TM	TM		
Check Combined Cleaner (32 mils)							TM	TM		
Replace Tip And Thumb Screw							TM	TM		
Take Machine To Lanes / Type In Lanes							TM	TM		
Burn 2 Lanes With Machine							TM	TM		
Have MOD Verify / Initial Log							BC	BC		
Start / Watch Numbers / Valve / Buffer RPM							TM	TM		
Walk All Lanes When Finished							TM	TM		
Dump / Fill Machines							TM	TM		
RECORD READINGS										
Lanes Burned							49.50	63.64		
Lanes Oiled							49.58	63.64		
Average Run Time							902	895		
Tank "A" Valve							781	743		
Tank "B" Valve							444	381		
Lead Tech Initials							J	J		
Distances Taped										
Give Tapes To MOD										

JJK

3:00 pm

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-29-17 Squad Time / Event: 83/TEAMS 3:00 PM

USBC Tech: Tamarius M. Oil start time 2:10 pm Last lane end time 2:50 pm

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							TM	TM		
Turn On Machine / Check Voltage 26.2 Volts							TM	TM		
Check Tanks For Full Fluids							TM	TM		
Change Planner To Proper Pattern AM/PM							TM	TM		
Warm Up Pumps At 50 Mics							TM	TM		
Check Combined Cleaner (32 mils)							TM	TM		
Replace Tip And Thumb Screw							TM	TM		
Take Machine To Lanes / Type In Lanes							TM	TM		
Burn 2 Lanes With Machine							TM	TM		
Have MOD Verify / Initial Log							BR	AL		
Start / Watch Numbers / Valve / Buffer RPM							TM	TM		
Walk All Lanes When Finished							TM	TM		
Dump / Fill Machines							TM	TM		

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							47-48	59-60		
Lanes Oiled							47-58	59-64		
Average Run Time							907	841		
Tank "A" Valve							785	739		
Tank "B" Valve							444	379		
Lead Tech Initials							Z	Z		
Distances Taped										
Give Tapes To MOD										

[Handwritten signature]

10:00pm

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-24-17 Squad Time / Event: B5 / TEAMS 10:00pm
 USBC Tech: Tamarius M. Oil start time 8:45 pm Last lane end time 9:27 pm

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							TM	TM		
Turn On Machine / Check Voltage 26.2 Volts							TM	TM		
Check Tanks For Full Fluids							TM	TM		
Change Planner To Proper Pattern AM/PM							TM	TM		
Warm Up Pumps At 50 Mics							TM	TM		
Check Combined Cleaner (32 mils)							TM	TM		
Replace Tip And Thumb Screw							TM	TM		
Take Machine To Lanes / Type In Lanes							TM	TM		
Burn 2 Lanes With Machine							TM	TM		
Have MOD Verify / Initial Log							TC	TC		
Start / Watch Numbers / Valve / Buffer RPM							TM	TM		
Walk All Lanes When Finished							TM	TM		
Dump / Fill Machines							TM	TM		

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							51.52	51.60		
Lanes Oiled							47.58	59.64		
Average Run Time							941	851		
Tank "A" Valve							777	742		
Tank "B" Valve							441	382		
Lead Tech Initials							T	T		
Distances Taped										
Give Tapes To MOD										

[Handwritten signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5/25/17		Squad Time / Event:					3:00 PM BS / PRACTICE		
USBC Tech:	BOB		Oil start time		1:40 PM		Last lane end time		3:00 PM	
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank										
Turn On Machine / Check Voltage 26.2 Volts										
Check Tanks For Full Fluids										
Change Planner To Proper Pattern AM/PM										
Warm Up Pumps At 50 Mics										
Check Combined Cleaner (32 mils)										
Replace Tip And Thumb Screw										
Take Machine To Lanes / Type In Lanes										
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log										
Start / Watch Numbers / Valve / Buffer RPM										
Walk All Lanes When Finished										
Dump / Fill Machines										
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							11-12	1-2		
Lanes Oiled							10-22	1-10		
Average Run Time							921	813		
Tank "A" Valve							780	741		
Tank "B" Valve							444	379		
Lead Tech Initials							2	2		
Distances Taped							25'	25'		
Give Tapes To MOD										

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: <u>5/25/17</u>		Squad Time / Event: <u>10pm BJ/Practice</u>									
USBC Tech: <u>Charles Byrd</u>		Oil start time <u>9:00pm</u>					Last lane end time <u>9:50pm</u>				
Lane Machine # <u>4</u>	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract	
Drop Machines / Check Cloth and Tank							CWB	CWB			
Turn On Machine / Check Voltage 26.2 Volts							CWB	CWB			
Check Tanks For Full Fluids							CWB	CWB			
Change Planner To Proper Pattern AM/PM							CWB	CWB			
Warm Up Pumps At 50 Mics							CWB	CWB			
Check Combined Cleaner (32 mils)							CWB	CWB			
Replace Tip And Thumb Screw							CWB	CWB			
Take Machine To Lanes / Type In Lanes							CWB	CWB			
Burn 2 Lanes With Machine							CWB	CWB			
Have MOD Verify / Initial Log							RL	RL			
Start / Watch Numbers / Valve / Buffer RPM							CWB	CWB			
Walk All Lanes When Finished							CWB	CWB			
Dump / Fill Machines							CWB	CWB			
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract	
Lanes Burned							28/27	30/29			
Lanes Oiled							30-13	31-32			
Average Run Time							949	813			
Tank "A" Valve							778	741			
Tank "B" Valve							443	381			
Lead Tech Initials							CWB	CWB			
Distances Taped											
Give Tapes To MOD											

BJ Lanes: 30-13
 Practice Lanes: 32-31

44

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/26/17 Squad Time / Event: 9:00 AM BJ / PRACTICE

USBC Tech: R O B Oil start time 7:55 AM Last lane end time 8:45 AM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank								2		
Turn On Machine / Check Voltage 26.2 Volts								2		
Check Tanks For Full Fluids								2		
Change Planner To Proper Pattern AM/PM								2		
Warm Up Pumps At 50 Mics								2		
Check Combined Cleaner (32 mils)								2		
Replace Tip And Thumb Screw								2		
Take Machine To Lanes / Type In Lanes								2		
Burn 2 Lanes With Machine								2		
Have MOD Verify / Initial Log								TS		
Start / Watch Numbers / Valve / Buffer RPM								2		
Walk All Lanes When Finished								2		
Dump / Fill Machines								2		

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							1.2	21.22		
Lanes Oiled							1.14	21.32		
Average Run Time							931	813		
Tank "A" Valve							777	739		
Tank "B" Valve							444	379		
Lead Tech Initials							I	I		
Distances Taped							25'	25'		
Give Tapes To MOD										



2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-26-17 Squad Time / Event: 11 AM BS / PRACTICE

USBC Tech: 13013 Oil start time 10:03 AM Last lane end time 10:43 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank								2		
Turn On Machine / Check Voltage 26.2 Volts								2		
Check Tanks For Full Fluids								2		
Change Planner To Proper Pattern AM/PM								2		
Warm Up Pumps At 50 Mics								2		
Check Combined Cleaner (32 mils)								2		
Replace Tip And Thumb Screw								2		
Take Machine To Lanes / Type In Lanes								2		
Burn 2 Lanes With Machine								2		
Have MOD Verify / Initial Log								TS		
Start / Watch Numbers / Valve / Buffer RPM								2		
Walk All Lanes When Finished								2		
Dump / Fill Machines								2		

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							13.14	21.22		
Lanes Oiled							1.14	21.32		
Average Run Time							913	821		
Tank "A" Valve							780	741		
Tank "B" Valve							444	380		
Lead Tech Initials							2	2		
Distances Taped										
Give Tapes To MOD										

[Handwritten Signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-26-17 Squad Time / Event: 1:00 PM BJ / PRACTICE

USBC Tech: ROB Oil start time 12:05 PM Last lane end time 12:50 PM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank								2		
Turn On Machine / Check Voltage 26.2 Volts								2		
Check Tanks For Full Fluids								2		
Change Planner To Proper Pattern AM/PM								2		
Warm Up Pumps At 50 Mics								2		
Check Combined Cleaner (32 mils)								2		
Replace Tip And Thumb Screw								2		
Take Machine To Lanes / Type In Lanes								2		
Burn 2 Lanes With Machine								2		
Have MOD Verify / Initial Log							1	TS		
Start / Watch Numbers / Valve / Buffer RPM								2		
Walk All Lanes When Finished								2		
Dump / Fill Machines								2		

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							17-18	5-6		
Lanes Oiled							7-32	1-6		
Average Run Time							913	823		
Tank "A" Valve							777	739		
Tank "B" Valve							444	379		
Lead Tech Initials							1	1		
Distances Taped										
Give Tapes To MOD										

UJH

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-26-17 Squad Time / Event: 3:00 BJ / PRACTICE

USBC Tech: BOB Oil start time 2:05 PM Last lane end time 3:00 PM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank										
Turn On Machine / Check Voltage 26.2 Volts										
Check Tanks For Full Fluids										
Change Planner To Proper Pattern AM/PM										
Warm Up Pumps At 50 Mics										
Check Combined Cleaner (32 mils)										
Replace Tip And Thumb Screw										
Take Machine To Lanes / Type In Lanes										
Burn 2 Lanes With Machine										
Have MOD Verify / Initial Log							1	TS		
Start / Watch Numbers / Valve / Buffer RPM										
Walk All Lanes When Finished										
Dump / Fill Machines										

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							1-2	19-20		
Lanes Oiled							1-18	19-24		
Average Run Time							923	816		
Tank "A" Valve							777	741		
Tank "B" Valve							444	381		
Lead Tech Initials							Z	Z		
Distances Taped										
Give Tapes To MOD										

[Handwritten Signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5/26/17				Squad Time / Event:	10pm BJ / Practice						
USBC Tech:	Charles Byrd				Oil start time	9:10 pm				Last lane end time	9:5 AM	
Lane Machine #	4		#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank									CWB	CWB		
Turn On Machine / Check Voltage 26.2 Volts									CWB	CWB		
Check Tanks For Full Fluids									CWB	CWB		
Change Planner To Proper Pattern AM/PM									CWB	CWB		
Warm Up Pumps A: 50 Mics									CWB	CWB		
Check Combined Cleaner (32 mils)									CWB	CWB		
Replace Tip And Thumb Screw									CWB	CWB		
Take Machine To Lanes / Type In Lanes									CWB	CWB		
Burn 2 Lanes With Machine									CWB	CWB		
Have MOD Verify / Initial Log									TS	TS		
Start / Watch Numbers / Valve / Buffer RPM									CWB	CWB		
Walk All Lanes When Finished									CWB	CWB		
Dump / Fill Machines									CWB	CWB		
RECORD READINGS			#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned									15/16	32/31		
Lanes Oiled									24-15	32-25		
Average Run Time									941	821		
Tank "A" Valve									781	744		
Tank "B" Valve									445	381		
Lead Tech Initials									CWB	CWB		
Distances Taped									60			
Give Tapes To MOD												

BJ Lanes : 24-15
 Practice Lanes : 25-32

44

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: <u>5-21-17</u>		Squad-Time / Event: <u>B3/TRANS</u>									
USBC Tech: <u>TAMARIUS M</u>		Oil start time <u>9:00 am</u>					Last lane end time <u>9:58 pm</u>				
Lane Machine #		#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank								TM	TM		
Turn On Machine / Check Voltage 26.2 Volts								TM	TM		
Check Tanks For Full Fluids								TM	TM		
Change Planner To Proper Pattern AM/PM								TM	TM		
Warm Up Pumps At 50 Mics								TM	TM		
Check Combined Cleaner (32 mils)								TM	TM		
Replace Tip And Thumb Screw								TM	TM		
Take Machine To Lanes / Type In Lanes								TM	TM		
Burn 2 Lanes With Machine								TM	TM		
Have MOD Verify / Initial Log								TM	TM		
Start / Watch Numbers / Valve / Buffer RPM								TM	TM		
Walk All Lanes When Finished								TM	TM		
Dump / Fill Machines								TM	TM		
RECORD READINGS		#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned								44.43	57.58		
Lanes Oiled								33.46	57.64		
Average Run Time								926	835		
Tank "A" Valve								778	739		
Tank "B" Valve								442	387		
Lead Tech Initials								TM	TM		
Distances Taped											
Give Tapes To MOD											

[Handwritten Signature]