

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5-7-17	Squad Time / Event:	9am PTAC							
USBC Tech:	Tyrene	Oil start time	10am	Last lane end time	8:40am					
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank				B						
Turn On Machine / Check Voltage 26.2 Volts				B						
Check Tanks For Full Fluids				B						
Change Planner To Proper Pattern AM/PM				B						
Warm Up Pumps At 50 Mics				B						
Check Combined Cleaner (32 mils)				B						
Replace Tip And Thumb Screw				B						
Take Machine To Lanes / Type In Lanes				B						
Burn 2 Lanes With Machine				B						
Have MOD Verify / Initial Log				BU						
Start / Watch Numbers / Valve / Buffer RPM				B						
Walk All Lanes When Finished				B						
Dump / Fill Machines				B						
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			3-10	33-3A						
Lanes Oiled			4-45	33-4A						
Average Run Time			9:18	8:50						
Tank "A" Valve			79	74						
Tank "B" Valve			443	380						
Lead Tech Initials			B	B						
Distances Taped			25	25						
Give Tapes To MOD										

UK

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5/7/17	Squad Time / Event:	11 AM BJ / PRACTICE							
USBC Tech:	Calvin T	Oil start time	9:50 AM		Last lane end time	10:55 AM				
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			CF							
Turn On Machine / Check Voltage 26.2 Volts			CF							
Check Tanks For Full Fluids			CF							
Change Planner To Proper Pattern AM/PM			CF							
Warm Up Pumps At 50 Mics			CF							
Check Combined Cleaner (32 mils)			CF							
Replace Tip And Thumb Screw			CF							
Take Machine To Lanes / Type In Lanes			CF							
Burn 2 Lanes With Machine			CF							
Have MOD Verify / Initial Log			BJ							
Start / Watch Numbers / Valve / Buffer RPM			CF							
Walk All Lanes When Finished			CF							
Dump / Fill Machines			CF							
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			63-64	33-34						
Lanes Oiled			43-64	33-42						
Average Run Time			913	813						
Tank "A" Valve			777	744						
Tank "B" Valve			444	380						
Lead Tech Initials			B	B						
Distances Taped										
Give Tapes To MOD										

BJ

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/7/17 Squad Time / Event: 1 PM BJS/Prac.
 USBC Tech: Calvin T. Oil start time 12:15 PM Last lane end time 1 PM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			CT	CT						
Turn On Machine / Check Voltage 26.2 Volts			CT	CT						
Check Tanks For Full Fluids			CT	CT						
Change Planner To Proper Pattern AM/PM			CT	CT						
Warm Up Pumps At 50 Mics			CT	CT						
Check Combined Cleaner (32 mils)			CT	CT						
Replace Tip And Thumb Screw			CT	CT						
Take Machine To Lanes / Type In Lanes			CT	CT						
Burn 2 Lanes With Machine			CT	CT						
Have MOD Verify / Initial Log			TS	TS						
Start / Watch Numbers / Valve / Buffer RPM			CT	CT						
Walk All Lanes When Finished			CT	CT						
Dump / Fill Machines			CT	CT						
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			63/64	33/34						
Lanes Oiled			41/64	33/40						
Average Run Time			889	821						
Tank "A" Valve			780	742						
Tank "B" Valve			444	378						
Lead Tech Initials			B	B						
Distances Taped										
Give Tapes To MOD										

4/11

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/7/17 Squad Time / Event: 3 PM BS/Prac.
 USBC Tech: Calvin T Oil start time 2:10 PM Last lane end time 3 PM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			CT	CT						
Turn On Machine / Check Voltage 26.2 Volts			CT	CT						
Check Tanks For Full Fluids			CT	CT						
Change Planner To Proper Pattern AM/PM			CT	CT						
Warm Up Pumps At 50 Mics			CT	CT						
Check Combined Cleaner (32 mils)			CT	CT						
Replace Tip And Thumb Screw			CT	CT						
Take Machine To Lanes / Type In Lanes			CT	CT						
Burn 2 Lanes With Machine			CT	CT						
Have MOD Verify / Initial Log			SL	SL						
Start / Watch Numbers / Valve / Buffer RPM			CT	CT						
Walk All Lanes When Finished			CT	CT						
Dump / Fill Machines			CT	CT						
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			33/34	63/64						
Lanes Oiled			33/54	55/64						
Average Run Time			911	815						
Tank "A" Valve			780	745						
Tank "B" Valve			445	383						
Lead Tech Initials			B	B						
Distances Taped										
Give Tapes To MOD										

NT

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	<u>5-8-17</u>	Squad Time / Event:	<u>9AM BJS/PRAC</u>							
USBC Tech:	<u>TYPKIR</u>	Oil start time	<u>8:05AM</u>							
		Last lane end time	<u>8:35AM</u>							
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank				B						
Turn On Machine / Check Voltage 26.2 Volts				B						
Check Tanks For Full Fluids				B						
Change Planner To Proper Pattern AM/PM				B						
Warm Up Pumps At 50 Mics				B						
Check Combined Cleaner (32 mils)				B						
Replace Tip And Thumb Screw				B						
Take Machine To Lanes / Type In Lanes				B						
Burn 2 Lanes With Machine				B						
Have MOD Verify / Initial Log				TJ						
Start / Watch Numbers / Valve / Buffer RPM				B						
Walk All Lanes When Finished				B						
Dump / Fill Machines				B						
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			63-64	39-40						
Lanes Oiled			64-57	39-46						
Average Run Time			438	816						
Tank "A" Valve			780	741						
Tank "B" Valve			443	378						
Lead Tech Initials			B	B						
Distances Taped			25	25						
Give Tapes To MOD										

TJ

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/3/17 Squad Time / Event: 11 AM BJS/Prac.

USBC Tech: Calvin T Oil start time 10 AM Last lane end time 10:45 AM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			CT	CT						
Turn On Machine / Check Voltage 26.2 Volts			CT	CT						
Check Tanks For Full Fluids			CT	CT						
Change Planner To Proper Pattern AM/PM			CT	CT						
Warm Up Pumps At 50 Mics			CT	CT						
Check Combined Cleaner (32 mils)			CT	CT						
Replace Tip And Thumb Screw			CT	CT						
Take Machine To Lanes / Type In Lanes			CT	CT						
Burn 2 Lanes With Machine			CT	CT						
Have MOD Verify / Initial Log			TS	TS						
Start / Watch Numbers / Valve / Buffer RPM			CT	CT						
Walk All Lanes When Finished			CT	CT						
Dump / Fill Machines			CT	CT						
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			53/54	33/34						
Lanes Oiled			53/64	33/42						
Average Run Time			893	819						
Tank "A" Valve			779	743						
Tank "B" Valve			443	378						
Lead Tech Initials			B	B						
Distances Taped										
Give Tapes To MOD										

4/1/17

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/8/17 Squad Time / Event: 1 PM BS/Pract.
 USBC Tech: Calvin/Tyone Oil start time 12:05 PM Last lane end time 12:55 PM


Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			CT	CT						
Turn On Machine / Check Voltage 26.2 Volts			CT	CT						
Check Tanks For Full Fluids			CT	CT						
Change Planner To Proper Pattern AM/PM			CT	CT						
Warm Up Pumps At 50 Mics			CT	CT						
Check Combined Cleaner (32 mils)			CT	CT						
Replace Tip And Thumb Screw			CT	CT						
Take Machine To Lanes / Type In Lanes			CT	CT						
Burn 2 Lanes With Machine			CT	CT						
Have MOD Verify / Initial Log			TS	TS						
Start / Watch Numbers / Valve / Buffer RPM			CT	CT						
Walk All Lanes When Finished			CT	CT						
Dump / Fill Machines			CT	CT						
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			35/36	63/64						
Lanes Oiled			35/52	59/64						
Average Run Time			920	816						
Tank "A" Valve			783	743						
Tank "B" Valve			442	380						
Lead Tech Initials			CS	CS						
Distances Taped										
Give Tapes To MOD										

CS

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5/8/17				Squad Time / Event:				3 PM BJ			
USBC Tech:	Calvin T.				Oil start time				2 PM			
					Last lane end time				2:40 PM			
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract		
Drop Machines / Check Cloth and Tank			CT									
Turn On Machine / Check Voltage 26.2 Volts			CT									
Check Tanks For Full Fluids			CT									
Change Planner To Proper Pattern AM/PM			CT									
Warm Up Pumps At 50 Mics			CT									
Check Combined Cleaner (32 mils)			CT									
Replace Tip And Thumb Screw			CT									
Take Machine To Lanes / Type In Lanes			CT									
Burn 2 Lanes With Machine			CT									
Have MOD Verify / Initial Log			CT									
Start / Watch Numbers / Valve / Buffer RPM			CT									
Walk All Lanes When Finished			CT									
Dump / Fill Machines			CT									
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract		
Lanes Burned			63/64									
Lanes Oiled			43/64									
Average Run Time			89.5									
Tank "A" Valve			780									
Tank "B" Valve			443									
Lead Tech Initials			B									
Distances Taped												
Give Tapes To MOD												



 Calvin T. Practice

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5/8/17				Squad Time / Event: 10pm Practice / BJ						
USBC Tech:	Charles Byrd				Oil start time 9:02pm						
					Last lane end time 9:45pm						
Lane Machine #	2	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank				CWB	CWB						
Turn On Machine / Check Voltage 26.2 Volts				CWB	CWB						
Check Tanks For Full Fluids				CWB	CWB						
Change Planner To Proper Pattern AM/PM				CWB	CWB						
Warm Up Pumps At 50 Mics				CWB	CWB						
Check Combined Cleaner (32 mils)				CWB	CWB						
Replace Tip And Thumb Screw				CWB	CWB						
Take Machine To Lanes / Type In Lanes				CWB	CWB						
Burn 2 Lanes With Machine				CWB	CWB						
Have MOD Verify / Initial Log				CWB	CJC						
Start / Watch Numbers / Valve / Buffer RPM				CWB	CWB						
Walk All Lanes When Finished				CWB	CWB						
Dump / Fill Machines				CWB	CWB						
RECORD READINGS		#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned				39/40	33/34						
Lanes Oiled				39-46	33-38						
Average Run Time				917	818						
Tank "A" Valve				781	743						
Tank "B" Valve				442	381						
Lead Tech Initials				CWB	CWB						
Distances Taped											
Give Tapes To MOD											

BJ Lanes : 39-46

Practice Lanes : 33-38

[Handwritten signature]

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/9/17 Squad Time / Event: 9 AM BJ
 USBC Tech: Calvin T. Oil start time 8:05 AM Last lane end time 8:50 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			CT							
Turn On Machine / Check Voltage 26.2 Volts			CT							
Check Tanks For Full Fluids			CT							
Change Planner To Proper Pattern AM/PM			CT							
Warm Up Pumps At 50 Mics			CT							
Check Combined Cleaner (32 mils)			CT							
Replace Tip And Thumb Screw			CT							
Take Machine To Lanes / Type In Lanes			CT							
Burn 2 Lanes With Machine			CT							
Have MOD Verify / Initial Log			TS							
Start / Watch Numbers / Valve / Buffer RPM			CT							
Walk All Lanes When Finished			CT							
Dump / Fill Machines			CT							
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			1/2							
Lanes Oiled			1/12							
Average Run Time			902							
Tank "A" Valve			782							
Tank "B" Valve			444							
Lead Tech Initials			B							
Distances Taped										
Give Tapes To MOD										

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/9/17

Squad Time / Event: 11 AM B5/Pract.

USBC Tech: Calvin T.

Oil start time 10 AM

Last lane end time 10:55 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			CT	CT						
Turn On Machine / Check Voltage 26.2 Volts			CT	CT						
Check Tanks For Full Fluids			CT	CT						
Change Planner To Proper Pattern AM/PM			CT	CT						
Warm Up Pumps At 50 Mics			CT	CT						
Check Combined Cleaner (32 mils)			CT	CT						
Replace Tip And Thumb Screw			CT	CT						
Take Machine To Lanes / Type In Lanes			CT	CT						
Burn 2 Lanes With Machine			CT	CT						
Have MOD Verify / Initial Log			JH	JH						
Start / Watch Numbers / Valve / Buffer RPM			CT	CT						
Walk All Lanes When Finished			CT	CT						
Dump / Fill Machines			CT	CT						
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			11/12	31/32						
Lanes Oiled			1/12	23/32						
Average Run Time			906	800						
Tank "A" Valve			782	744						
Tank "B" Valve			443	380						
Lead Tech Initials			B	B						
Distances Taped			15	15						
Give Tapes To MOD										

Handwritten signature

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	<u>5/9</u>	Squad Time / Event:	<u>1:00PM BJ / PRACTICE</u>							
USBC Tech:	<u>BOB</u>	Oil start time	<u>12:10PM</u>							
		Last lane end time	<u>12:50PM</u>							
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			2							
Turn On Machine / Check Voltage 26.2 Volts			2							
Check Tanks For Full Fluids			2							
Change Planner To Proper Pattern AM/PM			2							
Warm Up Pumps At 50 Mics			2							
Check Combined Cleaner (32 mils)			2							
Replace Tip And Thumb Screw			2							
Take Machine To Lanes / Type In Lanes			2							
Burn 2 Lanes With Machine			2							
Have MOD Verify / Initial Log			TS							
Start / Watch Numbers / Valve / Buffer RPM			2							
Walk All Lanes When Finished			2							
Dump / Fill Machines			2							
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			15-16	31-32						
Lanes Oiled			1-16	23-32						
Average Run Time			907	816						
Tank "A" Valve			783	744						
Tank "B" Valve			444	380						
Lead Tech Initials			2	2						
Distances Taped										
Give Tapes To MOD										

Bob

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/9 Squad Time / Event: BSJ / PRACTICE 3:00 PM

USBC Tech: BOB Oil start time 2:00 Last lane end time 2:55 PM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank				2						
Turn On Machine / Check Voltage 26.2 Volts				2						
Check Tanks For Full Fluids				2						
Change Planner To Proper Pattern AM/PM				2						
Warm Up Pumps At 50 Mics				2						
Check Combined Cleaner (32 mils)				2						
Replace Tip And Thumb Screw				2						
Take Machine To Lanes / Type In Lanes				2						
Burn 2 Lanes With Machine				2						
Have MOD Verify / Initial Log				TS						
Start / Watch Numbers / Valve / Buffer RPM				2						
Walk All Lanes When Finished				2						
Dump / Fill Machines				2						

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			31-32	1- 2						
Lanes Oiled			11-32	1- 10						
Average Run Time			921	813						
Tank "A" Valve			780	740						
Tank "B" Valve			444	381						
Lead Tech Initials			2	2						
Distances Taped										
Give Tapes To MOD										

48

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/9/17 Squad Time / Event: 10pm BJS/Practice

USBC Tech: Charles Byrd Oil start time 9:15pm Last lane end time 10:10pm

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			CWB	CWB						
Turn On Machine / Check Voltage 26.2 Volts			CWB	CWB						
Check Tanks For Full Fluids			CWB	CWB						
Change Planner To Proper Pattern AM/PM			CWB	CWB						
Warm Up Pumps At 50 Mics			CWB	CWB						
Check Combined Cleaner (32 mils)			CWB	CWB						
Replace Tip And Thumb Screw			CWB	CWB						
Take Machine To Lanes / Type In Lanes			CWB	CWB						
Burn 2 Lanes With Machine			CWB	CWB						
Have MOD Verify / Initial Log			NGC	NGC						
Start / Watch Numbers / Valve / Buffer RPM			CWB	CWB						
Walk All Lanes When Finished			CWB	CWB						
Dump / Fill Machines			CWB	CWB						
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			28/27	32/31						
Lanes Oiled			28-23	32-29						
Average Run Time			898	816						
Tank "A" Valve			785	741						
Tank "B" Valve			445	382						
Lead Tech Initials			CWB	CWB						
Distances Taped										
Give Tapes To MOD										

YK

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/10/17 Squad Time / Event: 9 AM BJ/PRACTICE

USBC Tech: Calvin T. Oil start time 8:20 AM Last lane end time 9 AM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			CT	CT						
Turn On Machine / Check Voltage 26.2 Volts			CT	CT						
Check Tanks For Full Fluids			CT	CT						
Change Planner To Proper Pattern AM/PM			CT	CT						
Warm Up Pumps At 50 Mics			CT	CT						
Check Combined Cleaner (32 mils)			CT	CT						
Replace Tip And Thumb Screw			CT	CT						
Take Machine To Lanes / Type In Lanes			CT	CT						
Burn 2 Lanes With Machine			CT	CT						
Have MOD Verify / Initial Log			BU	BU						
Start / Watch Numbers / Valve / Buffer RPM			CT	CT						
Walk All Lanes When Finished			CT	CT						
Dump / Fill Machines			CT	CT						
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			59/60	63/64						
Lanes Oiled			49/60	61/64						
Average Run Time			900	799						
Tank "A" Valve			779	744						
Tank "B" Valve			442	380						
Lead Tech Initials			R	R						
Distances Taped			25'	25'						
Give Tapes To MOD										

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/10/17 Squad Time / Event: 11 AM BJ/Pract.

USBC Tech: Calvin T Oil start time 10 AM Last lane end time 10:40 AM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			CT	CT						
Turn On Machine / Check Voltage 26.2 Volts			CT	CT						
Check Tanks For Full Fluids			CT	CT						
Change Planner To Proper Pattern AM/PM			CT	CT						
Warm Up Pumps At 50 Mics			CT	CT						
Check Combined Cleaner (32 mils)			CT	CT						
Replace Tip And Thumb Screw			CT	CT						
Take Machine To Lanes / Type In Lanes			CT	CT						
Burn 2 Lanes With Machine			CT	CT						
Have MOD Verify / Initial Log			BJ	BJ						
Start / Watch Numbers / Valve / Buffer RPM			CT	CT						
Walk All Lanes When Finished			CT	CT						
Dump / Fill Machines			CT	CT						

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			51/52	59/60						
Lanes Oiled			51/58	59/64						
Average Run Time			894	816						
Tank "A" Valve			782	741						
Tank "B" Valve			442	385						
Lead Tech Initials			2	2						
Distances Taped										
Give Tapes To MOD										

MA

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/10/17 Squad Time / Event: 1 PM BJ/Pract.

USBC Tech: Calvin T Oil start time 12:15 PM Last lane end time 12:55 PM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			CT	CT						
Turn On Machine / Check Voltage 26.2 Volts			CT	CT						
Check Tanks For Full Fluids			CT	CT						
Change Planner To Proper Pattern AM/PM			CT	CT						
Warm Up Pumps At 50 Mics			CT	CT						
Check Combined Cleaner (32 mils)			CT	CT						
Replace Tip And Thumb Screw			CT	CT						
Take Machine To Lanes / Type In Lanes			CT	CT						
Burn 2 Lanes With Machine			CT	CT						
Have MOD Verify / Initial Log			he	he						
Start / Watch Numbers / Valve / Buffer RPM			CT	CT						
Walk All Lanes When Finished			CT	CT						
Dump / Fill Machines			CT	CT						
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			57/58	63/64						
Lanes Oiled			49/58	59/64						
Average Run Time			897	815						
Tank "A" Valve			783	739						
Tank "B" Valve			441	386						
Lead Tech Initials			B	B						
Distances Taped										
Give Tapes To MOD										

YDL

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/10/17 Squad Time / Event: 3 PM B5/Pract.

USBC Tech: Calvin T. Oil start time 2 PM Last lane end time 2:50 PM

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			CT	CT						
Turn On Machine / Check Voltage 26.2 Volts			CT	CT						
Check Tanks For Full Fluids			CT	CT						
Change Planner To Proper Pattern AM/PM			CT	CT						
Warm Up Pumps At 50 Mics			CT	CT						
Check Combined Cleaner (32 mils)			CT	CT						
Replace Tip And Thumb Screw			CT	CT						
Take Machine To Lanes / Type In Lanes			CT	CT						
Burn 2 Lanes With Machine			CT	CT						
Have MOD Verify / Initial Log			SUL	SUL						
Start / Watch Numbers / Valve / Buffer RPM			CT	CT						
Walk All Lanes When Finished			CT	CT						
Dump / Fill Machines			CT	CT						
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			57/58	63/64						
Lanes Oiled			49/58	59/64						
Average Run Time			899	818						
Tank "A" Valve			780	741						
Tank "B" Valve			441	379						
Lead Tech Initials			B	B						
Distances Taped										
Give Tapes To MOD										

951

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/10/17 Squad Time / Event: 10pm BJ/Practice
 USBC Tech: Charles Byrd Oil start time 9:05pm Last lane end time 9:45pm

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			CWB	CWB						
Turn On Machine / Check Voltage 26.2 Volts			CWB	CWB						
Check Tanks For Full Fluids			CWB	CWB						
Change Planner To Proper Pattern AM/PM			CWB	CWB						
Warm Up Pumps At 50 Mics			CWB	CWB						
Check Combined Cleaner (32 mils)			CWB	CWB						
Replace Tip And Thumb Screw			CWB	CWB						
Take Machine To Lanes / Type In Lanes			CWB							
Burn 2 Lanes With Machine			CWB	CWB						
Have MOD Verify / Initial Log			NO CJL							
Start / Watch Numbers / Valve / Buffer RPM			CWB	CWB						
Walk All Lanes When Finished			CWB	CWB						
Dump / Fill Machines			CWB	CWB						
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			58/57	64/63						
Lanes Oiled			58-51	64-59						
Average Run Time			880	817						
Tank "A" Valve			782	741						
Tank "B" Valve			447	381						
Lead Tech Initials			CWB	CWB						
Distances Taped										
Give Tapes To MOD										

BJ Lanes : 58-51
 Practice Lanes : 64-59

MDK

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-11-17

Squad Time / Event: 3PM BJS/Prac.

USBC Tech: M. Jamerson

Oil start time 2PM

Last lane end time 250 AM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank				M						
Turn On Machine / Check Voltage 26.2 Volts				M						
Check Tanks For Full Fluids				M						
Change Planner To Proper Pattern AM/PM				M						
Warm Up Pumps At 50 Mics				M						
Check Combined Cleaner (32 mils)				M						
Replace Tip And Thumb Screw				M						
Take Machine To Lanes / Type In Lanes				M						
Burn 2 Lanes With Machine				M						
Have MOD Verify / Initial Log				M						
Start / Watch Numbers / Valve / Buffer RPM				M						
Walk All Lanes When Finished				M						
Dump / Fill Machines				M						
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			11-12	1-2						
Lanes Oiled			11-32	1-10						
Average Run Time			912	822						
Tank "A" Valve			779	744						
Tank "B" Valve			443	379						
Lead Tech Initials			B	B						
Distances Taped			25	25						
Give Tapes To MOD										

M

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/11/17 Squad Time / Event: 10pm BJ/Practice

USBC Tech: Charles Byrd Oil start time 9:05 pm Last lane end time 9:58

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank			CWB	CWB						
Turn On Machine / Check Voltage 26.2 Volts			CWB	CWB						
Check Tanks For Full Fluids			CWB	CWB						
Change Planner To Proper Pattern AM/PM			CWB	CWB						
Warm Up Pumps At 50 Mics			CWB	CWB						
Check Combined Cleaner (32 mils)			CWB	CWB						
Replace Tip And Thumb Screw			CWB	CWB						
Take Machine To Lanes / Type In Lanes			CWB	CWB						
Burn 2 Lanes With Machine			CWB	CWB						
Have MOD Verify / Initial Log			no CWB							
Start / Watch Numbers / Valve / Buffer RPM			CWB	CWB						
Walk All Lanes When Finished			CWB	CWB						
Dump / Fill Machines										

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned			32/31	18/17						
Lanes Oiled			32-19	18-15						
Average Run Time			899	821						
Tank "A" Valve			783	745						
Tank "B" Valve			443	380						
Lead Tech Initials			CWB	CWB						
Distances Taped										
Give Tapes To MOD										


BJ Lanes : 32-19
Practice Lanes : 18-15

YAH

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5-12-17	Squad Time / Event:	9AM BS (PRAC)								
USBC Tech:	M. Jamieson	Oil start time	8:00AM		Last lane end time	9:08AM					
Lane Machine #		#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank					MJ						
Turn On Machine / Check Voltage 26.2 Volts					MJ						
Check Tanks For Full Fluids					MJ						
Change Planner To Proper Pattern AM/PM					MJ						
Warm Up Pumps At 50 Mics					MJ						
Check Combined Cleaner (32 mils)					MJ						
Replace Tip And Thumb Screw					MJ						
Take Machine To Lanes / Type In Lanes					MJ						
Burn 2 Lanes With Machine					MJ						
Have MOD Verify / Initial Log					TS						
Start / Watch Numbers / Valve / Buffer RPM					MJ						
Walk All Lanes When Finished					MJ						
Dump / Fill Machines					MJ						
RECORD READINGS		#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned				1-2							
Lanes Oiled				1-12							
Average Run Time				907							
Tank "A" Valve				783							
Tank "B" Valve				443							
Lead Tech Initials				MJ	MJ						
Distances Taped											
Give Tapes To MOD											


 M. Jamieson

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date:	5-12-17				Squad Time / Event:	11 AM BJJ / PRAC						
USBC Tech:	M. JAMERSON				Oil start time	10 AM				Last lane end time	11:02 AM	
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract		
Drop Machines / Check Cloth and Tank							MJ					
Turn On Machine / Check Voltage 26.2 Volts							MJ					
Check Tanks For Full Fluids							MJ					
Change Planner To Proper Pattern AM/PM							MJ					
Warm Up Pumps At 50 Mics							MJ					
Check Combined Cleaner (32 mils)							MS					
Replace Tip And Thumb Screw							MJ					
Take Machine To Lanes / Type In Lanes							MJ					
Burn 2 Lanes With Machine							MJ					
Have MOD Verify / Initial Log							MS					
Start / Watch Numbers / Valve / Buffer RPM							MS					
Walk All Lanes When Finished							MS					
Dump / Fill Machines							MS					
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract		
Lanes Burned							26-19	32-31				
Lanes Oiled							20-1	32-21				
Average Run Time							898	820				
Tank "A" Valve							783	744				
Tank "B" Valve							443	379				
Lead Tech Initials							MJ					
Distances Taped												
Give Tapes To MOD												

MJ

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: <u>5-12-17</u>		Squad Time / Event: <u>1 PM BS / PRACTICE</u>								
USBC Tech: <u>BOB</u>		Oil start time: <u>12:00 PM</u>								
		Last lane end time: <u>1:05 PM</u>								
Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							2			
Turn On Machine / Check Voltage 26.2 Volts							2			
Check Tanks For Full Fluids							2			
Change Planner To Proper Pattern AM/PM							2			
Warm Up Pumps At 50 Mics							2			
Check Combined Cleaner (32 mils)							2			
Replace Tip And Thumb Screw							2			
Take Machine To Lanes / Type In Lanes							2			
Burn 2 Lanes With Machine							2			
Have MOD Verify / Initial Log							TS			
Start / Watch Numbers / Valve / Buffer RPM							2			
Walk All Lanes When Finished							2			
Dump / Fill Machines							2			
RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							11-12	3-4		
Lanes Oiled							11-32	1-10		
Average Run Time							911	821		
Tank "A" Valve							781	744		
Tank "B" Valve							443	381		
Lead Tech Initials							R	2		
Distances Taped							25'	25'		
Give Tapes To MOD										

98

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5-12-17 Squad Time / Event: 3:00 PM B5 | PRACTICE

USBC Tech: B0B Oil start time 2:20 PM Last lane end time 2:55 PM

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							2			
Turn On Machine / Check Voltage 26.2 Volts							2			
Check Tanks For Full Fluids							2			
Change Planner To Proper Pattern AM/PM							2			
Warm Up Pumps At 50 Mics							2			
Check Combined Cleaner (32 mils)							2			
Replace Tip And Thumb Screw							2			
Take Machine To Lanes / Type In Lanes							2			
Burn 2 Lanes With Machine							2			
Have MOD Verify / Initial Log							B0			
Start / Watch Numbers / Valve / Buffer RPM							2			
Walk All Lanes When Finished							2			
Dump / Fill Machines							2			

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							7-8	1-2		
Lanes Oiled							7-16	1-6		
Average Run Time							913	820		
Tank "A" Valve							780	744		
Tank "B" Valve							444	377		
Lead Tech Initials							2	2		
Distances Taped										
Give Tapes To MOD										

MOD

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 5/12/17 Squad Time / Event: 10pm BJ/Practice

USBC Tech: Charles Byrd Oil start time 9:05pm Last lane end time 9:55pm

Lane Machine #	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							CWB	CWB		
Turn On Machine / Check Voltage 26.2 Volts							CWB	CWB		
Check Tanks For Full Fluids							CWB	CWB		
Change Planner To Proper Pattern AM/PM							CWB	CWB		
Warm Up Pumps At 50 Mics							CWB	CWB		
Check Combined Cleaner (32 mils)							CWB	CWB		
Replace Tip And Thumb Screw							CWB	CWB		
Take Machine To Lanes / Type In Lanes							CWB	CWB		
Burn 2 Lanes With Machine							CWB	CWB		
Have MOD Verify / Initial Log							BU	BU		
Start / Watch Numbers / Valve / Buffer RPM							CWB	CWB		
Walk All Lanes When Finished							CWB	CWB		
Dump / Fill Machines							CWB	CWB		

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							24/23	32/31		
Lanes Oiled							24-15	32-25		
Average Run Time							941	822		
Tank "A" Valve							778	745		
Tank "B" Valve							444	382		
Lead Tech Initials							CWB	CWB		
Distances Taped										
Give Tapes To MOD										

BJ Lanes : 24-15
 Practice Lanes : 32-25

2017 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

10:00pm

Date: 5-13-17

Squad Time / Event: Teams / 35

USBC Tech: TAMARIUS M.

Oil start time 8:56 pm

Last lane end time 9:45 pm

Lane Machine #	#1 BJ	# 1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Drop Machines / Check Cloth and Tank							TM	TM		
Turn On Machine / Check Voltage 26.2 Volts							TM	TM		
Check Tanks For Full Fluids							TM	TM		
Change Planner To Proper Pattern AM/PM							TM	TM		
Warm Up Pumps At 50 Mics							TM	TM		
Check Combined Cleaner (32 mils)							TM	TM		
Replace Tip And Thumb Screw							TM	TM		
Take Machine To Lanes / Type In Lanes							TM	TM		
Burn 2 Lanes With Machine							TM	TM		
Have MOD Verify / Initial Log							2W	2W		
Start / Watch Numbers / Valve / Buffer RPM							TM	TM		
Walk All Lanes When Finished							TM	TM		
Dump / Fill Machines							TM	TM		

RECORD READINGS	#1 BJ	#1 Pract	#2 BJ	#2 Pract	#3 BJ	#3 Pract	#4 BJ	#4 Pract	#5 BJ	#5 Pract
Lanes Burned							9.8	1.2		
Lanes Oiled							9.20	1.8		
Average Run Time							916	829		
Tank "A" Valve							782	741		
Tank "B" Valve							441	380		
Lead Tech Initials							B	B		
Distances Taped										
Give Tapes To MOD										

MD