

2022 Bowlers Journal Daily Inspection Checklist

Date: 3/11/22

Time: 7AM

USBC Rep: Bob

#5

Turn On Machines / Check Voltage 26.2 Volts	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check Tanks For Full Fluids	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check Cleaner Only Volume (12 mils)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check Combined Cleaner (32 mils)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Warm Up Pumps at 50 mics	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tank "A" Calibration (20 mils)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tank "B" Calibration (20 mils)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pattern Calibration / Team	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pattern Calibration / Minors	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Replace Tip And Thumb screw	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3/11/22 Squad Time / Event: 1200 PM BJ | TEAM PRACTICE

USBC Tech: Bob Oil start time 11:00 AM Oil end time 11:50 AM

Lane Machine #	#5				
Drop Machines / Check Cloth and Tank	<u>2</u>	<u>2</u>			
Turn On Machine / Check Voltage 26.2 Volts	<u>2</u>	<u>2</u>			
Check Tanks For Full Fluids	<u>2</u>	<u>2</u>			
Make Sure Program #1 is Selected	<u>2</u>	<u>2</u>			
Warm Up Pumps At 50 Mics	<u>2</u>	<u>2</u>			
Replace Tip And Thumb Screw	<u>2</u>	<u>2</u>			
Take Machine To Lanes / Type In Lanes	<u>2</u>	<u>2</u>			
Burn 2 Lanes With Machine	<u>2</u>	<u>2</u>			
Have MOD Verify / Initial Log	<u>2</u>	<u>2</u>			
Start / Watch Numbers / Valve / Buffer RPM	<u>2</u>	<u>2</u>			
Walk All Lanes When Finished	<u>2</u>	<u>2</u>			
Dump / Fill Machines	<u>2</u>	<u>2</u>			

RECORD READINGS	TEAM PRACTICE	BJ DIS
Lanes Oiled		
Tank "A" Valve	<u>519</u>	<u>467</u>
Tank "B" Valve	<u>459</u>	<u>479</u>
Average Run Time	<u>803</u>	<u>780</u>
Distances Taped	<u>25'</u>	<u>25'</u>
Lane # taped	<u>15</u>	<u>5</u>
Give Tapes To MOD	<u>TS</u>	<u>TS</u>

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3/11/22 Squad Time / Event: 2:30 PM BJ / TEAM PRACTICE

USBC Tech: Bob Oil start time 1:40 PM Oil end time 2:20 PM

Lane Machine #	#5						
Drop Machines / Check Cloth and Tank	✓	✓					
Turn On Machine / Check Voltage 26.2 Volts	✓	✓					
Check Tanks For Full Fluids	✓	✓					
Make Sure Program #1 is Selected	✓	✓					
Warm Up Pumps At 50 Mics	✓	✓					
Replace Tip And Thumb Screw	✓	✓					
Take Machine To Lanes / Type In Lanes	✓	✓					
Burn 2 Lanes With Machine	✓	✓					
Have MOD Verify / Initial Log	✓	✓					
Start / Watch Numbers / Valve / Buffer RPM	✓	✓					
Walk All Lanes When Finished	✓	✓					
Dump / Fill Machines	✓	✓					

RECORD READINGS							
Lanes Oiled	TEAM PRACTICE	BJ DIS					
Tank "A" Valve	517	767					
Tank "B" Valve	460	480					
Average Run Time	802	781					
Distances Taped	-	-					
Lane # taped	-	-					
Give Tapes To MOD							

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3/11/22 Squad Time / Event: 10:00 PM

USBC Tech: Bob Oil start time 9:00 PM Oil end time 10:00 PM

Lane Machine # #5

Drop Machines / Check Cloth and Tank	✓	✓				
Turn On Machine / Check Voltage 26.2 Volts	✓	✓				
Check Tanks For Full Fluids	✓	✓				
Make Sure Program #1 is Selected	✓	✓				
Warm Up Pumps At 50 Mics	✓	✓				
Replace Tip And Thumb Screw	✓	✓				
Take Machine To Lanes / Type In Lanes	✓	✓				
Burn 2 Lanes With Machine	✓	✓				
Have MOD Verify / Initial Log	✓	✓				
Start / Watch Numbers / Valve / Buffer RPM	✓	✓				
Walk All Lanes When Finished	✓	✓				
Dump / Fill Machines	✓	✓				

RECORD READINGS	TEAM PRACTICE	BJ DIS
Lanes Oiled	1-6	7-14
Tank "A" Valve	519	468
Tank "B" Valve	460	483
Average Run Time	801	783
Distances Taped	—	—
Lane # taped	—	—
Give Tapes To MOD	—	—

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3/11/22 Squad Time / Event: 12:30 AM

USBC Tech: Bob Oil start time 11:30 PM Oil end time 12:05 AM

Lane Machine # #5

Drop Machines / Check Cloth and Tank ✓ ✓

Turn On Machine / Check Voltage 26.2 Volts ✓ ✓

Check Tanks For Full Fluids ✓ ✓

Make Sure Program #1 is Selected ✓ ✓

Warm Up Pumps At 50 Mics ✓ ✓

Replace Tip And Thumb Screw ✓ ✓

Take Machine To Lanes / Type In Lanes ✓ ✓

Burn 2 Lanes With Machine ✓ ✓

Have MOD Verify / Initial Log ✓ ✓

Start / Watch Numbers / Valve / Buffer RPM ✓ ✓

Walk All Lanes When Finished ✓ ✓

Dump / Fill Machines ✓ ✓

RECORD READINGS

TEAM BJ
PRACTICE DIS

Lanes Oiled 1-4

Tank "A" Valve 520 —

Tank "B" Valve 460 —

Average Run Time 797 —

Distances Taped — —

Lane # taped — —

Give Tapes To MOD — —

2022 Bowlers Journal Daily Inspection Checklist

Date: 3/12/22

Time: 7:30 PM

USBC Rep: Bob

#5

Turn On Machines / Check Voltage 26.2 Volts	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check Tanks For Full Fluids	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check Cleaner Only Volume (12 mils)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check Combined Cleaner (32 mils)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Warm Up Pumps at 50 mics	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tank "A" Calibration (20 mils)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tank "B" Calibration (20 mils)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pattern Calibration / Team	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pattern Calibration / Minors	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Replace Tip And Thumb screw	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3/12/22

Squad Time / Event:

7:30 BS / TEAM PRACTICE

USBC Tech: Bob

Oil start time 6:30 PM

Oil end time 7:20 PM

Lane Machine #	#5				
Drop Machines / Check Cloth and Tank	X				
Turn On Machine / Check Voltage 26.2 Volts	X				
Check Tanks For Full Fluids	X				
Make Sure Program #1 is Selected	X				
Warm Up Pumps At 50 Mics	X				
Replace Tip And Thumb Screw	X				
Take Machine To Lanes / Type In Lanes	X				
Burn 2 Lanes With Machine	X				
Have MOD Verify / Initial Log	TS				
Start / Watch Numbers / Valve / Buffer RPM	X				
Walk All Lanes When Finished	X				
Dump / Fill Machines	X				

RECORD READINGS	TEAM PRACTICE	BJ DIS
Lanes Oiled	1-4	5-14
Tank "A" Valve	521	469
Tank "B" Valve	460	481
Average Run Time	800	782
Distances Taped	25'	25'
Lane # taped	3	11
Give Tapes To MOD	TS	TS

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 8/12/22 Squad Time / Event: 10:00pm B5/ TEAM PRACTICE

USBC Tech: Bob Oil start time 9:20 Oil end time 9:55

Lane Machine # #5

Drop Machines / Check Cloth and Tank ✓

Turn On Machine / Check Voltage 26.2 Volts ✓

Check Tanks For Full Fluids ✓

Make Sure Program #1 is Selected ✓

Warm Up Pumps At 50 Mics ✓

Replace Tip And Thumb Screw ✓

Take Machine To Lanes / Type In Lanes ✓

Burn 2 Lanes With Machine ✓

Have MOD Verify / Initial Log TS

Start / Watch Numbers / Valve / Buffer RPM ✓

Walk All Lanes When Finished ✓

Dump / Fill Machines ✓

RECORD READINGS

Lanes Oiled 1-4 4-12

Tank "A" Valve 520 468

Tank "B" Valve 460 479

Average Run Time 799 781

Distances Taped — —

Lane # taped — —

Give Tapes To MOD

2022 Bowlers Journal Daily Inspection Checklist

Date: 3-13-22

Time: 5:15 AM

USBC Rep: SHELDON FURR

#5

Turn On Machines / Check Voltage 26.2 Volts	SF				
Check Tanks For Full Fluids	SF				
Check Cleaner Only Volume (12 mils)	SF				
Check Combined Cleaner (32 mils)	SF				
Warm Up Pumps at 50 mics	SF				
Tank "A" Calibration (20 mils)	SF				
Tank "B" Calibration (20 mils)	SF				
Pattern Calibration / Team	SF				
Pattern Calibration / Minors	SF				
Replace Tip And Thumb screw	SF				
Post Daily Inspection Form On-Site					
Post Daily Inspection Form On-Line					
Mail Lane Tapes To USBC HQ					

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-13-2022 Squad Time / Event: 7:00am TEAM/DIS

USBC Tech: Sheldon Furr Oil start time 6:17am Oil end time 6:45am

Lane Machine # #5

Drop Machines / Check Cloth and Tank SF

Turn On Machine / Check Voltage 26.2 Volts SF

Check Tanks For Full Fluids SF

Make Sure Program #1 is Selected SF

Warm Up Pumps At 50 Mics SF

Replace Tip And Thumb Screw SF

Take Machine To Lanes / Type In Lanes SF

Burn 2 Lanes With Machine SF

Have MOD Verify / Initial Log TS

Start / Watch Numbers / Valve / Buffer RPM SF

Walk All Lanes When Finished SF

Dump / Fill Machines SF

RECORD READINGS

	TEAM	DIS
Lanes Oiled	64-61	54-49

Tank "A" Valve	522	464
----------------	-----	-----

Tank "B" Valve	462	479
----------------	-----	-----

Average Run Time	804	788
------------------	-----	-----

Distances Taped	25'	25'
-----------------	-----	-----

Lane # taped	63	51
--------------	----	----

Give Tapes To MOD	TS	TS
-------------------	----	----

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-13-2022 Squad Time / Event: 9:30 TEAM / DIS

USBC Tech: Sheldon Furr Oil start time 8:35am Oil end time 8:50am

Lane Machine # #5

Drop Machines / Check Cloth and Tank SF

Turn On Machine / Check Voltage 26.2 Volts SF

Check Tanks For Full Fluids SF

Make Sure Program #1 is Selected SF

Warm Up Pumps At 50 Mics SF

Replace Tip And Thumb Screw SF

Take Machine To Lanes / Type In Lanes SF

Burn 2 Lanes With Machine SF

Have MOD Verify / Initial Log TS

Start / Watch Numbers / Valve / Buffer RPM SF

Walk All Lanes When Finished SF

Dump / Fill Machines SF

RECORD READINGS

Lanes Oiled	<u>TEAM</u> <u>64-61</u>	<u>O/S</u> <u>49-54</u>
-------------	-----------------------------	----------------------------

Tank "A" Valve	<u>519</u>	<u>468</u>
----------------	------------	------------

Tank "B" Valve	<u>458</u>	<u>481</u>
----------------	------------	------------

Average Run Time	<u>800</u>	<u>781</u>
------------------	------------	------------

Distances Taped
Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-13-2022 Squad Time / Event: 12:00pm TEAM / O/S

USBC Tech: Sheldon Furr Oil start time 11:00 Oil end time 11:35

Lane Machine # #5

Drop Machines / Check Cloth and Tank SF

Turn On Machine / Check Voltage 26.2 Volts SF

Check Tanks For Full Fluids SF

Make Sure Program #1 is Selected SF

Warm Up Pumps At 50 Mics SF

Replace Tip And Thumb Screw SF

Take Machine To Lanes / Type In Lanes SF

Burn 2 Lanes With Machine SF

Have MOD Verify / Initial Log SF

Start / Watch Numbers / Valve / Buffer RPM SF

Walk All Lanes When Finished SF

Dump / Fill Machines SF

RECORD READINGS

	TEAM	O/S
Lanes Oiled	43%	47%

Tank "A" Valve	517	470
----------------	-----	-----

Tank "B" Valve	460	480
----------------	-----	-----

Average Run Time	807	784
------------------	-----	-----

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-13-2022 Squad Time / Event: 2:30pm TEAM / OLS

USBC Tech: Sheldon Four Oil start time 1:37pm Oil end time 2:20pm

Lane Machine # #5

Drop Machines / Check Cloth and Tank SF

Turn On Machine / Check Voltage 26.2 Volts SF

Check Tanks For Full Fluids SF

Make Sure Program #1 is Selected SF

Warm Up Pumps At 50 Mics SF

Replace Tip And Thumb Screw SF

Take Machine To Lanes / Type In Lanes SF

Burn 2 Lanes With Machine SF

Have MOD Verify / Initial Log TS

Start / Watch Numbers / Valve / Buffer RPM SF

Walk All Lanes When Finished SF

Dump / Fill Machines SF

RECORD READINGS

	<u>TEAM</u>	<u>OLS</u>
Lanes Oiled	<u>43-46</u>	<u>47-64</u>

Tank "A" Valve	<u>522</u>	<u>468</u>
----------------	------------	------------

Tank "B" Valve	<u>461</u>	<u>481</u>
----------------	------------	------------

Average Run Time	<u>800</u>	<u>786</u>
------------------	------------	------------

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-13-2022 Squad Time / Event: 5:00pm TEAM / D16

USBC Tech: Sheldon Furr Oil start time 4:05pm Oil end time 4:20pm

Lane Machine # #5

Drop Machines / Check Cloth and Tank SF

Turn On Machine / Check Voltage 26.2 Volts SF

Check Tanks For Full Fluids SF

Make Sure Program #1 is Selected SF

Warm Up Pumps At 50 Mics SF

Replace Tip And Thumb Screw SF

Take Machine To Lanes / Type In Lanes SF

Burn 2 Lanes With Machine SF

Have MOD Verify / Initial Log TS

Start / Watch Numbers / Valve / Buffer RPM SF

Walk All Lanes When Finished SF

Dump / Fill Machines SF

RECORD READINGS

Lanes Oiled TEAM 63-64 D16 62-55

Tank "A" Valve 521 469

Tank "B" Valve 461 482

Average Run Time 799 784

Distances Taped
Lane # taped

Give Tapes To MOD

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

1000

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-13-2022

Squad Time / Event:

7:30 BJ / TEAM PRACTICE

USBC Tech: Bob

Oil start time 6:40

Oil end time 7:20

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

X

Turn On Machine / Check Voltage 26.2 Volts

X

Check Tanks For Full Fluids

X

Make Sure Program #1 is Selected

X

Warm Up Pumps At 50 Mics

X

Replace Tip And Thumb Screw

X

Take Machine To Lanes / Type In Lanes

X

Burn 2 Lanes With Machine

X

Have MOD Verify / Initial Log

Start / Watch Numbers / Valve / Buffer RPM

X

Walk All Lanes When Finished

X

Dump / Fill Machines

X

RECORD READINGS

Lanes Oiled

BJ
DIS
64-57

Tank "A" Valve

469

Tank "B" Valve

480

Average Run Time

785

Distances Taped

—

Lane # taped

—

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3/13/22 Squad Time / Event: 10:00 ~~9:30~~ BJ / TEAM

USBC Tech: BOB Oil start time 9:10 Oil end time 9:30

Lane Machine #	#5				
Drop Machines / Check Cloth and Tank	✓				
Turn On Machine / Check Voltage 26.2 Volts	✓				
Check Tanks For Full Fluids	✓				
Make Sure Program #1 is Selected	✓				
Warm Up Pumps At 50 Mics	✓				
Replace Tip And Thumb Screw	✓				
Take Machine To Lanes / Type In Lanes	✓				
Burn 2 Lanes With Machine	✓				
Have MOD Verify / Initial Log					
Start / Watch Numbers / Valve / Buffer RPM	✓				
Walk All Lanes When Finished	✓				
Dump / Fill Machines	✓				

RECORD READINGS	BJ	TEAM
Lanes Oiled	DIS 62-57	PRACTICE 63-64
Tank "A" Valve	470	520
Tank "B" Valve	480	469
Average Run Time	784	803
Distances Taped	—	—
Lane # taped	—	—
Give Tapes To MOD		

2022 Bowlers Journal Daily Inspection Checklist

Date: 3-14-2022

Time: 5:30 AM

USBC Rep: Sheldon Furr

#5

Turn On Machines / Check Voltage 26.2 Volts	SF				
Check Tanks For Full Fluids	SF				
Check Cleaner Only Volume (12 mils)	SF				
Check Combined Cleaner (32 mils)	SF				
Warm Up Pumps at 50 mics	SF				
Tank "A" Calibration (20 mils)	SF				
Tank "B" Calibration (20 mils)	SF				
Pattern Calibration / Team	SF				
Pattern Calibration / Minors	SF				
Replace Tip And Thumb screw	SF				
Post Daily Inspection Form On-Site					
Post Daily Inspection Form On-Line					
Mail Lane Tapes To USBC HQ					

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-14-2022 Squad Time / Event: 7:00 AM TEAM/DLS

USBC Tech: SHeldon Furr Oil start time 6:05 AM Oil end time 6:35 AM

Lane Machine # #5

Drop Machines / Check Cloth and Tank SF

Turn On Machine / Check Voltage 26.2 Volts SF

Check Tanks For Full Fluids SF

Make Sure Program #1 is Selected SF

Warm Up Pumps At 50 Mics SF

Replace Tip And Thumb Screw SF

Take Machine To Lanes / Type In Lanes SF

Burn 2 Lanes With Machine SF

Have MOD Verify / Initial Log TS

Start / Watch Numbers / Valve / Buffer RPM SF

Walk All Lanes When Finished SF

Dump / Fill Machines SF

RECORD READINGS

TEAM DLS

Lanes Oiled 49-52 53-64

Tank "A" Valve 521 469

Tank "B" Valve 460 482

Average Run Time 800 781

Distances Taped 25' 25'

Lane # taped 49 57

Give Tapes To MOD TS TS

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-14-2022 Squad Time / Event: 9:30am TEAM/O/S

USBC Tech: Sheldon Furr Oil start time 8:30am Oil end time 9:05am

Lane Machine # #5

Drop Machines / Check Cloth and Tank SF

Turn On Machine / Check Voltage 26.2 Volts SF

Check Tanks For Full Fluids SF

Make Sure Program #1 is Selected SF

Warm Up Pumps At 50 Mics SF

Replace Tip And Thumb Screw SF

Take Machine To Lanes / Type In Lanes SF

Burn 2 Lanes With Machine SF

Have MOD Verify / Initial Log TS

Start / Watch Numbers / Valve / Buffer RPM SF

Walk All Lanes When Finished SF

Dump / Fill Machines SF

RECORD READINGS TEAM O/S

Lanes Oiled 47-52 53-64

Tank "A" Valve 518 468

Tank "B" Valve 460 483

Average Run Time 798 779

Distances Taped
Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-14-2022 Squad Time / Event: 12:00pm TEAM / OLS

USBC Tech: Sheldon Funn Oil start time 10:50am Oil end time 11:20am

Lane Machine # #5

Drop Machines / Check Cloth and Tank	SF			
Turn On Machine / Check Voltage 26.2 Volts	SF			
Check Tanks For Full Fluids	SF			
Make Sure Program #1 is Selected	SF			
Warm Up Pumps At 50 Mics	SF			
Replace Tip And Thumb Screw	SF			
Take Machine To Lanes / Type In Lanes	SF			
Burn 2 Lanes With Machine	SF			
Have MOD Verify / Initial Log	TS			
Start / Watch Numbers / Valve / Buffer RPM	SF			
Walk All Lanes When Finished	SF			
Dump / Fill Machines	SF			

RECORD READINGS	TEAM	OLS
Lanes Oiled	49-52	53-64
Tank "A" Valve	510	467
Tank "B" Valve	470	482
Average Run Time	797	783
Distances Taped		
Lane # taped		
Give Tapes To MOD		

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-14-2022 Squad Time / Event: 2:30pm TEAM / DIS

USBC Tech: SHELDON FARR Oil start time 1:25pm Oil end time 2:05pm

Lane Machine # #5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM D/S

Lanes Oiled

49-52 53-64

Tank "A" Valve

523 468

Tank "B" Valve

459 479

Average Run Time

799 784

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-14-2022 Squad Time / Event: 5:00pm TEAM / OS

USBC Tech: Sheldon Furr Oil start time 3:55pm Oil end time 4:40pm

Lane Machine # #5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM 0/5

Lanes Oiled

45-48 49-64

Tank "A" Valve

523 471

Tank "B" Valve

459 481

Average Run Time

800 786

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3/14/22 Squad Time / Event: 7:30 BJ TEAM
D/S PRACTICE

USBC Tech: Bob Oil start time 7:00pm Oil end time 7:25

Lane Machine #	#5				
Drop Machines / Check Cloth and Tank	2				
Turn On Machine / Check Voltage 26.2 Volts	2				
Check Tanks For Full Fluids	2				
Make Sure Proqram #1 is Selected	2				
Warm Up Pumps At 50 Mics	2				
Replace Tip And Thumb Screw	2				
Take Machine To Lanes / Type In Lanes	2				
Burn 2 Lanes With Machine	2				
Have MOD Verify / Initial Log	M				
Start / Watch Numbers / Valve / Buffer RPM	2				
Walk All Lanes When Finished	2				
Dump / Fill Machines	2				

RECORD READINGS	TEAM PRACTICE	BJ D/S
Lanes Oiled	61-64	60-55
Tank "A" Valve	522	465
Tank "B" Vavle	461	485
Average Run Time	798	783
Distances Taped	—	—
Lane # taped	—	—
Give Tapes To MOD		

2022 Bowlers Journal Daily Inspection Checklist

Date: 3-15-2022

Time: 5:00am

USBC Rep: Sheldon Furr

#5

Turn On Machines / Check Voltage 26.2 Volts	SF				
Check Tanks For Full Fluids	SF				
Check Cleaner Only Volume (12 mils)	SF				
Check Combined Cleaner (32 mils)	SF				
Warm Up Pumps at 50 mics	SF				
Tank "A" Calibration (20 mils)	SF				
Tank "B" Calibration (20 mils)	SF				
Pattern Calibration / Team	SF				
Pattern Calibration / Minors	SF				
Replace Tip And Thumb screw	SF				
Post Daily Inspection Form On-Site					
Post Daily Inspection Form On-Line					
Mail Lane Tapes To USBC HQ					

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-15-2022 Squad Time / Event: 7:00am TEAM / O/S

USBC Tech: SHELDON FARR Oil start time 5:30am Oil end time 6:30am

Lane Machine # #5

Drop Machines / Check Cloth and Tank SF

Turn On Machine / Check Voltage 26.2 Volts SF

Check Tanks For Full Fluids SF

Make Sure Program #1 is Selected SF

Warm Up Pumps At 50 Mics SF

Replace Tip And Thumb Screw SF

Take Machine To Lanes / Type In Lanes SF

Burn 2 Lanes With Machine SF

Have MOD Verify / Initial Log TS

Start / Watch Numbers / Valve / Buffer RPM SF

Walk All Lanes When Finished SF

Dump / Fill Machines SF

RECORD READINGS TEAM O/S

Lanes Oiled 27-32 26-1

Tank "A" Valve 520 470

Tank "B" Valve 458 484

Average Run Time 801 786

Distances Taped 25' 25'

Lane # taped 29 15

Give Tapes To MOD TS TS

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-15-2022 Squad Time / Event: 9:30 AM TEAM / OLS

USBC Tech: SHELDON FARR Oil start time 8:25 AM Oil end time 9:00 AM

Lane Machine #	#5				
Drop Machines / Check Cloth and Tank	SF				
Turn On Machine / Check Voltage 26.2 Volts	SF				
Check Tanks For Full Fluids	SF				
Make Sure Program #1 is Selected	SF				
Warm Up Pumps At 50 Mics	SF				
Replace Tip And Thumb Screw	SF				
Take Machine To Lanes / Type In Lanes	SF				
Burn 2 Lanes With Machine	SF				
Have MOD Verify / Initial Log	TS				
Start / Watch Numbers / Valve / Buffer RPM	SF				
Walk All Lanes When Finished	SF				
Dump / Fill Machines	SF				

RECORD READINGS

Lanes Oiled	TEAM	015	13-16	1-12	
Tank "A" Valve	518	466			
Tank "B" Valve	459	481			
Average Run Time	801	781			
Distances Taped					
Lane # taped					
Give Tapes To MOD					

2022 Bowlers Journal Championships Squad Verification Checklist

EVERY OIL

Date: 3-15-22 Squad Time / Event: 10PM
 USBC Tech: KRANK Oil start time 9:45pm
 Oil end time 10:10pm

Lane Machine #	#5	
Drop Machines / Check Cloth and Tank	B	
Turn On Machine / Check Voltage 26.2 Volts	B	
Check Tanks For Full Fluids	B	
Make Sure Proqram #1 is Selected	B	
Warm Up Pumps At 50 Mics	B	
Replace Tip And Thumb Screw	B	
Take Machine To Lanes / Type In Lanes	B	
Burn 2 Lanes With Machine	B	
Have MOD Verify / Initial Log	B	
Start / Watch Numbers / Valve / Buffer RPM	B	
Walk All Lanes When Finished	B	
Dump / Fill Machines	B	

RECORD READINGS		
Lanes Oiled	6A-59	58-53
Tank "A" Valve	469	522
Tank "B" Valve	482	460
Average Run Time	787	804
Distances Taped	25-	25-
lane # taped	59	57
Give Tapes To MOD		

2022 Bowlers Journal Daily Inspection Checklist

Date: 3-16-2022

Time: 5:00 AM

USBC Rep: Sheldon Furr

#5

Turn On Machines / Check Voltage 26.2 Volts	SF				
Check Tanks For Full Fluids	SF				
Check Cleaner Only Volume (12 mils)	SF				
Check Combined Cleaner (32 mils)	SF				
Warm Up Pumps at 50 mics	SF				
Tank "A" Calibration (20 mils)	SF				
Tank "B" Calibration (20 mils)	SF				
Pattern Calibration / Team	SF				
Pattern Calibration / Minors	SF				
Replace Tip And Thumb screw	SF				
Post Daily Inspection Form On-Site					
Post Daily Inspection Form On-Line					
Mail Lane Tapes To USBC HQ					

2022 USBC Bowler's Journal Squad Verification Checklist

EVERY OIL

Date: 3-16-2022

Squad Time / Event: 7:00AM TEAM 1015

USBC Tech: Sheldon Furr

Oil start time 5:35am

Oil end time 6:00am

Lane Machine #

* 5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM 1015

Lanes Oiled

23-24 25-32

Tank "A" Valve

522 466

Tank "B" Valve

460 480

Average Run Time

805 784

Distances Taped

25' 25'

Lane # taped

23 29

Give Tapes To MOD

SF SF

2022 USBC Bowler's Journal Squad Verification Checklist

EVERY OIL

Date: 3-16-2022

Squad Time / Event: 9:30am TEAM 1015

USBC Tech: Sheldon Furr

Oil start time 8:20am

Oil end time 8:50am

Lane Machine #

5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM 1015

Lanes Oiled

23-24

25-32

Tank "A" Valve

521

468

Tank "B" Valve

458

480

Average Run Time

797

781

Distances Taped

Lane # taped

Give Tapes To MOD

2022 USBC Bowler's Journal Squad Verification Checklist

EVERY OIL

Date: 3-16-2022

Squad Time / Event: 12:00pm TEAM / O/S

USBC Tech: SKELDON FEAR

Oil start time 11:05AM

Oil end time 11:35AM

Lane Machine #

5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM O/S

Lanes Oiled

17-18 19-32

Tank "A" Valve

519 467

Tank "B" Valve

460 470

Average Run Time

800 782

Distances Taped

Lane # taped

Give Tapes To MOD

2022 USBC Bowler's Journal Squad Verification Checklist

EVERY OIL

Date: 3-16-2022

Squad Time / Event: 2:30pm TEAM 1 O/S

USBC Tech: Sheldon Funa

Oil start time 1:40pm

Oil end time 2:10pm

Lane Machine #

5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

YS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM O/S

Lanes Oiled

17-18 19-32

Tank "A" Valve

520 467

Tank "B" Valve

461 480

Average Run Time

797 783

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Championships Squad Verification Checklist

EVERY OIL

Date: 3-16-22 Squad Time / Event: 10pm BJ / PRACTICE
 USBC Tech: Tyrenek Oil start time 9:00pm
 Oil end time _____

- Lane Machine # #5
- Drop Machines / Check Cloth and Tank B
- Turn On Machine / Check Voltage 26.2 Volts
- Check Tanks For Full Fluids
- Make Sure Program #1 is Selected
- Warm Up Pumps At 50 Mics
- Replace Tip And Thumb Screw
- Take Machine To Lanes / Type In Lanes
- Burn 2 Lanes With Machine
- Have MOD Verify / Initial Log TS
- Start / Watch Numbers / Valve / Buffer RPM B
- Walk All Lanes When Finished B
- Dump / Fill Machines B

RECORD READINGS

Lanes Oiled	<u>PRACTICE</u>	<u>BJ</u>	
	<u>32-23</u>	<u>22-11A</u>	
Tank "A" Valve	<u>522</u>	<u>467</u>	
Tank "B" Valve	<u>460</u>	<u>481</u>	
Average Run Time	<u>802</u>	<u>787</u>	
Distances Taped			
lane # taped			
Give Tapes To MOD			

2022 Bowlers Journal Championships Squad Verification Checklist

EVERY OIL

Date: 3-16-22

Squad Time / Event: 12:30am

USBC Tech: Jonathan

Oil start time 11:15pm

Oil end time 11:37pm

Lane Machine # #5

#5

Drop Machines / Check Cloth and Tank

JW

Turn On Machine / Check Voltage 26.2 Volts

JW

Check Tanks For Full Fluids

JW

Make Sure Program #1 is Selected

JW

Warm Up Pumps At 50 Mics

JW

Replace Tip And Thumb Screw

JW

Take Machine To Lanes / Type In Lanes

JW

Burn 2 Lanes With Machine

JW

Have MOD Verify / Initial Log

[Signature]

Start / Watch Numbers / Valve / Buffer RPM

JW

Walk All Lanes When Finished

JW

Dump / Fill Machines

JW

RECORD READINGS

Lanes Oiled

5-14

Tank "A" Valve

469

Tank "B" Valve

482

Average Run Time

787

Distances Taped

lane # taped

Give Tapes To MOD

2022 USBC Bowler's Journal Daily Inspection Checklist

Date: 3-17-2022

Time: 12:00pm

USBC Rep: Sheldon Farr

	#1	#2	#3	#4	#5
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

1

2022 USBC Bowler's Journal Squad Verification Checklist

EVERY OIL

Date: 3-17-2022

Squad Time / Event: 2:30pm TEAM/O/S

USBC Tech: Sheldon Furr

Oil start time 1:00pm

Oil end time 2:05pm

Lane Machine #

5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM O/S

Lanes Oiled

32-23 22-1

Tank "A" Valve

519 468

Tank "B" Valve

457 479

Average Run Time

805 788

Distances Taped

25' 25'

Lane # taped

29 13

Give Tapes To MOD

SF TS

2022 USBC Bowler's Journal Squad Verification Checklist

EVERY OIL

Date: 3-17-2022

Squad Time / Event: 10pm TEAM / OLS

USBC Tech: Sheldon Fuar

Oil start time 9:00pm

Oil end time 9:35pm

Lane Machine #

5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM OLS

Lanes Oiled

32-29 28-17

Tank "A" Valve

517 465

Tank "B" Valve

456 479

Average Run Time

803 788

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Daily Inspection Checklist

Date: 3/18/2022

Time: 10:45 AM

USBC Rep: MARKER

#5

Turn On Machines / Check Voltage 26.2 Volts

MB				
----	--	--	--	--

Check Tanks For Full Fluids

MB				
----	--	--	--	--

Check Cleaner Only Volume (12 mils)

MB				
----	--	--	--	--

Check Combined Cleaner (32 mils)

MB				
----	--	--	--	--

Warm Up Pumps at 50 mics

MB				
----	--	--	--	--

Tank "A" Calibration (20 mils)

MB				
----	--	--	--	--

Tank "B" Calibration (20 mils)

MB				
----	--	--	--	--

Pattern Calibration / Team

MB				
----	--	--	--	--

Pattern Calibration / Minors

MB				
----	--	--	--	--

Replace Tip And Thumb screw

MB				
----	--	--	--	--

Post Daily Inspection Form On-Site

--	--	--	--	--

Post Daily Inspection Form On-Line

--	--	--	--	--

Mail Lane Tapes To USBC HQ

--	--	--	--	--

2022 Bowlers Journal Championships Squad Verification Checklist

EVERY OIL

Date: 3/18/2022 Squad Time / Event: 12 BS / PRACTICE

USBC Tech: MAURICE Oil start time 11:57 AM

Oil end time 12:15 PM

Lane Machine #	#5		
Drop Machines / Check Cloth and Tank	MB		
Turn On Machine / Check Voltage 26.2 Volts	MB		
Check Tanks For Full Fluids	MB		
Make Sure Program #1 is Selected	MB		
Warm Up Pumps At 50 Mics	MB		
Replace Tip And Thumb Screw	MB		
Take Machine To Lanes / Type In Lanes	MB		
Burn 2 Lanes With Machine	MB		
Have MOD Verify / Initial Log	JAC		
Start / Watch Numbers / Valve / Buffer RPM	MB		
Walk All Lanes When Finished	MM		
Dump / Fill Machines	MB		

RECORD READINGS		PRACTICE	BS
Lanes Oiled		1-6	7-18
Tank "A" Valve		517	467
Tank "B" Valve		460	480
Average Run Time		811	793
Distances Taped		25'	25'
lane # taped		3	9
Give Tapes To MOD		TS	TS

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3/18/22 Squad Time / Event: 2:30 PM BJ / TEAM PRACTICE

USBC Tech: Bob Oil start time 1:40 PM Oil end time 2:40 PM

Lane Machine # #5

Drop Machines / Check Cloth and Tank BOB

Turn On Machine / Check Voltage 26.2 Volts BOB

Check Tanks For Full Fluids BOB

Make Sure Program #1 is Selected BOB

Warm Up Pumps At 50 Mics BOB

Replace Tip And Thumb Screw BOB

Take Machine To Lanes / Type In Lanes BOB

Burn 2 Lanes With Machine BOB

Have MOD Verify / Initial Log TS

Start / Watch Numbers / Valve / Buffer RPM BOB

Walk All Lanes When Finished BOB

Dump / Fill Machines BOB

RECORD READINGS TEAM BJ

Lanes Oiled 32-23 22-3

Tank "A" Valve 521 467

Tank "B" Valve 457 483

Average Run Time 801 783

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: **3-18-22** Squad Time / Event: **10PM BJ / TEAM PRACTICE**

USBC Tech: **Bob** Oil start time **9:25PM** Oil end time **10:05PM**

Lane Machine #	#5				
Drop Machines / Check Cloth and Tank	BOB				
Turn On Machine / Check Voltage 26.2 Volts	BOB				
Check Tanks For Full Fluids	BOB				
Make Sure Program #1 is Selected	BOB				
Warm Up Pumps At 50 Mics	BOB				
Replace Tip And Thumb Screw	BOB				
Take Machine To Lanes / Type In Lanes	BOB				
Burn 2 Lanes With Machine	BOB				
Have MOD Verify / Initial Log	TS				
Start / Watch Numbers / Valve / Buffer RPM	BOB				
Walk All Lanes When Finished	BOB				
Dump / Fill Machines	BOB				
RECORD READINGS	TEAM	BJ			
Lanes Oiled	1-6	7-20			
Tank "A" Valve	522	471			
Tank "B" Valve	460	481			
Average Run Time	802	788			
Distances Taped					
Lane # taped					
Give Tapes To MOD					

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: **3/18/22** Squad Time / Event: **12:30AM BJ / TEAM PRACTICE**

USBC Tech: **Bob** Oil start time **12:00AM** Oil end time **12:25AM**

Lane Machine # #5

Drop Machines / Check Cloth and Tank **BOB**

Turn On Machine / Check Voltage 26.2 Volts **BOB**

Check Tanks For Full Fluids **BOB**

Make Sure Program #1 is Selected **BOB**

Warm Up Pumps At 50 Mics **BOB**

Replace Tip And Thumb Screw **BOB**

Take Machine To Lanes / Type In Lanes **BOB**

Burn 2 Lanes With Machine **BOB**

Have MOD Verify / Initial Log **TS**

Start / Watch Numbers / Valve / Buffer RPM **BOB**

Walk All Lanes When Finished **BOB**

Dump / Fill Machines **BOB**

RECORD READINGS **BJ**

Lanes Oiled **1-6**

Tank "A" Valve **470**

Tank "B" Valve **480**

Average Run Time **781**

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Daily Inspection Checklist

Date: 3/19/22

Time: 6:00 PM

USBC Rep: Bob

#5

Turn On Machines / Check Voltage 26.2 Volts	BOB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check Tanks For Full Fluids	BOB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check Cleaner Only Volume (12 mils)	BOB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Check Combined Cleaner (32 mils)	BOB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Warm Up Pumps at 50 mics	BOB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tank "A" Calibration (20 mils)	BOB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Tank "B" Calibration (20 mils)	BOB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pattern Calibration / Team	BOB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pattern Calibration / Minors	BOB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Replace Tip And Thumb screw	BOB	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Site	.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Line		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mail Lane Tapes To USBC HQ		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: **3-19-22** Squad Time / Event: **7:30 BJ / TEAM PRACTICE**

USBC Tech: **Bob** Oil start time **6:35 AM** Oil end time **7:35 PM**

Lane Machine #	#5				
Drop Machines / Check Cloth and Tank	BOB				
Turn On Machine / Check Voltage 26.2 Volts	BOB				
Check Tanks For Full Fluids	BOB				
Make Sure Program #1 is Selected	BOB				
Warm Up Pumps At 50 Mics	BOB				
Replace Tip And Thumb Screw	BOB				
Take Machine To Lanes / Type In Lanes	BOB				
Burn 2 Lanes With Machine	BOB				
Have MOD Verify / Initial Log	TS				
Start / Watch Numbers / Valve / Buffer RPM	BOB				
Walk All Lanes When Finished	BOB				
Dump / Fill Machines	BOB				

RECORD READINGS	TEAM	BJ
Lanes Oiled	32.25	24.1
Tank "A" Valve	520	470
Tank "B" Valve	460	478
Average Run Time	803	781
Distances Taped	25'	25'
Lane # taped	25	17
Give Tapes To MOD	TS	TS

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date:

3-19-22

Squad Time / Event:

10:30 PM BJ / TEAM PRACTICE

USBC Tech:

Bob

Oil start time

9:05 PM

Oil end time

9:50 PM

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

BOB

Turn On Machine / Check Voltage 26.2 Volts

BOB

Check Tanks For Full Fluids

BOB

Make Sure Program #1 is Selected

BOB

Warm Up Pumps At 50 Mics

BOB

Replace Tip And Thumb Screw

BOB

Take Machine To Lanes / Type In Lanes

BOB

Burn 2 Lanes With Machine

BOB

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

BOB

Walk All Lanes When Finished

BOB

Dump / Fill Machines

BOB

RECORD READINGS

TEAM

BJ

Lanes Oiled

1.6

7.10

Tank "A" Valve

518

467

Tank "B" Valve

460

479

Average Run Time

802

784

Distances Taped

Lane # taped

Give Tapes To MOD

2022 USBC Bowler's Journal Daily Inspection Checklist

Date: 3-20-2022

Time: 5:00 AM

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-20-2022

Squad Time / Event: 7:00am TEAM / DIS

USBC Tech: Sheldon Furr

Oil start time 5:45am

Oil end time 6:50am

Lane Machine # # 5 BJ # 5 Pract

Drop Machines / Check Cloth and Tank SF SF

Turn On Machine / Check Voltage 26.2 Volts SF SF

Check Tanks For Full Fluids SF SF

Change Planner To Proper Pattern AM/PM SF SF

Warm Up Pumps At 50 Mics SF SF

Check Combined Cleaner (32 mils) SF SF

Replace Tip And Thumb Screw SF SF

Take Machine To Lanes / Type In Lanes SF SF

Burn 2 Lanes With Machine SF SF

Have MOD Verify / Initial Log TS TS

Start / Watch Numbers / Valve / Buffer RPM SF SF

Walk All Lanes When Finished SF SF

Dump / Fill Machines SF SF

RECORD READINGS # 5 BJ # 5 Pract

Lanes Burned 56-55 64-63

Lanes Oiled 56-33 64-57

Average Run Time 792 808

Tank "A" Valve 468 519

Tank "B" Valve 479 455

Lead Tech Initials SF SF

Distances Taped 25' / L-47 25' / L-61

Give Tapes To MOD SF SF

2022 Bowlers Journal Championships Squad Verification Checklist

EVERY OIL

Date: 3-20-2022

Squad Time / Event: 9:30AM TEAM 1 O/S

USBC Tech: Sheldon Furr

Oil start time 8:15AM

Oil end time 8:50AM

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM O/S

Lanes Oiled

64-57 56-47

Tank "A" Valve

522 465

Tank "B" Valve

460 477

Average Run Time

800 787

Distances Taped

lane # taped

Give Tapes To MOD

2022 Bowlers Journal Championships Squad Verification Checklist

EVERY OIL

Date: 3-20-2022 Squad Time / Event: 12:00pm TEAM 1 O/S

USBC Tech: Sheldon Furr Oil start time 10:55am

Oil end time 11:30am

Lane Machine # #5

Drop Machines / Check Cloth and Tank SF

Turn On Machine / Check Voltage 26.2 Volts SF

Check Tanks For Full Fluids SF

Make Sure Program #1 is Selected SF

Warm Up Pumps At 50 Mics SF

Replace Tip And Thumb Screw SF

Take Machine To Lanes / Type In Lanes SF

Burn 2 Lanes With Machine SF

Have MOD Verify / Initial Log TS

Start / Watch Numbers / Valve / Buffer RPM SF

Walk All Lanes When Finished SF

Dump / Fill Machines SF

RECORD READINGS TEAM O/S

Lanes Oiled 64-57 56-45

Tank "A" Valve 521 471

Tank "B" Valve 459 482

Average Run Time 801 786

Distances Taped
lane # taped

Give Tapes To MOD

2022 Bowlers Journal Championships Squad Verification Checklist

EVERY OIL

Date: 3-20-2022

Squad Time / Event: 2:30pm TEAM / D/S

USBC Tech: Sheldon Furr

Oil start time 1:45pm

Oil end time 2:30pm

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM D/S

Lanes Oiled

64-57 56-44

Tank "A" Valve

519 467

Tank "B" Valve

461 482

Average Run Time

803 788

Distances Taped

lane # taped

Give Tapes To MOD

2022 Bowlers Journal Championships Squad Verification Checklist

EVERY OIL

Date: 3-20-2022 Squad Time / Event: 5:00pm TEAM D/S
 USBC Tech: Sheldon Furr Oil start time 4:00pm
 Oil end time 4:30pm

Lane Machine #	#5
Drop Machines / Check Cloth and Tank	SF
Turn On Machine / Check Voltage 26.2 Volts	SF
Check Tanks For Full Fluids	SF
Make Sure Program #1 is Selected	SF
Warm Up Pumps At 50 Mics	SF
Replace Tip And Thumb Screw	SF
Take Machine To Lanes / Type In Lanes	SF
Burn 2 Lanes With Machine	SF
Have MOD Verify / Initial Log	TS
Start / Watch Numbers / Valve / Buffer RPM	SF
Walk All Lanes When Finished	SF
Dump / Fill Machines	SF

RECORD READINGS

	TEAM	D/S
Lanes Oiled	64-63	62-55
Tank "A" Valve	523	467
Tank "B" Valve	457	485
Average Run Time	801	785
Distances Taped		
Give Tapes To MOD		

lane # taped

2022 Bowlers Journal Championships Squad Verification Checklist

EVERY OIL

Date: **3/20/22**

Squad Time / Event: **7:30 BJ / TEAM PRACTICE**

USBC Tech: **Bob**

Oil start time **6:40 PM**

Oil end time **7:10 PM**

Lane Machine #	#5		
Drop Machines / Check Cloth and Tank	BOB		
Turn On Machine / Check Voltage 26.2 Volts	BOB		
Check Tanks For Full Fluids	BOB		
Make Sure Program #1 is Selected	BOB		
Warm Up Pumps At 50 Mics	BOB		
Replace Tip And Thumb Screw	BOB		
Take Machine To Lanes / Type In Lanes	BOB		
Burn 2 Lanes With Machine	BOB		
Have MOD Verify / Initial Log	TS		
Start / Watch Numbers / Valve / Buffer RPM	BOB		
Walk All Lanes When Finished	BOB		
Dump / Fill Machines	BOB		
RECORD READINGS	TEAM	BJ	
Lanes Oiled	63-64	55-62	
Tank "A" Valve	519	469	
Tank "B" Valve	461	480	
Average Run Time	803	788	
Distances Taped			
Give Tapes To MOD			

2022 Bowlers Journal Championships Squad Verification Checklist

EVERY OIL

Date: **3/20/22**

Squad Time / Event: **10:30PM B/J / TEAM PRACTICE**

USBC Tech: **Bob**

Oil start time **9:15 PM**

Oil end time **10:20 PM**

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

BOB

Turn On Machine / Check Voltage 26.2 Volts

BOB

Check Tanks For Full Fluids

BOB

Make Sure Program #1 is Selected

BOB

Warm Up Pumps At 50 Mics

BOB

Replace Tip And Thumb Screw

BOB

Take Machine To Lanes / Type In Lanes

BOB

Burn 2 Lanes With Machine

BOB

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

BOB

Walk All Lanes When Finished

BOB

Dump / Fill Machines

BOB

RECORD READINGS

TEAM

DIS

Lanes Oiled

64-61

51-60

Tank "A" Valve

520

466

Tank "B" Valve

461

480

Average Run Time

803

777

Distances Taped

lane # taped

Give Tapes To MOD

2022 USBC Bowler's Journal Daily Inspection Checklist

Date: 3-21-2022

Time: 5:00AM

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-21-2022 Squad Time / Event: 7:00am TEAM / DIS

USBC Tech: Sheldon Furr Oil start time 5:30am Oil end time 6:05am

Lane Machine #	# <u>5</u> BJ	# <u>5</u> Pract
Drop Machines / Check Cloth and Tank	SF	SF
Turn On Machine / Check Voltage 26.2 Volts	SF	SF
Check Tanks For Full Fluids	SF	SF
Change Planner To Proper Pattern AM/PM	SF	SF
Warm Up Pumps At 50 Mics	SF	SF
Check Combined Cleaner (32 mils)	SF	SF
Replace Tip And Thumb Screw	SF	SF
Take Machine To Lanes / Type In Lanes	SF	SF
Burn 2 Lanes With Machine	SF	SF
Have MOD Verify / Initial Log	TS	TS
Start / Watch Numbers / Valve / Buffer RPM	SF	SF
Walk All Lanes When Finished	SF	SF
Dump / Fill Machines	SF	SF
RECORD READINGS	# <u>5</u> BJ	# <u>5</u> Pract
Lanes Burned	60-59	63-64
Lanes Oiled	60-45	61-64
Average Run Time	789	803
Tank "A" Valve	470	520
Tank "B" Valve	480	460
Lead Tech Initials	RF	RF
Distances Taped	25'/L-53	25'/L-63
Give Tapes To MOD	SF	SF

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-21-2022

Squad Time / Event: 9:30am TEAM / OLS

USBC Tech: Sheldon Furr

Oil start time 8:25am

Oil end time 9:05am

Lane Machine # # 5 BJ # 5 Pract

Drop Machines / Check Cloth and Tank SF SF

Turn On Machine / Check Voltage 26.2 Volts SF SF

Check Tanks For Full Fluids SF SF

Change Planner To Proper Pattern AM/PM SF SF

Warm Up Pumps At 50 Mics SF SF

Check Combined Cleaner (32 mils) SF SF

Replace Tip And Thumb Screw SF SF

Take Machine To Lanes / Type In Lanes SF SF

Burn 2 Lanes With Machine SF SF

Have MOD Verify / Initial Log TS TS

Start / Watch Numbers / Valve / Buffer RPM SF SF

Walk All Lanes When Finished SF SF

Dump / Fill Machines SF SF

RECORD READINGS # 5 BJ # 5 Pract

Lanes Burned 60-59 64-63

Lanes Oiled 60-45 64-61

Average Run Time 785 801

Tank "A" Valve 469 522

Tank "B" Valve 418 461

Lead Tech Initials SF SF

Distances Taped

Give Tapes To MOD

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-21-2022

Squad Time / Event: 12:00pm Team 1018

USBC Tech: Sheldon Furr

Oil start time 10:50am

Oil end time 11:30am

Lane Machine # # 5 BJ # 5 Pract

Drop Machines / Check Cloth and Tank SF SF

Turn On Machine / Check Voltage 26.2 Volts SF SF

Check Tanks For Full Fluids SF SF

Change Planner To Proper Pattern AM/PM SF SF

Warm Up Pumps At 50 Mics SF SF

Check Combined Cleaner (32 mils) SF SF

Replace Tip And Thumb Screw SF SF

Take Machine To Lanes / Type In Lanes SF SF

Burn 2 Lanes With Machine SF SF

Have MOD Verify / Initial Log TS TS

Start / Watch Numbers / Valve / Buffer RPM SF SF

Walk All Lanes When Finished SF SF

Dump / Fill Machines SF SF

RECORD READINGS # 5 BJ # 5 Pract

Lanes Burned 60-59 64-63

Lanes Oiled 60-45 64-61

Average Run Time 790 804

Tank "A" Valve 464 521

Tank "B" Valve 476 460

Lead Tech Initials SF SF

Distances Taped

Give Tapes To MOD

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-21-2022

Squad Time / Event: 2:30 TEAM 101A

USBC Tech: Sheldon Furr

Oil start time 1:30pm

Oil end time 2:10pm

Lane Machine # # 5 BJ # 5 Pract

Drop Machines / Check Cloth and Tank SF SF

Turn On Machine / Check Voltage 26.2 Volts SF SF

Check Tanks For Full Fluids SF SF

Change Planner To Proper Pattern AM/PM SF SF

Warm Up Pumps At 50 Mics SF SF

Check Combined Cleaner (32 mils) SF SF

Replace Tip And Thumb Screw SF SF

Take Machine To Lanes / Type In Lanes SF SF

Burn 2 Lanes With Machine SF SF

Have MOD Verify / Initial Log TS TS

Start / Watch Numbers / Valve / Buffer RPM SF SF

Walk All Lanes When Finished SF SF

Dump / Fill Machines SF SF

RECORD READINGS # 5 BJ # 5 Pract

Lanes Burned 60-59 64-63

Lanes Oiled 60-47 64-61

Average Run Time 788 802

Tank "A" Valve 469 520

Tank "B" Valve 480 457

Lead Tech Initials SFF SFF

Distances Taped

Give Tapes To MOD

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-21-2022

Squad Time / Event: 5:00pm TEAM / O/S

USBC Tech: SHELDON FUNK

Oil start time 3:50pm

Oil end time 4:35pm

Lane Machine # # 5 BJ # 5 Pract

Drop Machines / Check Cloth and Tank	<u>SF</u>	<u>SF</u>
Turn On Machine / Check Voltage 26.2 Volts	<u>SF</u>	<u>SF</u>
Check Tanks For Full Fluids	<u>SF</u>	<u>SF</u>
Change Planner To Proper Pattern AM/PM	<u>SF</u>	<u>SF</u>
Warm Up Pumps At 50 Mics	<u>SF</u>	<u>SF</u>
Check Combined Cleaner (32 mils)	<u>SF</u>	<u>SF</u>
Replace Tip And Thumb Screw	<u>SF</u>	<u>SF</u>
Take Machine To Lanes / Type In Lanes	<u>SF</u>	<u>SF</u>
Burn 2 Lanes With Machine	<u>SF</u>	<u>SF</u>
Have MOD Verify / Initial Log	<u>TS</u>	<u>TS</u>
Start / Watch Numbers / Valve / Buffer RPM	<u>SF</u>	<u>SF</u>
Walk All Lanes When Finished	<u>SF</u>	<u>SF</u>
Dump / Fill Machines	<u>SF</u>	<u>SF</u>

RECORD READINGS

5 BJ # 5 Pract

Lanes Burned	<u>60-59</u>	<u>64-63</u>
Lanes Oiled	<u>60-45</u>	<u>64-61</u>
Average Run Time	<u>788</u>	<u>803</u>
Tank "A" Valve	<u>470</u>	<u>520</u>
Tank "B" Valve	<u>480</u>	<u>458</u>
Lead Tech Initials	<u>SF</u>	<u>SF</u>
Distances Taped		
Give Tapes To MOD		

2022 Bowlers Journal Championships Squad Verification Checklist

EVERY OIL

Date: **3.21.22**

Squad Time / Event: **12:30AM BJ / TEAM PRACTICE**

USBC Tech: **Bob**

Oil start time **11:50 PM**

Oil end time **12:20 AM**

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

BOB

Turn On Machine / Check Voltage 26.2 Volts

BOB

Check Tanks For Full Fluids

BOB

Make Sure Program #1 is Selected

BOB

Warm Up Pumps At 50 Mics

BOB

Replace Tip And Thumb Screw

BOB

Take Machine To Lanes / Type In Lanes

BOB

Burn 2 Lanes With Machine

BOB

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

BOB

Walk All Lanes When Finished

BOB

Dump / Fill Machines

BOB

RECORD READINGS

BJ

Lanes Oiled

64.59

Tank "A" Valve

469

Tank "B" Valve

480

Average Run Time

777

Distances Taped

lane # taped

Give Tapes To MOD

2022 Bowlers Journal Daily Inspection Checklist

Date: 3-22-2022

Time: 5:00 AM

USBC Rep: Sheldon Furr

#5

Turn On Machines / Check Voltage 26.2 Volts	SF				
Check Tanks For Full Fluids	SF				
Check Cleaner Only Volume (12 mils)	SF				
Check Combined Cleaner (32 mils)	SF				
Warm Up Pumps at 50 mics	SF				
Tank "A" Calibration (20 mils)	SF				
Tank "B" Calibration (20 mils)	SF				
Pattern Calibration / Team	SF				
Pattern Calibration / Minors	SF				
Replace Tip And Thumb screw	SF				
Post Daily Inspection Form On-Site					
Post Daily Inspection Form On-Line					
Mail Lane Tapes To USBC HQ					

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-22-2022 Squad Time / Event: 7:00am TEAM / DLS

USBC Tech: SHELDON FARR Oil start time 5:20AM Oil end time 6:25am

Lane Machine #	#5				
Drop Machines / Check Cloth and Tank	SF				
Turn On Machine / Check Voltage 26.2 Volts	SF				
Check Tanks For Full Fluids	SF				
Make Sure Program #1 is Selected	SF				
Warm Up Pumps At 50 Mics	SF				
Replace Tip And Thumb Screw	SF				
Take Machine To Lanes / Type In Lanes	SF				
Burn 2 Lanes With Machine	SF				
Have MOD Verify / Initial Log	TS				
Start / Watch Numbers / Valve / Buffer RPM	SF				
Walk All Lanes When Finished	SF				
Dump / Fill Machines	SF				

RECORD READINGS	TEAM	DLS
Lanes Oiled	1-6	7-32
Tank "A" Valve	521	470
Tank "B" Valve	461	480
Average Run Time	805	794
Distances Taped	25'	25'
Lane # taped	5	15
Give Tapes To MOD	SF	SF

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-22-2022 Squad Time / Event: 9:30am TEAM / OLS

USBC Tech: SHELDON FULLR Oil start time 8:15AM Oil end time 9:15am

Lane Machine # # 5 BJ # 5 Pract

Drop Machines / Check Cloth and Tank SF SF

Turn On Machine / Check Voltage 26.2 Volts SF SF

Check Tanks For Full Fluids SF SF

Change Planner To Proper Pattern AM/PM SF SF

Warm Up Pumps At 50 Mics SF SF

Check Combined Cleaner (32 mils) SF SF

Replace Tip And Thumb Screw SF SF

Take Machine To Lanes / Type In Lanes SF SF

Burn 2 Lanes With Machine SF SF

Have MOD Verify / Initial Log TS TS

Start / Watch Numbers / Valve / Buffer RPM SF SF

Walk All Lanes When Finished SF SF

Dump / Fill Machines SF SF

RECORD READINGS # 5 BJ # 5 Pract

Lanes Burned 24-23 32-31

Lanes Oiled 24-1 32-25

Average Run Time 787 803

Tank "A" Valve 467 521

Tank "B" Valve 477 459

Lead Tech Initials SF SF

Distances Taped

Give Tapes To MOD

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-22-2022 Squad Time / Event: 10:00pm TEAM / P/B

USBC Tech: Sheldon Furr Oil start time 8:50pm Oil end time 9:45pm

Lane Machine #	# <u>5</u> BJ	# <u>5</u> Pract
Drop Machines / Check Cloth and Tank	SF	SF
Turn On Machine / Check Voltage 26.2 Volts	SF	SF
Check Tanks For Full Fluids	SF	SF
Change Planner To Proper Pattern AM/PM	SF	SF
Warm Up Pumps At 50 Mics	SF	SF
Check Combined Cleaner (32 mils)	SF	SF
Replace Tip And Thumb Screw	SF	SF
Take Machine To Lanes / Type In Lanes	SF	SF
Burn 2 Lanes With Machine	SF	SF
Have MOD Verify / Initial Log	TS	TS
Start / Watch Numbers / Valve / Buffer RPM	SF	SF
Walk All Lanes When Finished	SF	SF
Dump / Fill Machines	SF	SF

RECORD READINGS

	# <u>5</u> BJ	# <u>5</u> Pract
Lanes Burned	62-61	64-63
Lanes Oiled	62-47	64-63
Average Run Time	790	802
Tank "A" Valve	469	510
Tank "B" Valve	481	546
Lead Tech Initials	SF	SF
Distances Taped		
Give Tapes To MOD		

2022 USBC Bowler's Journal Daily Inspection Checklist

Date: 3-23-2022

Time: 5:00 AM

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-23-2022

Squad Time / Event: 7:00am TEAM / O/S

USBC Tech: Sheldon Furr

Oil start time 5:35am

Oil end time 6:05am

Lane Machine # # 5 BJ # 5 Pract

Drop Machines / Check Cloth and Tank SF SF

Turn On Machine / Check Voltage 26.2 Volts SF SF

Check Tanks For Full Fluids SF SF

Change Planner To Proper Pattern AM/PM SF SF

Warm Up Pumps At 50 Mics SF SF

Check Combined Cleaner (32 mils) SF SF

Replace Tip And Thumb Screw SF SF

Take Machine To Lanes / Type In Lanes SF SF

Burn 2 Lanes With Machine SF SF

Have MOD Verify / Initial Log TS TS

Start / Watch Numbers / Valve / Buffer RPM SF SF

Walk All Lanes When Finished SF SF

Dump / Fill Machines SF SF

RECORD READINGS # 5 BJ # 5 Pract

Lanes Burned 23-24 19-20

Lanes Oiled 23-32 19-22

Average Run Time 789 801

Tank "A" Valve 469 519

Tank "B" Valve 480 459

Lead Tech Initials SJF SJF

Distances Taped 25' / L-27 25' / L-21

Give Tapes To MOD SF SF

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-23-2022

Squad Time / Event: 9:30am TEAM 1018

USBC Tech: Sheldon Furr

Oil start time 8:10am

Oil end time 8:40am

Lane Machine #	# <u>5</u> BJ	# <u>5</u> Pract
Drop Machines / Check Cloth and Tank	SF	SF
Turn On Machine / Check Voltage 26.2 Volts	SF	SF
Check Tanks For Full Fluids	SF	SF
Change Planner To Proper Pattern AM/PM	SF	SF
Warm Up Pumps At 50 Mics	SF	SF
Check Combined Cleaner (32 mils)	SF	SF
Replace Tip And Thumb Screw	SF	SF
Take Machine To Lanes / Type In Lanes	SF	SF
Burn 2 Lanes With Machine	SF	SF
Have MOD Verify / Initial Log	TS	TS
Start / Watch Numbers / Valve / Buffer RPM	SF	SF
Walk All Lanes When Finished	SF	SF
Dump / Fill Machines	SF	SF

RECORD READINGS

	# <u>5</u> BJ	# <u>5</u> Pract
Lanes Burned	23-24	19-20
Lanes Oiled	23-32	19-22
Average Run Time	785	800
Tank "A" Valve	465	521
Tank "B" Valve	480	459
Lead Tech Initials	SFF	SFF
Distances Taped		
Give Tapes To MOD		

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-23-2022

Squad Time / Event: 12:00pm TEAM 1015

USBC Tech: SHELDON FULL

Oil start time 11:05am

Oil end time 11:40am

Lane Machine #	# <u>5</u> BJ	# <u>5</u> Pract
Drop Machines / Check Cloth and Tank	SF	SF
Turn On Machine / Check Voltage 26.2 Volts	SF	SF
Check Tanks For Full Fluids	SF	SF
Change Planner To Proper Pattern AM/PM	SF	SF
Warm Up Pumps At 50 Mics	SF	SF
Check Combined Cleaner (32 mils)	SF	SF
Replace Tip And Thumb Screw	SF	SF
Take Machine To Lanes / Type In Lanes	SF	SF
Burn 2 Lanes With Machine	SF	SF
Have MOD Verify / Initial Log	TS	TS
Start / Watch Numbers / Valve / Buffer RPM	SF	SF
Walk All Lanes When Finished	SF	SF
Dump / Fill Machines	SF	SF

RECORD READINGS

	# <u>5</u> BJ	# <u>5</u> Pract
Lanes Burned	<u>23-24</u>	<u>19-20</u>
Lanes Oiled	<u>23-32</u>	<u>19-22</u>
Average Run Time	<u>701</u>	<u>802</u>
Tank "A" Valve	<u>466</u>	<u>523</u>
Tank "B" Valve	<u>477</u>	<u>460</u>
Lead Tech Initials	<u>RF</u>	<u>RF</u>
Distances Taped		
Give Tapes To MOD		

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-23-2022 Squad Time / Event: 2:30pm TEAM 10/15

USBC Tech: SHELDON FARR Oil start time 1:20pm Oil end time 1:55pm

Lane Machine #	# <u>5</u> BJ	# <u>5</u> Pract
Drop Machines / Check Cloth and Tank	SF	SF
Turn On Machine / Check Voltage 26.2 Volts	SF	SF
Check Tanks For Full Fluids	SF	SF
Change Planner To Proper Pattern AM/PM	SF	SF
Warm Up Pumps At 50 Mics	SF	SF
Check Combined Cleaner (32 mils)	SF	SF
Replace Tip And Thumb Screw	SF	SF
Take Machine To Lanes / Type In Lanes	SF	SF
Burn 2 Lanes With Machine	SF	SF
Have MOD Verify / Initial Log	TS	TS
Start / Watch Numbers / Valve / Buffer RPM	SF	SF
Walk All Lanes When Finished	SF	SF
Dump / Fill Machines	SF	SF

RECORD READINGS	# <u>5</u> BJ	# <u>5</u> Pract
Lanes Burned	17-18	31-32
Lanes Oiled	17-30	31-32
Average Run Time	787	804
Tank "A" Valve	469	515
Tank "B" Valve	479	459
Lead Tech Initials	SF	SF
Distances Taped		
Give Tapes To MOD		

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/23/22

Squad Time / Event: 10:00pm

USBC Tech: Brandon G

Oil start time 9:16pm

Oil end time 10:18pm

Lane Machine # # 5 BJ # 5 Pract

Drop Machines / Check Cloth and Tank BG BG

Turn On Machine / Check Voltage 26.2 Volts BG BG

Check Tanks For Full Fluids BG BG

Change Planner To Proper Pattern AM/PM BG BG

Warm Up Pumps At 50 Mics BG BG

Check Combined Cleaner (32 mils) BG BG

Replace Tip And Thumb Screw BG BG

Take Machine To Lanes / Type In Lanes BG BG

Burn 2 Lanes With Machine BG BG

Have MOD Verify / Initial Log TS TS

Start / Watch Numbers / Valve / Buffer RPM BG BG

Walk All Lanes When Finished

Dump / Fill Machines BG BG

RECORD READINGS # 5 BJ # 5 Pract

Lanes Burned 1-2 27-28

Lanes Oiled 1-26 27-32

Average Run Time 790 807

Tank "A" Valve 467 518

Tank "B" Valve 482 460

Lead Tech Initials

Distances Taped

Give Tapes To MOD

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3/24/22

Squad Time / Event: 12:30 A.M.

USBC Tech: Brandon G

Oil start time 11:36 p.m.

Oil end time 12:19 A.M.

Lane Machine # # 5 BJ # 5 Pract

Drop Machines / Check Cloth and Tank BG BG

Turn On Machine / Check Voltage 26.2 Volts BG BG

Check Tanks For Full Fluids BG BG

Change Planner To Proper Pattern AM/PM BG BG

Warm Up Pumps At 50 Mics BG BG

Check Combined Cleaner (32 mils) BG BG

Replace Tip And Thumb Screw BG BG

Take Machine To Lanes / Type In Lanes BG BG

Burn 2 Lanes With Machine BG BG

Have MOD Verify / Initial Log TS TS

Start / Watch Numbers / Valve / Buffer RPM BG BG

Walk All Lanes When Finished ~~BG~~

Dump / Fill Machines BG BG

RECORD READINGS # 5 BJ # 5 Pract

Lanes Burned 5-6 1-2

Lanes Oiled 5-10 1-4

Average Run Time 786 801

Tank "A" Valve 464 519

Tank "B" Valve 479 460

Lead Tech Initials

Distances Taped

Give Tapes To MOD

2022 USBC Bowler's Journal Daily Inspection Checklist

Date: 3-24-2022

Time: 12:00pm

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-24-2022 Squad Time / Event: 2:30pm TENN / OLS

USBC Tech: Sheldon Furr Oil start time 12:45pm Oil end time 1:50pm

	# <u>5</u> BJ	# <u>5</u> Pract	
Lane Machine #			
Drop Machines / Check Cloth and Tank	SF	SF	
Turn On Machine / Check Voltage 26.2 Volts	SF	SF	
Check Tanks For Full Fluids	SF	SF	
Change Planner To Proper Pattern AM/PM	SF	SF	
Warm Up Pumps At 50 Mics	SF	SF	
Check Combined Cleaner (32 mils)	SF	SF	
Replace Tip And Thumb Screw	SF	SF	
Take Machine To Lanes / Type In Lanes	SF	SF	
Burn 2 Lanes With Machine	SF	SF	
Have MOD Verify / Initial Log	YS	YS	
Start / Watch Numbers / Valve / Buffer RPM	SF	SF	
Walk All Lanes When Finished	SF	SF	
Dump / Fill Machines	SF	SF	
RECORD READINGS	# <u>5</u> BJ	# <u>5</u> Pract	
Lanes Burned	26-25	32-31	
Lanes Oiled	26-1	32-27	
Average Run Time	790	805	
Tank "A" Valve	465	520	
Tank "B" Valve	480	457	
Lead Tech Initials	SF	SF	
Distances Taped	25' / L-21	25' / L-31	
Give Tapes To MOD	SF	SF	

2022 USBC Bowlers Journal / Practice Squad Verification Checklist

EVERY OIL

Date: 3-24-2022 Squad Time / Event: 10:00pm TEAM 1 D/S

USBC Tech: Sheldon Furr Oil start time 8:45pm Oil end time 9:50pm

Lane Machine # # 5 BJ # 5 Pract

Drop Machines / Check Cloth and Tank SF SF

Turn On Machine / Check Voltage 26.2 Volts SF SF

Check Tanks For Full Fluids SF SF

Change Planner To Proper Pattern AM/PM SF SF

Warm Up Pumps At 50 Mics SF SF

Check Combined Cleaner (32 mils) SF SF

Replace Tip And Thumb Screw SF SF

Take Machine To Lanes / Type In Lanes SF SF

Burn 2 Lanes With Machine SF SF

Have MOD Verify / Initial Log TS TS

Start / Watch Numbers / Valve / Buffer RPM SF SF

Walk All Lanes When Finished SF SF

Dump / Fill Machines SF SF

RECORD READINGS # 5 BJ # 5 Pract

Lanes Burned 22-21 32-31

Lanes Oiled 22-5 32-23

Average Run Time 789 804

Tank "A" Valve 470 518

Tank "B" Valve 479 456

Lead Tech Initials SDF SDF

Distances Taped

Give Tapes To MOD

2022 USBC Bowler's Journal Daily Inspection Checklist

Date: 3-25-22

Time: 11:15 AM

USBC Rep: BOB

	#1	#2	#3	#4	#5
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BA
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BA
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BA
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BA
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BA
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BA
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BA
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BA
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BA
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	BA
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-25-22 Squad Time / Event: 12:30^{PM} BJ / TEAM PRACTICE

USBC Tech: Bob Oil start time 11:45 Oil end time 12:30 PM

Lane Machine # #5

Drop Machines / Check Cloth and Tank	BOB	BOB		
Turn On Machine / Check Voltage 26.2 Volts	BOB	BOB		
Check Tanks For Full Fluids	BOB	BOB		
Make Sure Program #1 is Selected	BOB	BOB		
Warm Up Pumps At 50 Mics	BOB	BOB		
Replace Tip And Thumb Screw	BOB	BOB		
Take Machine To Lanes / Type In Lanes	BOB	BOB		
Burn 2 Lanes With Machine	BOB	BOB		
Have MOD Verify / Initial Log				
Start / Watch Numbers / Valve / Buffer RPM	BOB	BOB		
Walk All Lanes When Finished	BOB	BOB		
Dump / Fill Machines	BOB	BOB		

RECORD READINGS	BJ	TEAM
Lanes Oiled	1-22	23-30
Tank "A" Valve	469	520
Tank "B" Valve	480	460
Average Run Time	790	805
Distances Taped	25	25
Lane # taped	19	27
Give Tapes To MOD	TS	TS

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3.25.22 Squad Time / Event: 2:30 PM BJ / TEAM PRACTICE

USBC Tech: Bob Oil start time 1:40 PM Oil end time 2:50 PM

Lane Machine #	#5				
Drop Machines / Check Cloth and Tank	BOB	BOB			
Turn On Machine / Check Voltage 26.2 Volts	BOB	BOB			
Check Tanks For Full Fluids	BOB	BOB			
Make Sure Program #1 is Selected	BOB	BOB			
Warm Up Pumps At 50 Mics	BOB	BOB			
Replace Tip And Thumb Screw	BOB	BOB			
Take Machine To Lanes / Type In Lanes	BOB	BOB			
Burn 2 Lanes With Machine	BOB	BOB			
Have MOD Verify / Initial Log	TS	TS			
Start / Watch Numbers / Valve / Buffer RPM	BOB	BOB			
Walk All Lanes When Finished	BOB	BOB			
Dump / Fill Machines	BOB	BOB			
RECORD READINGS	TEAM	BJ			
Lanes Oiled	29.32	1.26			
Tank "A" Valve	470	520			
Tank "B" Valve	481	461			
Average Run Time	801	780			
Distances Taped					
Lane # taped					
Give Tapes To MOD					

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-25-22 Squad Time / Event: 10 PM BJ / TEAM PRACTICE

USBC Tech: Bob Oil start time 9:15 PM Oil end time 10:15 PM

Lane Machine #	#5				
Drop Machines / Check Cloth and Tank	BOB	BOB			
Turn On Machine / Check Voltage 26.2 Volts	BOB	BOB			
Check Tanks For Full Fluids	BOB	BOB			
Make Sure Program #1 is Selected	BOB	BOB			
Warm Up Pumps At 50 Mics	BOB	BOB			
Replace Tip And Thumb Screw	BOB	BOB			
Take Machine To Lanes / Type In Lanes	BOB	BOB			
Burn 2 Lanes With Machine	BOB	BOB			
Have MOD Verify / Initial Log					
Start / Watch Numbers / Valve / Buffer RPM	BOB	BOB			
Walk All Lanes When Finished	BOB	BOB			
Dump / Fill Machines	BOB	BOB			
RECORD READINGS	TEAM	BJ			
Lanes Oiled	1 - 2	3 - 16			
Tank "A" Valve	519	470			
Tank "B" Valve	459	484			
Average Run Time	805	783			
Distances Taped					
Lane # taped					
Give Tapes To MOD					

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: **3-28-22**

Squad Time / Event:

12:30^{AM} BJ / TEAM PRACTICE

USBC Tech: **Bob**

Oil start time **11:45 PM**

Oil end time **12:15 AM**

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

BOB

Turn On Machine / Check Voltage 26.2 Volts

BOB

Check Tanks For Full Fluids

BOB

Make Sure Program #1 is Selected

BOB

Warm Up Pumps At 50 Mics

BOB

Replace Tip And Thumb Screw

BOB

Take Machine To Lanes / Type In Lanes

BOB

Burn 2 Lanes With Machine

BOB

Have MOD Verify / Initial Log

Start / Watch Numbers / Valve / Buffer RPM

BOB

Walk All Lanes When Finished

BOB

Dump / Fill Machines

BOB

RECORD READINGS

Lanes Oiled

3-10

Tank "A" Valve

471

Tank "B" Valve

481

Average Run Time

780

Distances Taped

Lane # taped

Give Tapes To MOD

2022 USBC Bowler's Journal Daily Inspection Checklist

Date: 3/26/22

Time: 6:00 PM

USBC Rep: Bob

	#1	#2	#3	#4	#5
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: **3-26-22**

Squad Time / Event: **7:30 PM B/J TEAM PRACTICE**

USBC Tech: **Bob**

Oil start time **5:50 PM**

Oil end time **6:50 PM**

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

BOB

Turn On Machine / Check Voltage 26.2 Volts

BOB

Check Tanks For Full Fluids

BOB

Make Sure Program #1 is Selected

BOB

Warm Up Pumps At 50 Mics

BOB

Replace Tip And Thumb Screw

BOB

Take Machine To Lanes / Type In Lanes

BOB

Burn 2 Lanes With Machine

BOB

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

BOB

Walk All Lanes When Finished

BOB

Dump / Fill Machines

BOB

RECORD READINGS

Lanes Oiled

BJ TEAM

Tank "A" Valve

470

Tank "B" Valve

481

Average Run Time

790

Distances Taped

25

Lane # taped

21

Give Tapes To MOD

TS

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-26-22

Squad Time / Event: 10pm BJ / TEAM PRACTICE

USBC Tech: Bob

Oil start time 9:25 PM

Oil end time 10:05 PM

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

BOB

BOB

Turn On Machine / Check Voltage 26.2 Volts

BOB

BOB

Check Tanks For Full Fluids

BOB

BOB

Make Sure Program #1 is Selected

BOB

BOB

Warm Up Pumps At 50 Mics

BOB

BOB

Replace Tip And Thumb Screw

BOB

BOB

Take Machine To Lanes / Type In Lanes

BOB

BOB

Burn 2 Lanes With Machine

BOB

BOB

Have MOD Verify / Initial Log

TS

TS

Start / Watch Numbers / Valve / Buffer RPM

BOB

BOB

Walk All Lanes When Finished

BOB

BOB

Dump / Fill Machines

BOB

BOB

RECORD READINGS

TEAM

BJ

Lanes Oiled

1-6

7-20

Tank "A" Valve

521

469

Tank "B" Valve

460

484

Average Run Time

808

795

Distances Taped

25

Lane # taped

5

Give Tapes To MOD

TS

2022 USBC Bowler's Journal Daily Inspection Checklist

Date: 3-27-2022

Time: 5:00 AM

USBC Rep: Sheldon Fene

	#1	#2	#3	#4	#5
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-27-2022

Squad Time / Event: 1:00AM TEAM/O/S

USBC Tech: Sheldon Furr

Oil start time 5:25AM

Oil end time 6:30AM

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM O/S

Lanes Oiled

64-57 56-33

Tank "A" Valve

522 465

Tank "B" Valve

460 480

Average Run Time

815 797

Distances Taped

25' 25'

Lane # taped

59 47

Give Tapes To MOD

SF SF

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-27-2022

Squad Time / Event: 9:30am TEAM / O/S

USBC Tech: Sheldon Funn

Oil start time 8:10am

Oil end time 9:15am

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM O/S

Lanes Oiled

64-59 58-33

Tank "A" Valve

521 470

Tank "B" Valve

457 481

Average Run Time

802 792

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-27-2022

Squad Time / Event: 12:00pm TEAM / O/S

USBC Tech: Sheldon Furr

Oil start time 11:05

Oil end time 12:05

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

O/S

Lanes Oiled

33-64

Tank "A" Valve

468

Tank "B" Valve

479

Average Run Time

793

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-27-2022

Squad Time / Event: 2:30pm TEAM / O/S

USBC Tech: SHELDON FERR

Oil start time 1:25pm

Oil end time 2:30pm

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM O/S

Lanes Oiled

64-59 58-33

Tank "A" Valve

519 470

Tank "B" Valve

459 478

Average Run Time

803 793

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-27-2022

Squad Time / Event: 5:00pm TEAM/D/S

USBC Tech: Sheldon Furr

Oil start time 3:50pm

Oil end time 4:15pm

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM

D/S

Lanes Oiled

64-63

62-57

Tank "A" Valve

519

463

Tank "B" Valve

460

477

Average Run Time

801

791

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3/27/22 Squad Time / Event: 7:30 pm

USBC Tech: Brandon G Oil start time 6:05 pm Oil end time 6:32 pm

Lane Machine #	#5				
Drop Machines / Check Cloth and Tank	BG				
Turn On Machine / Check Voltage 26.2 Volts	BG				
Check Tanks For Full Fluids	BG				
Make Sure Program #1 is Selected	BG				
Warm Up Pumps At 50 Mics	BG				
Replace Tip And Thumb Screw	BG				
Take Machine To Lanes / Type In Lanes	BG				
Burn 2 Lanes With Machine	BG				
Have MOD Verify / Initial Log	TS				
Start / Watch Numbers / Valve / Buffer RPM	BG				
Walk All Lanes When Finished	DOB				
Dump / Fill Machines	BG				

RECORD READINGS			
Lanes Oiled	Team	BJ	
	64-63	62-57	
Tank "A" Valve	518	466	
Tank "B" Valve	474	478	
Average Run Time	801	788	
Distances Taped			
Lane # taped			
Give Tapes To MOD			

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3/27/22 Squad Time / Event: 10:00pm

USBC Tech: Brandon G Oil start time 9:00pm Oil end time 9:51pm

Lane Machine #	#5			
Drop Machines / Check Cloth and Tank	BG			
Turn On Machine / Check Voltage 26.2 Volts	BG			
Check Tanks For Full Fluids	BG			
Make Sure Program #1 is Selected	BG			
Warm Up Pumps At 50 Mics	BG			
Replace Tip And Thumb Screw	BG			
Take Machine To Lanes / Type In Lanes	BG			
Burn 2 Lanes With Machine	BG			
Have MOD Verify / Initial Log	TS			
Start / Watch Numbers / Valve / Buffer RPM	BG			
Walk All Lanes When Finished	BAB			
Dump / Fill Machines	BG			
RECORD READINGS	BJ	Team		
Lanes Oiled	56-43	64-57		
Tank "A" Valve	469	520		
Tank "B" Valve	478	457		
Average Run Time	791	805		
Distances Taped				
Lane # taped				
Give Tapes To MOD				

2022 USBC Bowler's Journal Daily Inspection Checklist

Date: 3-28-2022

Time: 5:00am

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-28-2022

Squad Time / Event: 7:00am TEAM / O/S

USBC Tech: Sheldon Furr

Oil start time 5:35am

Oil end time 6:05am

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM

O/S

Lanes Oiled

64-61

60-49

Tank "A" Valve

521

467

Tank "B" Valve

458

486

Average Run Time

801

791

Distances Taped

25'

25'

Lane # taped

63

55

Give Tapes To MOD

SF

SF

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-28-2022

Squad Time / Event: 9:30am TEAM / OLS

USBC Tech: Sheldon FARR

Oil start time 8:05am

Oil end time 8:40am

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM OLS

Lanes Oiled

64-61 60-49

Tank "A" Valve

520 470

Tank "B" Valve

458 482

Average Run Time

802 788

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-28-2022

Squad Time / Event: 12:00pm TEAM / O/S

USBC Tech: Sheldon Furr

Oil start time 10:50am

Oil end time 11:20am

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM

O/S

Lanes Oiled

61-64

49-60

Tank "A" Valve

520

468

Tank "B" Valve

459

481

Average Run Time

801

786

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-28-2022

Squad Time / Event: 2:30pm TEAM / DIS

USBC Tech: Sheldon Furr

Oil start time 1:25pm

Oil end time 1:50pm

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM 0/5

Lanes Oiled

64-61

60-59

Tank "A" Valve

521

470

Tank "B" Valve

460

481

Average Run Time

802

788

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-28-2022 Squad Time / Event: 5:00pm TEAM/DIS

USBC Tech: Sheldon Furr Oil start time 4:00pm Oil end time 4:25pm

Lane Machine # #5

Drop Machines / Check Cloth and Tank	SF			
Turn On Machine / Check Voltage 26.2 Volts	SF			
Check Tanks For Full Fluids	SF			
Make Sure Program #1 is Selected	SF			
Warm Up Pumps At 50 Mics	SF			
Replace Tip And Thumb Screw	SF			
Take Machine To Lanes / Type In Lanes	SF			
Burn 2 Lanes With Machine	SF			
Have MOD Verify / Initial Log	TS			
Start / Watch Numbers / Valve / Buffer RPM	SF			
Walk All Lanes When Finished	SF			
Dump / Fill Machines	SF			

RECORD READINGS TEAM DIS

Lanes Oiled	61-64	47-60		
Tank "A" Valve	572	467		
Tank "B" Valve	461	481		
Average Run Time	809	788		

Distances Taped
 Lane # taped
 Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-28-22 Squad Time / Event: 7:30 B/J | TEAM PRACTICE

USBC Tech: Bob Oil start time 6:40 PM Oil end time 7:20 PM

Lane Machine #	#5			
Drop Machines / Check Cloth and Tank	BOB			
Turn On Machine / Check Voltage 26.2 Volts	BOB			
Check Tanks For Full Fluids	BOB			
Make Sure Program #1 is Selected	BOB			
Warm Up Pumps At 50 Mics	BOB			
Replace Tip And Thumb Screw	BOB			
Take Machine To Lanes / Type In Lanes	BOB			
Burn 2 Lanes With Machine	BOB			
Have MOD Verify / Initial Log	TS			
Start / Watch Numbers / Valve / Buffer RPM	BOB			
Walk All Lanes When Finished	BOB			
Dump / Fill Machines	BOB			

RECORD READINGS	TEAM	B J		
Lanes Oiled	61-64	60-45		
Tank "A" Valve	520	469		
Tank "B" Valve	460	480		
Average Run Time	803	789		
Distances Taped				
Lane # taped				
Give Tapes To MOD				

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-28-22 Squad Time / Event: 10 pm BI/TEAM

USBC Tech: TERRAY LONG Oil start time 9:15 pm Oil end time 9:55 pm

Lane Machine # #5

Drop Machines / Check Cloth and Tank TL

Turn On Machine / Check Voltage 26.2 Volts TL

Check Tanks For Full Fluids TL

Make Sure Program #1 is Selected TL

Warm Up Pumps At 50 Mics TL

Replace Tip And Thumb Screw TL

Take Machine To Lanes / Type In Lanes TL

Burn 2 Lanes With Machine TL

Have MOD Verify / Initial Log TS

Start / Watch Numbers / Valve / Buffer RPM TL

Walk All Lanes When Finished TL

Dump / Fill Machines TL

RECORD READINGS

TEAM BS

Lanes Oiled 55-64 47-54

Tank "A" Valve 520 469

Tank "B" Valve 460 480

Average Run Time 803 789

Distances Taped

Lane # taped

Give Tapes To MOD

2022 USBC Bowler's Journal Daily Inspection Checklist

Date: 3-29-2022

Time: 5:00 AM

USBC Rep: SHELDON FARR

	#1	#2	#3	#4	#5
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-29-2022 Squad Time / Event: 7:00am TEAM/DLS

USBC Tech: Sheldon Funn Oil start time 5:25am Oil end time 6:35am

Lane Machine #	#5				
Drop Machines / Check Cloth and Tank	SF				
Turn On Machine / Check Voltage 26.2 Volts	SF				
Check Tanks For Full Fluids	SF				
Make Sure Program #1 is Selected	SF				
Warm Up Pumps At 50 Mics	SF				
Replace Tip And Thumb Screw	SF				
Take Machine To Lanes / Type In Lanes	SF				
Burn 2 Lanes With Machine	SF				
Have MOD Verify / Initial Log	TS				
Start / Watch Numbers / Valve / Buffer RPM	SF				
Walk All Lanes When Finished	SF				
Dump / Fill Machines	SF				

RECORD READINGS		TEAM	DLS
Lanes Oiled		1-6	7-32
Tank "A" Valve		520	468
Tank "B" Valve		460	472
Average Run Time		810	792
Distances Taped		25'	25'
	Lane # taped	3	13
Give Tapes To MOD		SF	SF

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-29-2022 Squad Time / Event: 9:30 AM TEAM / O/S

USBC Tech: SHELDON FURR Oil start time 8:00 AM Oil end time 8:35 AM

Lane Machine #	#5				
Drop Machines / Check Cloth and Tank	SF				
Turn On Machine / Check Voltage 26.2 Volts	SF				
Check Tanks For Full Fluids	SF				
Make Sure Program #1 is Selected	SF				
Warm Up Pumps At 50 Mics	SF				
Replace Tip And Thumb Screw	SF				
Take Machine To Lanes / Type In Lanes	SF				
Burn 2 Lanes With Machine	SF				
Have MOD Verify / Initial Log	TS				
Start / Watch Numbers / Valve / Buffer RPM	SF				
Walk All Lanes When Finished	SF				
Dump / Fill Machines	SF				

RECORD READINGS	TEAM	O/S			
Lanes Oiled	32-23	22-13			
Tank "A" Valve	521	468			
Tank "B" Valve	460	478			
Average Run Time	800	788			
Distances Taped					
Lane # taped					
Give Tapes To MOD					

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-29-22

Squad Time / Event: 10:30

USBC Tech: Terray Long

Oil start time 9:51

Oil end time 10:30

Lane Machine #	#5		
Drop Machines / Check Cloth and Tank	TL		
Turn On Machine / Check Voltage 26.2 Volts	TL		
Check Tanks For Full Fluids	TL		
Make Sure Program #1 is Selected	TL		
Warm Up Pumps At 50 Mics	TL		
Replace Tip And Thumb Screw	TL		
Take Machine To Lanes / Type In Lanes	TL		
Burn 2 Lanes With Machine	TL		
Have MOD Verify / Initial Log	TL	TS	
Start / Watch Numbers / Valve / Buffer RPM	TL	TL	
Walk All Lanes When Finished	TL	TL	
Dump / Fill Machines	TL	TL	
RECORD READINGS	TL	TL	
Lanes Oiled	64-57	56-41	
Tank "A" Valve	805	467	
Tank "B" Valve	453	482	
Average Run Time	805	790	
Distances Taped			
Lane # taped			
Give Tapes To MOD			

2022 USBC Bowler's Journal Daily Inspection Checklist

Date: 3-30-2022

Time: 5:00 AM

USBC Rep: Sheldon Furr

	#1	#2	#3	#4	#5
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	SF
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-30-2022

Squad Time / Event: 7:00am TEAM OLS

USBC Tech: Sheldon FARR

Oil start time 5:35am

Oil end time 6:05am

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

YS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM OLS

Lanes Oiled

32-29 28-21

Tank "A" Valve

520 469

Tank "B" Valve

458 483

Average Run Time

806 793

Distances Taped

25' 25'

Lane # taped

31 25

Give Tapes To MOD

SF SF

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-30-2022 Squad Time / Event: 9:30 AM TEAM / ALS

USBC Tech: Sheldon Fuan Oil start time 8:05 AM Oil end time 8:35 AM

Lane Machine # #5

Drop Machines / Check Cloth and Tank SF

Turn On Machine / Check Voltage 26.2 Volts SF

Check Tanks For Full Fluids SF

Make Sure Program #1 is Selected SF

Warm Up Pumps At 50 Mics SF

Replace Tip And Thumb Screw SF

Take Machine To Lanes / Type In Lanes SF

Burn 2 Lanes With Machine SF

Have MOD Verify / Initial Log TS

Start / Watch Numbers / Valve / Buffer RPM SF

Walk All Lanes When Finished SF

Dump / Fill Machines SF

RECORD READINGS

TEAM 0/5

Lanes Oiled 32-31 30-21

Tank "A" Valve 520 468

Tank "B" Valve 456 480

Average Run Time 797 785

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-30-2022

Squad Time / Event: 12:00 pm O/S

USBC Tech: Sheldon Furr

Oil start time 11:00 am

Oil end time 11:30 am

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

O/S

Lanes Oiled

32-19

Tank "A" Valve

470

Tank "B" Valve

481

Average Run Time

785

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-30-2022

Squad Time / Event: 2:30 pm O/S

USBC Tech: Sheldon Funn

Oil start time 1:15 pm

Oil end time 2:05 pm

Lane Machine # #5

Drop Machines / Check Cloth and Tank SF

Turn On Machine / Check Voltage 26.2 Volts SF

Check Tanks For Full Fluids SF

Make Sure Program #1 is Selected SF

Warm Up Pumps At 50 Mics SF

Replace Tip And Thumb Screw SF

Take Machine To Lanes / Type In Lanes SF

Burn 2 Lanes With Machine SF

Have MOD Verify / Initial Log TS

Start / Watch Numbers / Valve / Buffer RPM SF

Walk All Lanes When Finished SF

Dump / Fill Machines SF

RECORD READINGS O/S

Lanes Oiled 32-19

Tank "A" Valve 468

Tank "B" Valve 479

Average Run Time 782

Distances Taped

Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-30-22

Squad Time / Event:

~~10:00~~
9:30

USBC Tech: Terray Long

Oil start time 9:01

Oil end time 9:42

Lane Machine # #5 5

Drop Machines / Check Cloth and Tank TS

Turn On Machine / Check Voltage 26.2 Volts TL

Check Tanks For Full Fluids TL

Make Sure Program #1 is Selected TL

Warm Up Pumps At 50 Mics TL

Replace Tip And Thumb Screw TL

Take Machine To Lanes / Type In Lanes TL

Burn 2 Lanes With Machine TL

Have MOD Verify / Initial Log TS

Start / Watch Numbers / Valve / Buffer RPM TL TL

Walk All Lanes When Finished TL TL

Dump / Fill Machines TL TL

RECORD READINGS

Lanes Oiled 1-8

Tank "A" Valve 520 470

Tank "B" Valve 461 460

Average Run Time 804 790

Distances Taped
Lane # taped

Give Tapes To MOD

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-30-22 Squad Time / Event: 12:00 Am

USBC Tech: Terry Lang Oil start time 11:26 pm Oil end time 11:39 pm

Lane Machine # #5

Drop Machines / Check Cloth and Tank TL

Turn On Machine / Check Voltage 26.2 Volts TL

Check Tanks For Full Fluids TL

Make Sure Program #1 is Selected TL

Warm Up Pumps At 50 Mics TL

Replace Tip And Thumb Screw TL

Take Machine To Lanes / Type In Lanes TL

Burn 2 Lanes With Machine TL

Have MOD Verify / Initial Log TS

Start / Watch Numbers / Valve / Buffer RPM TL

Walk All Lanes When Finished TL

Dump / Fill Machines TL

RECORD READINGS TL

Lanes Oiled 1-6

Tank "A" Valve 466

Tank "B" Valve 480

Average Run Time 786

Distances Taped

Lane # taped

Give Tapes To MOD

2022 USBC Bowler's Journal Daily Inspection Checklist

Date: 3-31-2022

Time: 12:00pm

USBC Rep: Sheldon Funn

	#1	#2	#3	#4	#5
Turn On Machines / Check Voltage 26.2 Volts	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Check Tanks For Full Fluids	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Check Cleaner Only Volume (12 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Check Combined Cleaner (32 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Warm Up Pumps at 50 mics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Tank "A" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Tank "B" Calibration (20 mils)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Pattern Calibration / Team	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Pattern Calibration / Minors	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Replace Tip And Thumb screw	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox" value="SF"/>
Post Daily Inspection Form On-Site	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Post Daily Inspection Form On-Line	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Mail Lane Tapes To USBC HQ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-31-2022

Squad Time / Event: 2:30pm TEAM / OLS

USBC Tech: Sheldon Furr

Oil start time 12:35pm

Oil end time 1:40pm

Lane Machine #

#5

Drop Machines / Check Cloth and Tank

SF

Turn On Machine / Check Voltage 26.2 Volts

SF

Check Tanks For Full Fluids

SF

Make Sure Program #1 is Selected

SF

Warm Up Pumps At 50 Mics

SF

Replace Tip And Thumb Screw

SF

Take Machine To Lanes / Type In Lanes

SF

Burn 2 Lanes With Machine

SF

Have MOD Verify / Initial Log

TS

Start / Watch Numbers / Valve / Buffer RPM

SF

Walk All Lanes When Finished

SF

Dump / Fill Machines

SF

RECORD READINGS

TEAM OLS

Lanes Oiled

32-27 26-1

Tank "A" Valve

520 470

Tank "B" Valve

456 483

Average Run Time

806 788

Distances Taped

25' 25'

Lane # taped

27 19

Give Tapes To MOD

SF SF

2022 Bowlers Journal Squad Verification Checklist

EVERY OIL

Date: 3-31-22 Squad Time / Event: 10:00

USBC Tech: Terray Long Oil start time 9:01 Oil end time 9:50

Lane Machine #	#5			
Drop Machines / Check Cloth and Tank	TL			
Turn On Machine / Check Voltage 26.2 Volts	TL			
Check Tanks For Full Fluids	TL			
Make Sure Program #1 is Selected	TL			
Warm Up Pumps At 50 Mics	TL			
Replace Tip And Thumb Screw	TL			
Take Machine To Lanes / Type In Lanes	TL			
Burn 2 Lanes With Machine	TL			
Have MOD Verify / Initial Log	TS			
Start / Watch Numbers / Valve / Buffer RPM	TL			
Walk All Lanes When Finished	TL	TL		
Dump / Fill Machines	TL	TL		
RECORD READINGS	TL	TL		
Lanes Oiled	1-6	7-24		
Tank "A" Valve	520	792		
Tank "B" Valve	459	482		
Average Run Time	807	792		
Distances Taped				
Lane # taped				
Give Tapes To MOD				

